

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 9/00	A2	(11) International Publication Number: WO 00/18889 (43) International Publication Date: 6 April 2000 (06.04.00)
(21) International Application Number: PCT/US99/22231 (22) International Filing Date: 24 September 1999 (24.09.99) (30) Priority Data: 60/101,939 25 September 1998 (25.09.98) US (71) Applicant: CALGENE LLC [US/US]; 1920 Fifth Street, Davis, CA 95620 (US). (72) Inventors: LASSNER, Michael, W.; 721 Falcon Avenue, Davis, CA 95616 (US). EMIG, Robin, A.; 901 Sara Court, Vacaville, CA 95687 (US). RUEZINSKY, Diane, M.; 849 Boum Drive, Woodland, CA 95776 (US). VAN EENENNAAM, Alison; 856 Burr Street, Davis, CA 95616 (US). (74) Agents: SCHWEDLER, Carl, J. et al.; Patent Dept. Central, Monsanto/G.D. Searle, P.O. Box 5110, Chicago, IL 60680-5110 (US).		(81) Designated States: CA, JP, MX, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: NOVEL PLANT ACYLTRANSFERASES (57) Abstract By this invention, novel nucleic acid sequences encoding for acyltransferase related proteins are provided, wherein said acyltransferase-like protein is active in the transfer of a fatty acyl group from a fatty acyl donor to a fatty acyl acceptor. Also considered are amino acid and nucleic acid sequences obtainable from AT-like nucleic acid sequences and the use of such sequences to provide transgenic host cells capable of producing modified lipid content and composition.		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

NOVEL PLANT ACYLTRANSFERASES

5

INTRODUCTION

This application claims the benefit of U.S. Provisional Application Serial No. 60/101,939 filed September 25, 1998.

10

Technical Field

The present invention is directed to nucleic acid and amino acid sequences and constructs, and methods related thereto.

15 Background

Through the development of plant genetic engineering techniques, it is now possible to produce transgenic varieties of plant species to provide plants which have novel and desirable characteristics. For example, it is now possible to genetically engineer plants for tolerance to environmental stresses, such as resistance to pathogens and tolerance to herbicides and to improve the quality characteristics of the plant, for example improved fatty acid compositions. However, the number of useful nucleotide sequences for the engineering of such characteristics is thus far limited and the speed with which new useful nucleotide sequences for engineering new characteristics is slow.

The characterization of various acyltransferase proteins is useful for the further study of plant fatty acid synthesis systems and for the development of novel and/or alternative oils sources. Studies of plant mechanisms may provide means to further enhance, control, modify, or otherwise alter the total fatty acyl composition of triglycerides and oils. Furthermore, the elucidation of the factor(s) critical to the natural production of fatty acids in plants is desired, including the purification of such factors and the characterization of element(s) and/or cofactors which enhance the efficiency of the system. Of particular interest are the nucleic acid sequences of genes encoding proteins which may be useful for applications in genetic engineering.

SUMMARY OF THE INVENTION

5 The present invention provides nucleic acid encoding for amino acid sequences for a class of proteins which are related to acyltransferase proteins. Such proteins are referred to herein as acyltransferase related or acyltransferase like proteins.

 By this invention, nucleic acid sequences encoding these acyltransferase related proteins may now be characterized with respect to enzyme activity. In particular,

10 identification and isolation of nucleic acid sequences encoding for acyltransferase related proteins from *Arabidopsis*, yeast, corn, and soybean are provided.

 Thus, this invention encompasses acyltransferase related nucleic acid sequences and the corresponding amino acid sequences, and the use of these nucleic acid sequences in the preparation of oligonucleotides containing such acyltransferase related encoding sequences
15 for analysis and recovery of plant acyltransferase related gene sequences. The acyltransferase related encoding sequence may encode a complete or partial sequence depending upon the intended use. All or a portion of the genomic sequence, or cDNA sequence, is intended.

 Of special interest are recombinant DNA constructs which provide for transcription or transcription and translation (expression) of the acyltransferase related sequences in host
20 cells. In particular, constructs which are capable of transcription or transcription and translation in plant host cells are preferred. For some applications a reduction in sequences encoding acyltransferase related sequences may be desired. Thus, recombinant constructs may be designed having the acyltransferase related sequences in a reverse orientation for expression of an anti-sense sequence or use of co-suppression, also known as "transwitch",
25 constructs may be useful. Such constructs may contain a variety of regulatory regions including transcriptional initiation regions obtained from genes preferentially expressed in plant seed tissue. For some uses, it may be desired to use the transcriptional and translational initiation regions of the acyltransferase related gene either with the acyltransferase related encoding sequence or to direct the transcription and translation of a heterologous sequence.

30 Also considered in this invention are the plants and seeds containing the constructs and polynucleotides of this invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 provides the 204 amino acid conserved sequence profile identified from comparisons of glycerol-3-phosphate acyltransferase and various lysophosphatidic acid acyltransferase using PSI-BLAST.

Figure 2 provides an amino acid sequence alignment for the acyltransferase sequences. The alignment shown is of the regions of the protein extending from about 30 amino acids prior to the conserved H in the conserved sequence HXXXXD to 100 amino acids after, or downstream, of the P in the conserved PEG sequence motif of the acyltransferase-like sequences.

Figure 3 provides schematics showing the relationship of the identified acyltransferases. The relationships described are derived from an alignment of the regions of the protein extending from about 30 amino acids prior to the conserved H in the conserved sequence HXXXXD to 100 amino acids after, or downstream, of the P in the conserved PEG sequence motif of the acyltransferase-like sequences. Figure 3A provide a phylogenetic tree showing the relationship of several acyltransferases. Figure 3B provides a table showing the percent similarities and percent divergence of the novel acyltransferases and known acyltransferases using the Clustal method with PAM250 residue weight table.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the subject invention, nucleotide sequences are provided which are capable of coding sequences of amino acids, such as, a protein, polypeptide or peptide, which are related to nucleic acid sequences encoding acyltransferase proteins, referred to herein as acyltransferase-like or acyltransferase related. The novel nucleic acid sequences find use in the preparation of constructs to direct their expression in a host cell. Furthermore, the novel nucleic acid sequences may find use in the preparation of plant expression constructs to modify the fatty acid composition of a plant cell.


In one embodiment of the present invention, nucleic acid sequences, also referred to herein as polynucleotides, are identified from databases which are related to acyltransferases.

Isolated proteins, Polypeptides and Polynucleotides

A first aspect of the present invention relates to isolated acyltransferase polynucleotides. The polynucleotide sequences of the present invention include isolated polynucleotides that encode the polypeptides of the invention having a deduced amino acid sequence selected from the group of sequences set forth in the Sequence Listing and to other polynucleotide sequences closely related to such sequences and variants thereof.

The invention provides a polynucleotide sequence identical over its entire length to each coding sequence as set forth in the Sequence Listing. The invention also provides the coding sequence for the mature polypeptide or a fragment thereof, as well as the coding sequence for the mature polypeptide or a fragment thereof in a reading frame with other coding sequences, such as those encoding a leader or secretory sequence, a pre-, pro-, or prepro- protein sequence. The polynucleotide can also include non-coding sequences, including for example, but not limited to, non-coding 5' and 3' sequences, such as the transcribed, untranslated sequences, termination signals, ribosome binding sites, sequences that stabilize mRNA, introns, polyadenylation signals, and additional coding sequence that encodes additional amino acids. For example, a marker sequence can be included to facilitate the purification of the fused polypeptide. Polynucleotides of the present invention also include polynucleotides comprising a structural gene and the naturally associated sequences that control gene expression.

The invention also includes polynucleotides of the formula:



wherein, at the 5' end, X is hydrogen, and at the 3' end, Y is hydrogen or a metal, R_1 and R_3 are any nucleic acid residue, n is an integer between 1 and 3000, preferably between 1 and 1000 and R_2 is a nucleic acid sequence of the invention, particularly a nucleic acid sequence selected from the group set forth in the Sequence Listing and preferably SEQ IDNOs: 1, 3, 5, 7, 9, 10, 12, 14, 16, 18, 20, 22, and 226-233. In the formula, R_2 is oriented so that its 5' end residue is at the left, bound to R_1 , and its 3' end residue is at the right, bound to R_3 . Any stretch of nucleic acid residues denoted by either R group, where R is greater than 1, may be either a heteropolymer or a homopolymer, preferably a heteropolymer.

The invention also relates to variants of the polynucleotides described herein that encode for variants of the polypeptides of the invention. Variants that are fragments of the polynucleotides of the invention can be used to synthesize full-length polynucleotides of the

invention. Preferred embodiments are polynucleotides encoding polypeptide variants wherein 5 to 10, 1 to 5, 1 to 3, 2, 1 or no amino acid residues of a polypeptide sequence of the invention are substituted, added or deleted, in any combination. Particularly preferred are substitutions, additions, and deletions that are silent such that they do not alter the properties or activities of the polynucleotide or polypeptide.

Nucleotide sequences encoding acyltransferases may be obtained from natural sources or be partially or wholly artificially synthesized. They may directly correspond to an acyltransferase endogenous to a natural source or contain modified amino acid sequences, such as sequences which have been mutated, truncated, increased or the like. Acyltransferases may be obtained by a variety of methods, including but not limited to, partial or homogenous purification of protein extracts, protein modeling, nucleic acid probes, antibody preparations and sequence comparisons. Typically an acyltransferase will be derived in whole or in part from a natural source. A natural source includes, but is not limited to, prokaryotic and eukaryotic sources, including, bacteria, yeasts, plants, including algae, and the like.

Of special interest are acyltransferases which are obtainable from eukaryotic sources, including those which are obtained, from plants, or from acyltransferases which are obtainable through the use of these sequences. "Obtainable" refers to those acyltransferases which have sufficiently similar sequences to that of the sequences provided herein to provide a biologically active protein of the present invention.

Further preferred embodiments of the invention that are at least 50%, 60%, or 70% identical over their entire length to a polynucleotide encoding a polypeptide of the invention, and polynucleotides that are complementary to such polynucleotides. More preferable are polynucleotides that comprise a region that is at least 80% identical over its entire length to a polynucleotide encoding a polypeptide of the invention and polynucleotides that are complementary thereto. In this regard, polynucleotides at least 90% identical over their entire length are particularly preferred, those at least 95% identical are especially preferred. Further, those with at least 97% identity are highly preferred and those with at least 98% and 99% identity are particularly highly preferred, with those at least 99% being the most highly preferred.

Preferred embodiments are polynucleotides that encode polypeptides that retain substantially the same biological function or activity as the mature polypeptides encoded by the polynucleotides set forth in the Sequence Listing.

The invention further relates to polynucleotides that hybridize to the above-described sequences. In particular, the invention relates to polynucleotides that hybridize under stringent conditions to the above-described polynucleotides. As used herein, the terms "stringent conditions" and "stringent hybridization conditions" mean that hybridization will generally occur if there is at least 95% and preferably at least 97% identity between the sequences. An example of stringent hybridization conditions is overnight incubation at 42°C in a solution comprising 50% formamide, 5x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 micrograms/milliliter denatured, sheared salmon sperm DNA, followed by washing the hybridization support in 0.1x SSC at approximately 65°C. Other hybridization and wash conditions are well known and are exemplified in Sambrook, *et al.*, Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor, NY (1989), particularly Chapter 11.

The invention also provides a polynucleotide consisting essentially of a polynucleotide sequence obtainable by screening an appropriate library containing the complete gene for a polynucleotide sequence set forth in the Sequence Listing under stringent hybridization conditions with a probe having the sequence of said polynucleotide sequence or a fragment thereof; and isolating said polynucleotide sequence. Fragments useful for obtaining such a polynucleotide include, for example, probes and primers as described herein.

As discussed herein regarding polynucleotide assays of the invention, for example, polynucleotides of the invention can be used as a hybridization probe for RNA, cDNA, or genomic DNA to isolate full length cDNAs or genomic clones encoding a polypeptide and to isolate cDNA or genomic clones of other genes that have a high sequence similarity to a polynucleotide set forth in the Sequence Listing. Such probes will generally comprise at least 15 bases. Preferably such probes will have at least 30 bases and can have at least 50 bases.

Particularly preferred probes will have between 30 bases and 50 bases, inclusive.

The coding region of each gene that comprises or is comprised by a polynucleotide sequence set forth in the Sequence Listing may be isolated by screening using a DNA sequence provided in the Sequence Listing to synthesize an oligonucleotide probe. A labeled oligonucleotide having a sequence complementary to that of a gene of the invention is then used to screen a library of cDNA, genomic DNA or mRNA to identify members of the library which hybridize to the probe. For example, synthetic oligonucleotides are prepared which correspond to the N-terminal sequence of the polypeptide. The partial sequences so prepared can then be used as probes to obtain acyltransferase clones from a gene library prepared from

a cell source of interest. Alternatively, where oligonucleotides of low degeneracy can be prepared from particular peptides, such probes may be used directly to screen gene libraries for gene sequences. In particular, screening of cDNA libraries in phage vectors is useful in such methods due to lower levels of background hybridization.

5 Typically, a sequence obtainable from the use of nucleic acid probes will show 60-70% sequence identity between the target acyltransferase sequence and the encoding sequence used as a probe. However, lengthy sequences with as little as 50-60% sequence identity may also be obtained. The nucleic acid probes may be a lengthy fragment of the nucleic acid sequence, or may also be a shorter, oligonucleotide probe. When longer nucleic acid
10 fragments are employed as probes (greater than about 100 bp), one may screen at lower stringencies in order to obtain sequences from the target sample which have 20-50% deviation (i.e., 50-80% sequence homology) from the sequences used as probe. Oligonucleotide probes can be considerably shorter than the entire nucleic acid sequence encoding an acyltransferase enzyme, but should be at least about 10, preferably at least about
15 15, and more preferably at least about 20 nucleotides. A higher degree of sequence identity is desired when shorter regions are used as opposed to longer regions. It may thus be desirable to identify regions of highly conserved amino acid sequence to design oligonucleotide probes for detecting and recovering other related genes. Shorter probes are often particularly useful for polymerase chain reactions (PCR), especially when highly conserved sequences can be
20 identified. (See, Gould, *et al.*, *PNAS USA* (1989) 86:1934-1938).

The skilled artisan will appreciate that, in many cases, an isolated cDNA sequence will be incomplete, in that the region coding for the polypeptide is truncated with respect to the 5' terminus of the cDNA. This is a consequence of the reverse transcriptase, an enzyme with low 'processivity' (a measure of the ability of the enzyme to remain attached to the
25 template during the polymerization reaction) employed during the first strand cDNA synthesis.

There are several methods available and are well known to the skilled artisan to obtain full-length cDNAs, or extend short cDNAs, for example those based on the method of Rapid Amplification of cDNA Ends (RACE) (see, for example, Frohman *et al.* (1988) *Proc. Natl. Acad. Sci. USA* 85:8998-9002). Recent modifications of the technique, exemplified by the
30 Marathon™ technology (Clontech Laboratories, Inc.) for example, have significantly simplified obtaining full-length cDNA sequences.

Another aspect of the present invention relates to isolated acyltransferase polypeptides. Such polypeptides include isolated polypeptides set forth in the Sequence Listing, as well as polypeptides and fragments thereof, particularly those polypeptides which exhibit acyltransferase activity and also those polypeptides which have at least 50%, 60% or 70% identity, preferably at least 80% identity, more preferably at least 90% identity, and most preferably at least 95% identity to a polypeptide sequence selected from the group of sequences set forth in the Sequence Listing, and also include portions of such polypeptides, wherein such portion of the polypeptide preferably includes at least 30 amino acids and more preferably includes at least 50 amino acids.

“Identity”, as is well understood in the art, is a relationship between two or more polypeptide sequences or two or more polynucleotide sequences, as determined by comparing the sequences. In the art, “identity” also means the degree of sequence relatedness between polypeptide or polynucleotide sequences, as determined by the match between strings of such sequences. “Identity” can be readily calculated by known methods including, but not limited to, those described in *Computational Molecular Biology*, Lesk, A.M., ed., Oxford University Press, New York (1988); *Biocomputing: Informatics and Genome Projects*, Smith, D.W., ed., Academic Press, New York, 1993; *Computer Analysis of Sequence Data, Part I*, Griffin, A.M. and Griffin, H.G., eds., Humana Press, New Jersey (1994); *Sequence Analysis in Molecular Biology*, von Heinje, G., Academic Press (1987); *Sequence Analysis Primer*, Gribskov, M. and Devereux, J., eds., Stockton Press, New York (1991); and Carillo, H., and Lipman, D., *SIAM J Applied Math*, 48:1073 (1988). Methods to determine identity are designed to give the largest match between the sequences tested. Moreover, methods to determine identity are codified in publicly available programs. Computer programs which can be used to determine identity between two sequences include, but are not limited to, GCG (Devereux, J., et al., *Nucleic Acids Research* 12(1):387 (1984); suite of five BLAST programs, three designed for nucleotide sequences queries (BLASTN, BLASTX, and TBLASTX) and two designed for protein sequence queries (BLASTP and TBLASTN) (Coulson, *Trends in Biotechnology*, 12: 76-80 (1994); Birren, et al., *Genome Analysis*, 1: 543-559 (1997)). The BLAST X program is publicly available from NCBI and other sources (BLAST Manual, Altschul, S., et al., NCBI NLM NIH, Bethesda, MD 20894; Altschul, S., et al., *J. Mol. Biol.*, 215:403-410 (1990)). The well known Smith Waterman algorithm can also be used to determine identity.

Parameters for polypeptide sequence comparison typically include the following:

Algorithm: Needleman and Wunsch, *J. Mol. Biol.* 48:443-453 (1970)

Comparison matrix: BLOSSUM62 from Hentikoff and Hentikoff, *Proc. Natl. Acad.*

Sci USA 89:10915-10919 (1992)

5 Gap Penalty: 12

Gap Length Penalty: 4

A program which can be used with these parameters is publicly available as the "gap" program from Genetics Computer Group, Madison Wisconsin. The above parameters along with no penalty for end gap are the default parameters for peptide comparisons.

10 Parameters for polynucleotide sequence comparison include the following:

Algorithm: Needleman and Wunsch, *J. Mol. Biol.* 48:443-453 (1970)


Comparison matrix: matches = +10; mismatches = 0

Gap Penalty: 50

Gap Length Penalty: 3

15 A program which can be used with these parameters is publicly available as the "gap" program from Genetics Computer Group, Madison Wisconsin. The above parameters are the default parameters for nucleic acid comparisons.

The invention also includes polypeptides of the formula:



20 wherein, at the amino terminus, X is hydrogen, and at the carboxyl terminus, Y is hydrogen or a metal, R_1 and R_3 are any amino acid residue, n is an integer between 1 and 1000, and R_2 is an amino acid sequence of the invention, particularly an amino acid sequence selected from the group set forth in the Sequence Listing and preferably SEQ ID NOs: 2, 4, 6, 8, 11, 13, 15, 17, 19, 21, 23, and 218-225. In the formula, R_2 is oriented so that its amino terminal residue is at the left, bound to R_1 , and its carboxy terminal residue is at the right, bound to R_3 . Any stretch of amino acid residues denoted by either R group, where R is greater than 1, may be either a heteropolymer or a homopolymer, preferably a heteropolymer.

Polypeptides of the present invention include isolated polypeptides encoded by a polynucleotide comprising a sequence selected from the group of a sequence contained in 30 SEQ ID NOs: 1, 3, 5, 7, 9, 10, 12, 14, 16, 18, 20, 22, and 226-233.

The polypeptides of the present invention can be mature protein or can be part of a fusion protein.

Fragments and variants of the polypeptides are also considered to be a part of the invention. A fragment is a variant polypeptide which has an amino acid sequence that is entirely the same as part but not all of the amino acid sequence of the previously described polypeptides. The fragments can be "free-standing" or comprised within a larger polypeptide of which the fragment forms a part or a region, most preferably as a single continuous region. Preferred fragments are biologically active fragments which are those fragments that mediate activities of the polypeptides of the invention, including those with similar activity or improved activity or with a decreased activity. Also included are those fragments that antigenic or immunogenic in an animal, particularly a human.

Variants of the polypeptide also include polypeptides that vary from the sequences set forth in the Sequence Listing by conservative amino acid substitutions, substitution of a residue by another with like characteristics. In general, such substitutions are among Ala, Val, Leu and Ile; between Ser and Thr; between Asp and Glu; between Asn and Gln; between Lys and Arg; or between Phe and Tyr. Particularly preferred are variants in which 5 to 10; 1 to 5; 1 to 3 or one amino acid(s) are substituted, deleted, or added, in any combination.

Variants that are fragments of the polypeptides of the invention can be used to produce the corresponding full length polypeptide by peptide synthesis. Therefore, these variants can be used as intermediates for producing the full-length polypeptides of the invention.

The polynucleotides and polypeptides of the invention can be used, for example, in the transformation of various host cells, as further discussed herein.

The invention also provides polynucleotides that encode a polypeptide that is a mature protein plus additional amino or carboxyl-terminal amino acids, or amino acids within the mature polypeptide (for example, when the mature form of the protein has more than one polypeptide chain). Such sequences can, for example, play a role in the processing of a protein from a precursor to a mature form, allow protein transport, shorten or lengthen protein half-life, or facilitate manipulation of the protein in assays or production. It is contemplated that cellular enzymes can be used to remove any additional amino acids from the mature protein.

A precursor protein, having the mature form of the polypeptide fused to one or more prosequences may be an inactive form of the polypeptide. The inactive precursors generally are activated when the prosequences are removed. Some or all of the prosequences may be removed prior to activation. Such precursor protein are generally called proproteins.

The polynucleotide and polypeptide sequences can also be used to identify additional sequences which are homologous to the sequences of the present invention. The most preferable and convenient method is to store the sequence in a computer readable medium, for example, floppy disk, CD ROM, hard disk drives, external disk drives and DVD, and then to use the stored sequence to search a sequence database with well known searching tools.

Examples of public databases include the DNA Database of Japan

(DDBJ)(<http://www.ddbj.nig.ac.jp/>); Genbank

(<http://www.ncbi.nlm.nih.gov/web/Genbank/Index.html>); and the European Molecular

Biology Laboratory Nucleic Acid Sequence Database (EMBL)

(http://www.ebi.ac.uk/ebi_docs/embl_db.html). A number of different search algorithms are

available to the skilled artisan, one example of which are the suite of programs referred to as

BLAST programs. There are five implementations of BLAST, three designed for nucleotide

sequences queries (BLASTN, BLASTX, and TBLASTX) and two designed for protein

sequence queries (BLASTP and TBLASTN) (Coulson, *Trends in Biotechnology*, 12: 76-80

(1994); Birren, *et al.*, *Genome Analysis*, 1: 543-559 (1997)). Additional programs are

available in the art for the analysis of identified sequences, such as sequence alignment

programs, programs for the identification of more distantly related sequences, and the like,

and are well known to the skilled artisan.

Plant Constructs and Methods of Use

Of interest in the present invention, is the use of the nucleotide sequences, or polynucleotides, in recombinant DNA constructs to direct the transcription or transcription and translation (expression) of the acyltransferase sequences of the present invention in a host cell.

Of particular interest is the use of the nucleotide sequences, or polynucleotides, in recombinant DNA constructs to direct the transcription or transcription and translation (expression) of the acyltransferase sequences of the present invention in a host cell. The expression constructs generally comprise a promoter functional in a host cell operably linked to a nucleic acid sequence encoding an acyltransferase of the present invention and a transcriptional termination region functional in a host cell.

By "host cell" is meant a cell which contains a vector and supports the replication, and/or transcription or transcription and translation (expression) of the expression construct.

Host cells for use in the present invention can be prokaryotic cells, such as *E. coli*, or eukaryotic cells such as yeast, plant, insect, amphibian, or mammalian cells. Preferably, host cells are monocotyledenous or dicotyledenous plant cells.

Of particular interest in the present invention is the use of the polynucleotides of the present invention for the preparation of constructs to direct the transcription or transcription and translation of the nucleotide sequences encoding an acyltransferase in a host plant cell. Plant expression constructs generally comprise a promoter functional in a plant host cell operably linked to a nucleic acid sequence of the present and a transcriptional termination region functional in a host plant cell.

Those skilled in the art will recognize that there are a number of promoters which are functional in plant cells, and have been described in the literature. Chloroplast and plastid specific promoters, chloroplast or plastid functional promoters, and chloroplast or plastid operable promoters are also envisioned.

One set of promoters are constitutive promoters such as the CaMV35S or FMV35S promoters that yield high levels of expression in most plant organs. Enhanced or duplicated versions of the CaMV35S and FMV35S promoters are useful in the practice of this invention (Odell, *et al.* (1985) *Nature* 313:810-812; Rogers, U.S. Patent Number 5,378, 619). In addition, it may also be preferred to bring about expression of the protein of interest in specific tissues of the plant, such as leaf, stem, root, tuber, seed, fruit, etc., and the promoter chosen should have the desired tissue and developmental specificity.

Of particular interest is the expression of the nucleic acid sequences of the present invention from transcription initiation regions which are preferentially expressed in a plant seed tissue. Examples of such seed preferential transcription initiation sequences include those sequences derived from sequences encoding plant storage protein genes or from genes involved in fatty acid biosynthesis in oilseeds. Examples of such promoters include the 5' regulatory regions from such genes as napin (Kridl *et al.*, *Seed Sci. Res.* 1:209:219 (1991)), phaseolin, zein, soybean trypsin inhibitor, ACP, stearyl-ACP desaturase, soybean α' subunit of β -conglycinin (soy 7s, (Chen *et al.*, *Proc. Natl. Acad. Sci.*, 83:8560-8564 (1986))) and oleosin.

It may be advantageous to direct the localization of proteins conferring acyltransferase to a particular subcellular compartment, for example, to the mitochondrion, endoplasmic reticulum, vacuoles, chloroplast or other plastidic compartment. For example, where the genes of interest of the present invention will be targeted to plastids, such as chloroplasts, for

expression, the constructs will also employ the use of sequences to direct the gene to the plastid. Such sequences are referred to herein as chloroplast transit peptides (CTP) or plastid transit peptides (PTP). In this manner, where the gene of interest is not directly inserted into the plastid, the expression construct will additionally contain a gene encoding a transit peptide to direct the gene of interest to the plastid. The chloroplast transit peptides may be derived from the gene of interest, or may be derived from a heterologous sequence having a CTP. Such transit peptides are known in the art. See, for example, Von Heijne *et al.* (1991) *Plant Mol. Biol. Rep.* 9:104-126; Clark *et al.* (1989) *J. Biol. Chem.* 264:17544-17550; della Cioppa *et al.* (1987) *Plant Physiol.* 84:965-968; Romer *et al.* (1993) *Biochem. Biophys. Res Commun.* 196:1414-1421; and, Shah *et al.* (1986) *Science* 233:478-481. Additional transit peptides for the translocation of the protein to the endoplasmic reticulum (ER), or vacuole may also find use in the constructs of the present invention.

Depending upon the intended use, the constructs may contain the nucleic acid sequence which encodes the entire acyltransferase protein, or a portion thereof. For example, where antisense inhibition of a given acyltransferase protein is desired, the entire sequence is not required. Furthermore, where acyltransferase sequences used in constructs are intended for use as probes, it may be advantageous to prepare constructs containing only a particular portion of a acyltransferase encoding sequence, for example a sequence which is discovered to encode a highly conserved acyltransferase region.

The skilled artisan will recognize that there are various methods for the inhibition of expression of endogenous sequences in a host cell. Such methods include, but are not limited to antisense suppression (Smith, *et al.* (1988) *Nature* 334:724-726), co-suppression (Napoli, *et al.* (1989) *Plant Cell* 2:279-289), ribozymes (PCT Publication WO 97/10328), and combinations of sense and antisense, such as those described by Waterhouse, *et al.* (1998) *Proc. Natl. Acad. Sci. USA* 95:13959-13964. Methods for the suppression of endogenous sequences in a host cell typically employ the transcription or transcription and translation of at least a portion of the sequence to be suppressed. Such sequences may be homologous to coding as well as non-coding regions of the endogenous sequence.

Regulatory transcript termination regions may be provided in plant expression constructs of this invention as well. Transcript termination regions may be provided by the DNA sequence encoding the acyltransferase or a convenient transcription termination region derived from a different gene source, for example, the transcript termination region which is naturally associated with the transcript initiation region. The skilled artisan will recognize

that any convenient transcript termination region which is capable of terminating transcription in a plant cell may be employed in the constructs of the present invention.

Alternatively, constructs may be prepared to direct the expression of the acyltransferase sequences directly from the host plant cell plastid. Such constructs and methods are known in the art and are generally described, for example, in Svab, *et al.* (1990) *Proc. Natl. Acad. Sci. USA* 87:8526-8530 and Svab and Maliga (1993) *Proc. Natl. Acad. Sci. USA* 90:913-917 and in U.S. Patent Number 5,693,507.

A plant cell, tissue, organ, or plant into which the recombinant DNA constructs containing the expression constructs have been introduced is considered transformed, transfected, or transgenic. A transgenic or transformed cell or plant also includes progeny of the cell or plant and progeny produced from a breeding program employing such a transgenic plant as a parent in a cross and exhibiting an altered genotype resulting from the presence of an introduced acyltransferase nucleic acid sequence.

The term "introduced" in the context of inserting a nucleic acid sequence into a cell, means "transfection", or "transformation" or "transduction" and includes reference to the incorporation of a nucleic acid sequence into a eukaryotic or prokaryotic cell where the nucleic acid sequence may be incorporated into the genome of the cell (for example, chromosome, plasmid, plastid, or mitochondrial DNA), converted into an autonomous replicon, or transiently expressed (for example, transfected mRNA).

Plant expression or transcription constructs having an acyltransferase as the DNA sequence of interest for increased or decreased expression thereof may be employed with a wide variety of plant life, particularly, plant life involved in the production of vegetable oils for edible and industrial uses. Plants of interest in the present invention include monocotyledenous and dicotyledenous plants. Most especially preferred are temperate oilseed crops. Plants of interest include, but are not limited to, rapeseed (Canola and High Erucic Acid varieties), sunflower, safflower, cotton, soybean, peanut, coconut and oil palms, and corn. Depending on the method for introducing the recombinant constructs into the host cell, other DNA sequences may be required. Importantly, this invention is applicable to dicotyledons and monocotyledons species alike and will be readily applicable to new and/or improved transformation and regulation techniques.

As used herein, the term "plant" includes reference to whole plants, plant organs (for example, leaves, stems, roots, etc.), seeds, and plant cells and progeny of same. Plant cell, as used herein includes, without limitation, seeds suspension cultures, embryos, meristematic

regions, callus tissue, leaves roots shoots, gametophytes, sporophytes, pollen, and microspores. The class of plants which can be used in the methods of the present invention is generally as broad as the class of higher plants amenable to transformation techniques, including both monocotyledenous and dicotyledenous plants. Particularly preferred plants of interest include, but are not limited to, rapeseed (Canola and High Erucic Acid varieties), sunflower, safflower, cotton, soybean, peanut, coconut and oil palms, and corn. Most especially preferred plants include *Brassica*, soybean, and corn.

As used herein, "transgenic plant" includes reference to a plant which comprises within its genome a heterologous polynucleotide. Generally, the heterologous polynucleotide is stably integrated within the genome such that the polynucleotide is passed on to successive generations. The heterologous polynucleotide may be integrated into the genome alone or as part of a recombinant expression cassette. "Transgenic" is used herein to include any cell, cell line, callus, tissue, plant part or plant, the genotype of which has been altered by the presence of heterologous nucleic acid including those transgenics initially so altered as well as those created by sexual crosses or asexual propagation from the initial transgenic.

Thus a plant having within its cells a heterologous polynucleotide is referred to herein as a transgenic plant. The heterologous polynucleotide can be either stably integrated into the genome, or can be extra-chromosomal. Preferably, the polynucleotide of the present invention is stably integrated into the genome such that the polynucleotide is passed on to successive generations. The polynucleotide is integrated into the genome alone or as part of a recombinant expression cassette. "Transgenic" is used herein to include any cell, cell line, callus, tissue, plant part or plant, the genotype of which has been altered by the presence of heterologous nucleic acids including those transgenics initially so altered as well as those created by sexual crosses or asexual reproduction of the initial transgenics.

As used herein, "heterologous" in reference to a nucleic acid is a nucleic acid that originates from a foreign species, or, if from the same species, is substantially modified from its native form in composition and/or genomic locus by deliberate human intervention. For example, a promoter operably linked to a heterologous structural gene is from a species different from that from which the structural gene was derived, or, if from the same species, one or both are substantially modified from their original form. A heterologous protein may originate from a foreign species, or, if from the same species, is substantially modified from its original form by deliberate human intervention.

As used herein, a "recombinant expression cassette" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements which permit transcription of a particular nucleic acid in a target cell. The recombinant expression cassette can be incorporated into a plasmid, chromosome, mitochondrial DNA, plastid DNA, virus, or nucleic acid fragment. Typically, the recombinant expression cassette portion of an expression vector includes, among other sequences, a nucleic acid sequence to be transcribed and a promoter.

It is contemplated that the gene sequences may be synthesized, either completely or in part, especially where it is desirable to provide plant-preferred sequences. Thus, all or a portion of the desired structural gene (that portion of the gene which encodes the acyltransferase protein) may be synthesized using codons preferred by a selected host. Host-preferred codons may be determined, for example, from the codons used most frequently in the proteins expressed in a desired host species.

One skilled in the art will readily recognize that antibody preparations, nucleic acid probes (DNA and RNA) and the like may be prepared and used to screen and recover "homologous" or "related" acyltransferase from a variety of plant sources. Homologous sequences are found when there is an identity of sequence, which may be determined upon comparison of sequence information, nucleic acid or amino acid, or through hybridization reactions between a known acyltransferase and a candidate source. Conservative changes, such as Glu/Asp, Val/Ile, Ser/Thr, Arg/Lys and Gln/Asn may also be considered in determining sequence homology. Amino acid sequences are considered homologous by as little as 25% sequence identity between the two complete mature proteins. (*See generally, Doolittle, R.F., OF URFS and ORFS* (University Science Books, CA, 1986).)

Thus, other acyltransferase sequences can be obtained from the specific exemplified sequences provided herein. Furthermore, it will be apparent that one can obtain natural and synthetic sequences, including modified amino acid sequences and starting materials for synthetic-protein modeling from the exemplified sequences and from acyltransferases which are obtained through the use of such exemplified sequences. Modified amino acid sequences include sequences which have been mutated, truncated, increased and the like, whether such sequences were partially or wholly synthesized. Sequences which are actually purified from plant preparations or are identical or encode identical proteins thereto, regardless of the method used to obtain the protein or sequence, are equally considered naturally derived.

For immunological screening, antibodies to the acyltransferase protein can be prepared by injecting rabbits or mice with the purified protein or portion thereof, such methods of preparing antibodies being well known to those in the art. Either monoclonal or polyclonal antibodies can be produced, although typically polyclonal antibodies are more useful for gene isolation. Western analysis may be conducted to determine that a related protein is present in a crude extract of the desired plant species, as determined by cross-reaction with the antibodies to the acyltransferase protein. When cross-reactivity is observed, genes encoding the related proteins are isolated by screening expression libraries representing the desired plant species. Expression libraries can be constructed in a variety of commercially available vectors, including lambda gt11, as described in Sambrook, *et al.* (*Molecular Cloning: A Laboratory Manual*, Second Edition (1989) Cold Spring Harbor Laboratory, Cold Spring Harbor, New York).

The nucleic acid sequences associated with acyltransferase proteins will find many uses. For example, recombinant constructs can be prepared which can be used as probes, or which will provide for expression of the acyltransferase protein in host cells to produce a ready source of the enzyme and/or to modify the composition of triglycerides found therein. Other useful applications may be found when the host cell is a plant host cell, either *in vitro* or *in vivo*.

The modification of fatty acid compositions may also affect the fluidity of plant membranes. Different lipid concentrations have been observed in cold-hardened plants, for example. By this invention, one may be capable of introducing traits which will lend to chill tolerance. Constitutive or temperature inducible transcription initiation regulatory control regions may have special applications for such uses.

As discussed above, nucleic acid sequence encoding an acyltransferase of this invention may include genomic, cDNA or mRNA sequence. By "encoding" is meant that the sequence corresponds to a particular amino acid sequence either in a sense or anti-sense orientation. By "extrachromosomal" is meant that the sequence is outside of the plant genome of which it is naturally associated. By "recombinant" is meant that the sequence contains a genetically engineered modification through manipulation via mutagenesis, restriction enzymes, and the like.

Once the desired acyltransferase nucleic acid sequence is obtained, it may be manipulated in a variety of ways. Where the sequence involves non-coding flanking regions, the flanking regions may be subjected to resection, mutagenesis, etc. Thus, transitions,

transversions, deletions, and insertions may be performed on the naturally occurring sequence. In addition, all or part of the sequence may be synthesized. In the structural gene, one or more codons may be modified to provide for a modified amino acid sequence, or one or more codon mutations may be introduced to provide for a convenient restriction site or other purpose involved with construction or expression. The structural gene may be further modified by employing synthetic adapters, linkers to introduce one or more convenient restriction sites, or the like.

The nucleic acid or amino acid sequences encoding an acyltransferase of this invention may be combined with other non-native, or "heterologous", sequences in a variety of ways. By "heterologous" sequences is meant any sequence which is not naturally found joined to the acyltransferase, including, for example, combinations of nucleic acid sequences from the same plant which are not naturally found joined together.

The DNA sequence encoding an acyltransferase of this invention may be employed in conjunction with all or part of the gene sequences normally associated with the acyltransferase. In its component parts, a DNA sequence encoding acyltransferase is combined in a DNA construct having, in the 5' to 3' direction of transcription, a transcription initiation control region capable of promoting transcription and translation in a host cell, the DNA sequence encoding plant acyltransferase and a transcription and translation termination region.

Potential host cells include both prokaryotic cells, such as *E.coli* and eukaryotic cells such as yeast, insect, amphibian, or mammalian cells. A host cell may be unicellular or found in a multicellular differentiated or undifferentiated organism depending upon the intended use. Preferably, host cells of the present invention include plant cells, both monocotyledenous and dicotyledenous. Cells of this invention may be distinguished by having a sequence foreign to the wild-type cell present therein, for example, by having a recombinant nucleic acid construct encoding an acyltransferase therein.

The methods used for the transformation of the host plant cell are not critical to the present invention. The transformation of the plant is preferably permanent, i.e. by integration of the introduced expression constructs into the host plant genome, so that the introduced constructs are passed onto successive plant generations. The skilled artisan will recognize that a wide variety of transformation techniques exist in the art, and new techniques are continually becoming available. Any technique that is suitable for the target host plant can be employed within the scope of the present invention. For example, the constructs can be

introduced in a variety of forms including, but not limited to as a strand of DNA, in a plasmid, or in an artificial chromosome. The introduction of the constructs into the target plant cells can be accomplished by a variety of techniques, including, but not limited to calcium-phosphate-DNA co-precipitation, electroporation, microinjection, *Agrobacterium* infection, liposomes or microprojectile transformation. The skilled artisan can refer to the literature for details and select suitable techniques for use in the methods of the present invention.

Normally, included with the DNA construct will be a structural gene having the necessary regulatory regions for expression in a host and providing for selection of transformant cells. The gene may provide for resistance to a cytotoxic agent, e.g. antibiotic, heavy metal, toxin, etc., complementation providing prototrophy to an auxotrophic host, viral immunity or the like. Depending upon the number of different host species the expression construct or components thereof are introduced, one or more markers may be employed, where different conditions for selection are used for the different hosts.

Where *Agrobacterium* is used for plant cell transformation, a vector may be used which may be introduced into the *Agrobacterium* host for homologous recombination with T-DNA or the Ti- or Ri-plasmid present in the *Agrobacterium* host. The Ti- or Ri-plasmid containing the T-DNA for recombination may be armed (capable of causing gall formation) or disarmed (incapable of causing gall formation), the latter being permissible, so long as the *vir* genes are present in the transformed *Agrobacterium* host. The armed plasmid can give a mixture of normal plant cells and gall.

In some instances where *Agrobacterium* is used as the vehicle for transforming host plant cells, the expression or transcription construct bordered by the T-DNA border region(s) will be inserted into a broad host range vector capable of replication in *E. coli* and *Agrobacterium*, there being broad host range vectors described in the literature. Commonly used is pRK2 or derivatives thereof. See, for example, Ditta, *et al.*, (*Proc. Nat. Acad. Sci., U.S.A.* (1980) 77:7347-7351) and EPA 0 120 515, which are incorporated herein by reference. Alternatively, one may insert the sequences to be expressed in plant cells into a vector containing separate replication sequences, one of which stabilizes the vector in *E. coli*, and the other in *Agrobacterium*. See, for example, McBride and Summerfelt (*Plant Mol. Biol.* (1990) 14:269-276), wherein the pRiHRI (Jouanin, *et al.*, *Mol. Gen. Genet.* (1985) 201:370-374) origin of replication is utilized and provides for added stability of the plant expression vectors in host *Agrobacterium* cells.

Included with the expression construct and the T-DNA will be one or more markers, which allow for selection of transformed *Agrobacterium* and transformed plant cells. A number of markers have been developed for use with plant cells, such as resistance to chloramphenicol, kanamycin, the aminoglycoside G418, hygromycin, or the like. The particular marker employed is not essential to this invention, one or another marker being preferred depending on the particular host and the manner of construction.

For transformation of plant cells using *Agrobacterium*, explants may be combined and incubated with the transformed *Agrobacterium* for sufficient time for transformation, the bacteria killed, and the plant cells cultured in an appropriate selective medium. Once callus forms, shoot formation can be encouraged by employing the appropriate plant hormones in accordance with known methods and the shoots transferred to rooting medium for regeneration of plants. The plants may then be grown to seed and the seed used to establish repetitive generations and for isolation of vegetable oils.

There are several possible ways to obtain the plant cells of this invention which contain multiple expression constructs. Any means for producing a plant comprising a construct having a nucleic acid sequence of the present invention, and at least one other construct having another DNA sequence encoding an enzyme are encompassed by the present invention. For example, the expression construct can be used to transform a plant at the same time as the second construct either by inclusion of both expression constructs in a single transformation vector or by using separate vectors, each of which express desired genes. The second construct can be introduced into a plant which has already been transformed with the first expression construct, or alternatively, transformed plants, one having the first construct and one having the second construct, can be crossed to bring the constructs together in the same plant.

In general, acyltransferase proteins are active in the transfer of acyl groups from a donor to a variety of different substrates. For example, diacylglycerol acyltransferases add acyl groups to diacylglycerol to form triacylglycerol (TAG), or acyl:CoA:cholesterol acyltransferase uses an acyl-CoA as a donor to transfer an acyl group to a sterol to form a sterol ester. Typically, the substrates include, but are not limited to glycerides, including mono and diglycerides, sterols, stanols, phosphatides, and the like. Donors include, but are not limited to acyl-CoA and acyl-ACP molecules.

The invention now being generally described, it will be more readily understood by reference to the following examples which are included for purposes of illustration only and are not intended to limit the present invention.

5

EXAMPLES

Example 1: RNA Isolations

10 Total RNA from the inflorescence and developing seeds of *Arabidopsis thaliana* is isolated for use in construction of complementary (cDNA) libraries. The procedure is an adaptation of the DNA isolation protocol of Webb and Knapp (D.M. Webb and S.J. Knapp, (1990) Plant Molec. Reporter, 8, 180-185). The following description assumes the use of 1g fresh weight of tissue. Frozen seed tissue is powdered by grinding under liquid nitrogen. The powder is added to 10ml REC buffer (50mM Tris-HCl, pH 9, 0.8M NaCl, 10mM EDTA, 0.5% w/v CTAB (cetyltrimethyl-ammonium bromide)) along with 0.2g insoluble polyvinylpolypyrrolidone, and ground at room temperature. The homogenate is centrifuged for 5 minutes at 12,000 xg to pellet insoluble material. The resulting supernatant fraction is extracted with chloroform, and the top phase is recovered.

20 The RNA is then precipitated by addition of 1 volume RecP (50mM Tris-HCL pH9, 10mM EDTA and 0.5% (w/v) CTAB) and collected by brief centrifugation as before. The RNA pellet is redissolved in 0.4 ml of 1M NaCl. The RNA pellet is redissolved in water and extracted with phenol/chloroform. Sufficient 3M potassium acetate (pH 5) is added to make the mixture 0.3M in acetate, followed by addition of two volumes of ethanol to precipitate the RNA. After washing with ethanol, this final RNA precipitate is dissolved in water and stored frozen.

Alternatively, total RNA may be obtained using TRIzol reagent (BRL-Lifetechnologies, Gaithersburg, MD) following the manufacturers protocol. The RNA precipitate is dissolved in water and stored frozen.

30

Example 2: Identification of Acyltransferase Homology Sequences

Searches are performed on a Silicon Graphics Unix computer using additional Bioaccelerator hardware and GenWeb software supplied by Compugen Ltd. This software and hardware enables the use of the Smith-Waterman algorithm in searching DNA and protein databases using profiles as queries. The program used to query protein databases is profilesearch. This is a search where the query is not a single sequence but a profile based on a multiple alignment of amino acid or nucleic acid sequences. The profile is used to query a sequence data set, i.e., a sequence database. The profile contains all the pertinent information for scoring each position in a sequence, in effect replacing the "scoring matrix" used for the standard query searches. The program used to query nucleotide databases with a protein profile is tprofilesearch. Tprofilesearch searches nucleic acid databases using an amino acid profile query. As the search is running, sequences in the database are translated to amino acid sequences in six reading frames. The output file for tprofilesearch is identical to the output file for profilesearch except for an additional column that indicates the frame in which the best alignment occurred.

The Smith-Waterman algorithm, (Smith and Waterman (1981) *supra*), is used to search for similarities between one sequence from the query and a group of sequences contained in the database. E score values as well as other sequence information, such as conserved peptide sequences of HXXXXD and PEG are used to identify related sequences. By using the conserved peptide sequence information, E score values of greater than E-12 and E-8 are considered. For example, the EST sequence originally used to identify ATAT2 had an E score of 0.0094, while the EST sequence originally used to identify ATLPAAT1 had an E score of 0.0868.

A protein sequence of glycerol-3-phosphate from *E. coli* (Swiss Prot Accession P00482) is used to search the NCBI non-redundant protein database using BLAST. In the first round of searches, other membrane forms of G3PAAT are identified. In subsequent PSI-BLAST searches (Altschul, *et al.* (1997) *Nucleic Acids Res* 25:3389-3402), LPAATs and other acyltransferases are identified. Using sequence alignment software programs, G3PAAT and different LPAAT amino acid sequences are aligned, and a profile is generated using a homologous sequence region, between amino acids 256 and 459 of the *E. coli* sequence.

The identified 204 amino acid is used to query the protein database using PSI-BLAST. After 5 iterations of PSI-BLAST, the profile generated from this new query (Figure 1)

identified soluble forms of G3PAAT. Prior to this identification, no sequence homology had been identified between the membrane and soluble forms of G3PAAT.

5 **Example 3: Excision of PSI-BLAST Profile**

10 The profile generated from the queries using PSI-BLAST is excised from the hyper text markup language (html) file. The worldwide web (www)/html interface to psiblast at ncbi stores the current generated profile matrix in a hidden field in the html file that is returned after each iteration of psiblast. However, this matrix has been encoded into string62 (s62) format for ease of transport through html. String62 format is a simple conversion of the values of the matrix into html legal ascii characters.

15 The encoded matrix width (x axis) is 26 characters, and comprise the consensus characters, the probabilities of each amino acid in the order A,B,C,D,E,F,G,H,I,K,L,M,N, P,Q,R,S,T,V,W,X,Y,Z (where B represents D and N, and Z represents Q and E, and X represents any amino acid), gap creation value, and gap extension value.

20 The length (y axis) of the matrix corresponds to the length of the sequences identified by PSI-BLAST. The order of the amino acids corresponds to the conserved amino acid sequence of the sequences identified using PSI-BLAST, with the N-terminal end at the top of the matrix. The probabilities of other amino acids at that position are represented for each amino acid along the x axis, below the respective single letter amino acid abbreviation.

25 Thus, each row of the profile consists of the highest scoring (consensus) amino acid, followed by the scores for each possible amino acid at that position in sequence matrix, the score for opening a gap at that position, and the score for continuing a gap at that position.

30 The string62 file is converted back into a profile for use in subsequent searches. The gap open field is set to 11 and the gap extension field is set to 1 along the x axis. The gap creation and gap extension values are known, based on the settings given to the PSI-BLAST algorithm. The matrix is exported to the standard GCG profile form. This format can be read by GenWeb.

30 The algorithm used to convert the string62 formatted file to the matrix is outlined in Table 1.

Table 1

1. if encoded character z then the value is blast score min
2. if encoded character Z then the value is blast score max
- 5 3. else if the encoded character is uppercase then its value is (64-(ascii # of char))
4. else if the encoded character is a digit the value is ((ascii # of char)-48)
5. else if the encoded character is not uppercase then the value is ((ascii # of char) - 87)
6. ALL B positions are set to min of D and N amino acids at that row in sequence matrix
7. ALL Z positions are set to min of Q and E amino acids at that row in sequence matrix
- 10 8. ALL X positions are set to min of all amino acids at that row in sequence matrix
9. kBLAST_SCORE_MAX=999;
10. kBLAST_SCORE_MIN=-999;
11. all gap opens are set to 11
12. all gap lens are set to 1

Example 4: Identification of Novel Acyltransferase Related Amino Acid Sequences

20 The profile (Figure 1) is used in further queries to identify a number of previously unidentified proteins from yeast as novel acyltransferases. A protein is identified from an *Arabidopsis* protein sequence database (ATAT1) (SEQ ID NO:2). Sequences are also identified from nucleic acid databases (Table 2)

Table 2

Database ID Number	BLAST Search Hits	Log probability
<u><i>Saccharomyces cerevisiae</i></u>		
gi 1078509	Limnanthes putative LPAAT	e-10 (SEQ ID
NO:217)		
30 gi 586485	Limnanthes putative LPAAT	e-13 (SEQ ID
NO:218)		

gi 320748	Limnanthes putative LPAAT	e-19 (SEQ ID
NO:219)		
gi 2506920	SUPPRESSES CTR1 (choline transport mutant) (SEQ ID NO:220)	
gi 549627	similar to CTR1	e-118 (SEQ ID
NO:221)		
gi 2133031	unidentified	(SEQ ID
NO:222)		
gi 2132939	unidentified	(SEQ ID
NO:223)		
gi 2132299	TAFAZZIN	e-14 (SEQ ID
NO:224)		

In Table 2, the gi number is the database identifier, the middle column shows the results of BLAST searches against the NCBI NR protein database, and the log probability number shows represents the log of the probability of such a match occurring by random chance. These proteins, including the ATAT1 protein sequence, are identified using the original PSI-BLAST search of the NCBI NR protein database. Thus, these proteins are novel acyltransferase related proteins with unidentified activities.

The *Arabidopsis* acyltransferase sequence, herein referred to as ATAT1, is also identified using the original PSI-BLAST search of the NCBI NR protein database, and did not have an annotated function.

Additional *Arabidopsis* amino acid sequences related to acyltransferases are identified from the databases, referred to as ATAT2est, ATAT3est, ATAT4est, ATAT5est, ATAT6est, ATAT7est, ATAT8est, ATAT9, ATAT10, and ATAT11est. Furthermore, *Arabidopsis* amino acid sequences are identified which demonstrate sequence similarity to known lysophosphatidic acid, referred to as ATLPAAT1. The sequences of ATAT9 and ATAT10 are identified from the database as genomic sequences, all other *Arabidopsis* sequences are identified as ESTs.

Example 5: Sequence Analysis of the Novel Acyltransferases

To obtain the entire coding region corresponding to the *Arabidopsis* acyltransferase sequences, synthetic oligo-nucleotide primers are designed to amplify the 5' and 3' ends of partial cDNA clones containing the sequences. Primers are designed according to the sequences of the acyltransferase genes (Table 3) and used

- 5 in Rapid Amplification of cDNA Ends (RACE) reactions (Frohman *et al.* (1988) *Proc. Natl Acad. Sci. USA* 85:8998-9002) using the Marathon cDNA amplification kit (Clontech Laboratories Inc, Palo Alto, CA). Primers with an R designation are used for 5' RACE reactions, and primers with an F designation are used for 3' RACE reactions.

Table 3

ATAT2

ATAT2R1 CCATCCGCTTCAAGGGAACGACACCCATCA (SEQ ID NO:135)

ATAT2R2 TCCCTGTCTTGCTTGATGAACTTAAAGCTTG (SEQ ID NO:136)

5 ATAT2R3 ACAGCAGGAGTGTCTGATGATGGCAGATTC (SEQ ID NO:137)

ATAT3

ATAT3R1 ACTGGAGTTCCAGCCAAAAATGCACCTGTC (SEQ ID NO:138)

ATAT3R2 GATACACCCTTGAAATCAGGCGATTTTGCT (SEQ ID NO:139)

10

ATAT4

ATAT4R1 TTGCAAATTCAATTCCTGTTTCACCGGGCC (SEQ ID NO:140)

ATAT4R2 GTTTTCTGCTATTCCAGAAGGCGTCAACAA (SEQ ID NO:141)

15

ATAT5

ATAT5R1 CATTGAAGATCCGTCCGTGAAGTTNCCTTACC (SEQ ID NO:142)

ATAT5R2 TCGAGCTGTGATCGATGATTGGCTGTGAAG (SEQ ID NO:143)

ATAT5F1 GTCTCTTCAAAAACACACACACACGTCTCT (SEQ ID NO:144)

ATAT5F2 GTCTCTTCAAAAACACACACACACGTCTCT (SEQ ID NO:145)

20

ATAT6

H76348-F1 GTAGAGAGCCTTACTTGCTTCGGTTTAGTC (SEQ ID NO:146)

H76348-F2 ACGTCATCGTACCTGTTGCTATTGACTCAC (SEQ ID NO:147)

H76348-R1 ACTTTTCCATTGTCAGGGACTCCTCGACAC (SEQ ID NO:148)

25 H76348-R2 ACGGTGTAGGAAGGGAAAGGATTCAAAAGG (SEQ ID NO:149)

ATAT7

ATTS0193-F1 GCGATGAACTACAGAGTCGGATTCTTCCTC (SEQ ID NO:150)

ATTS0193-F2 CCGGTTTACGAGATTACGTTCTTGAACCAG (SEQ ID NO:151)

30 ATTS0193-R1 CAATGGAGACAAGGCTCGAAAGTGCTAACC (SEQ ID NO:152)

ATTS0193-R2 ATTCTCTGAACATAGTTCGCCACGGTCATG (SEQ ID NO:153)

ATAT8

AA042618-F1 GAAATCCAACGCCTTCCCAATATCACTCTG (SEQ ID NO:154)

AA042618-F2 CTTCAACTTTCCATCAGGATCTTGGCACGT (SEQ ID NO:155)

AA042618-R1 ACCACTTGTTAGAGACCTTACCTGCTTAGG (SEQ ID NO:156)

5 AA042618-R2 TCCTACCTACACCATCCAATTTCTCGACCC (SEQ ID NO:157)

ATAT11

ATAT11R1 CTGCGTCAAGTGAGCAACTCAGTTCTTGCA (SEQ ID NO:158)

ATAT11R2 TGGGAAGCAGCACGTTGTTTCAGTATCGGAA (SEQ ID NO:159)

10 ATAT11R3 TAGCCTCTGTGTAATCTGTGCCCTCGGGGA (SEQ ID NO:160)

From the nucleic acid sequences obtained from the RACE reactions, protein sequence is predicted for each nucleic acid sequence using Macvector software. Nucleic acid sequences are provided for ATAT1 (SEQ ID NO:1), ATAT2 (SEQ ID NO:3), ATAT3 (SEQ ID NO:5), ATAT4 (SEQ ID NO:7), ATAT5 (SEQ ID NO:9), ATAT6 (SEQ ID NO:10), ATAT7 (SEQ ID NO:12), ATAT8 (SEQ ID NO:14), ATAT9 (SEQ ID NO:16), ATAT10 (SEQ ID NO:18), ATAT11 (SEQ ID NO:20) and ATLPAAT1 (SEQ ID NO:22), respectively.

The protein sequence derived from the ATAT1 (SEQ ID NO:2) nucleic acid sequence from Arabidopsis has a predicted molecular mass of 32.5 kDa, and a PI of 9.74. Alignment of the Arabidopsis acyltransferase with several LPAAT and G3PAAT shows that some of the domains that are conserved between LPAAT and G3PAAT are conserved in the new acyltransferase protein.

The ATAT2 nucleic acid sequence is predicted to encode a 312 amino acid protein (SEQ ID NO:4), with a molecular weight of 34.6 kD, and a pI of 9.99. The ATAT2 protein may also contain 2 to 3 transmembrane domains. However, the protein encoded by the ATAT2 nucleic acid sequence may be longer than predicted because of the absence of an inframe stop codon upstream of the ATG start codon used.

The ATAT3 nucleic acid sequence is predicted to encode a 398 amino acid protein (SEQ ID NO:6), with a molecular weight of 44.7 kD, and a pI of 5.62. The ATAT3 protein may contain 1 to 4 transmembrane domains. The ATAT4 nucleic acid sequence is predicted to encode a 317 amino acid protein (SEQ ID NO:8), with a molecular weight of 36.5 kD, and a pI of 9.67. The ATAT4 protein is predicted to have 2 to 5 transmembrane domains.

The ATLPAAT1 nucleic acid sequence is predicted to encode a 389 amino acid protein (SEQ ID NO:23), with a molecular weight of 43.7 kD, and a pI of 9.52. The ATLPAAT1 protein is predicted to have up to 3 transmembrane domains. The protein predicted from the ATLPAAT1 nucleic acid sequence is similar to LPAATs reported for *Brassica*, maize, and meadowfoam (described in PCT Publication WO 94/13814). The ATAT11 nucleic acid sequence is predicted to encode a 375 amino acid protein (SEQ ID NO:21), with a molecular weight of 43.5 kD, and a pI of 9.45. The deduced amino acid sequences of ATAT6 (SEQ ID NO:11), ATAT7 (SEQ ID NO:13), ATAT8 (SEQ ID NO:15), ATAT9 (SEQ ID NO:17), and ATAT10 (SEQ ID NO:19) are also provided

A sequence region approximately 30 amino acids upstream through approximately 100 amino acids downstream of the conserved amino acid sequences HXXXXD (Heath and Rock, (1998) *J. Bacteriol.* 180(6):1425-1430) and PEG (Neuwald (1997) *Curr Biol* 7:R465-R466) of the predicted amino acid sequences derived from the nucleic acid sequences of ATAT1, ATAT2, ATAT3, ATAT4, ATAT6, ATAT7, ATAT8, ATAT9, ATAT10, ATLPAAT1, and ATAT11 are compared to the amino acid sequences of lysophosphatidic acid acyltransferase (Jojoba AT (SEQ ID NO:162, the nucleic acid sequence is provided in SEQ ID NO:161), maize AT (PCT Publication WO 94/13814), PLSC coco(GenBank accession 1098605), PLSC Lim(GenBank accession 1209507), PLSC, Ecoli (GenBank accession 1209507), and PLSC Yeast(GenBank accession 464422)) and glycerol-3-phosphate acyltransferase (PLSB Ecoli(GenBank accession 130326) and PLSB Mouse(GenBank accession 2498786)) (Figure 2), and similarities are identified (Figure 2 and Figure 3).

Sequence comparisons reveal several classes of acyltransferases exist based on conserved amino acid sequences identified in the comparisons in Figure 2. For example, ATAT1, ATAT6, ATAT7, ATAT8, and ATAT9, contain the conserved amino acid sequences of VTYSXS(SEQ ID NO: 128), VXLTRXR(SEQ ID NO: 129), LXXGDLV(SEQ ID NO: 132) between the HXXXXD and PEG sequences. In addition, ATAT1, ATAT6, ATAT7, ATAT8, and ATAT9 also contain the conserved sequences CPEGT(SEQ ID NO: 130) which comprises the PEG sequence, as well as IVPVA(SEQ ID NO: 131) and VANXXQ (SEQ ID NO: 134)(Figure 2) downstream of the PEG sequence. The sequences corresponding to ATAT1, ATAT7, and ATAT9 are the most closely related in this class, with similarities between ATAT1 and ATAT9 of 67.0%, between ATAT1 and ATAT7 of 58.2% and between ATAT9 and ATAT7 of 63.9% (Figure 3B).

Sequence comparisons also demonstrate that the sequence of ATLPAAT1 is most closely related to the jojoba LPAAT (82.3% similar), and maize (78.0% similar).

Furthermore, sequence analysis demonstrates that ATAT4 is the most divergent sequence with the highest similarity to ATAT10 (18.5%). The highest similarity (15.3%) to a known sequence is with a meadowfoam (*Limnanthes douglassi*) LPAAT. However, the sequences of ATAT4 and ATAT10 share several conserved peptide sequences with the amino acid sequences of ATAT2 and ATAT3 (Figure 2), VXNHXS (SEQ ID NO: 127) where the H comprises the conserved H of the HXXXXD sequence and FXXGAF (SEQ ID NO: 133) downstream of the PEG sequence.

Example 6: Identification of Additional Acyltransferase Sequences

The novel *Arabidopsis* sequences identified above are used to search proprietary databases containing soybean and corn EST sequences. The results of this search identifies EST sequences from soybean (SEQ ID NO:24 through SEQ ID NO: 85) as well as from corn (SEQ ID NO: 86 through SEQ ID NO:126) as encoding acyltransferase related proteins.

Sequence comparisons between the various EST sequences and the complete *Arabidopsis* sequences reveals that the identified EST sequences demonstrate higher similarity to the various *Arabidopsis* sequences as determined by BLAST scores.

Expressed Sequence Tag (EST) sequences from soybean and corn databases are identified which are most closely related by BLAST score to ATAT1 (SEQ ID NOS:24-29 and SEQ ID NOS:86-88, respectively), ATAT2 (SEQ ID NO: 30 and SEQ ID NO:89, respectively), ATAT3 (SEQ ID NOS:31-35 and SEQ ID NOS:90-94, respectively), ATAT4 (SEQ ID NOS:36-44 and SEQ ID NOS:95-100, respectively), ATAT6 (SEQ ID NOS:45-49 and SEQ ID NO:101, respectively), ATAT7 (SEQ ID NOS:50-54 and SEQ ID NOS:102-103, respectively), ATAT8 (SEQ ID NOS:55-56 and SEQ ID NO:104, respectively), ATAT9 (SEQ ID NOS:57-79 and SEQ ID NOS:105-111, respectively), ATAT10 (SEQ ID NOS:80-81 and SEQ ID NO:112, respectively), ATAT11, (SEQ ID NOS:82-85 and SEQ ID NOS:123-126, respectively), and ATLPAAT1 (SEQ ID NOS: 113-122 respectively).

Example 7: Expression Construct Preparation

A series of synthetic oligo nucleotide primers were prepared for use in Polymerase Chain Reactions (PCR) to amplify the entire DNA sequences encoding the various acyltransferase sequences identified above. The sequences are listed in Table 3.

Table 3

Primer	Sequence (listed 5'-3')	SEQ ID NO:
ATAT1F	AAGCTTGCATGCGTCGACACAATGGTTCATGCGACCAAGT CAG	163
ATAT1R	GGTACCGTCGACTCACTTCTTGGTGTTGTTGATAG	164
ATAT2F	GGATCCGCGGCCGCGACAATGACGAGCTTTACTACTTCCCT TCAT	165
ATAT2R	GGATCCCCTGCAGGTTAGAGATCCATTGATTCTGCAAT	166
ATAT3F	GGATCCGCGGCCGCGATAATGGAATCAGAGCTCAAAGAT	167
ATAT3R	GGATCCCCTGCAGGTCATTCTTCTTTCTGATGGAAATC	168
ATAT4F	GGATCCGCGGCCGCGACAATGACTCGTTCACAAGATGTTTC A	169
ATAT4R	GGATCCCCTGCAGGTCCTTCTTCCAATCTAGCCAG	170
ATAT6F	GGATCCGCGGCCGCGACAATGTCCGGTAATAAGATCTCGAC TCTTCA	171
ATAT6R	GGATCCCCTGCAGGTTATTTTTTCTTGACAACTCCGTTAT TACCGG	172
ATAT7F	ATATCCGCGGCCGCGACAATGGTTATGGAGCAAGCTGGAA	173
ATAT7R	GGATCCCCTGCAGGTCAATGGAGACAAGGCTCGAAAGT	174
ATAT8F	GGATCCGCGGCCGCGACAATGTCCGCCAAGATTTCAATATT CC	175
ATAT8R	GGATCCCCTGCAGGTTAATTTTTCTTAACTACTCCATT	176
ATAT9F	GGATCCGCGGCCGCGACAATGGGAGCTCAGGAGAAACGGCG CC	177
ATAT9R	GGATCCCCTGCAGGTCACGTCTTCTCCTTCTTCACCGG	178
ATAT10F	GGATCCGCGGCCGCGACAATGGCGGATCCTGATCTGTCTTC TCCT	179
ATAT10R	GGATCCCCTGCAGGTTATGTTGGGGCCAAGTCAGGTGCAA AGAT	180
ATAT11F	GGATCCGCGGCCGCAAAATGGAAAAAAGAGTGTACCAAA	181

	TTCT	
ATAT11R	GGATCCCCTGCAGGTTATTTGTTTACTAATTTGAGGGAAT	182
	TTTTTG	
ATLPAAT	TCGACCTGCAGGAAGCTTAAGGATGGTGATTGCTGC	183
1F		
ATLPAAT	GGATCCGCGGCCGCTTACTTCTCCTTCTCCG	184
1R		
YSCAT1F	GGATCCGCGGCCGCACAATGTCTTTTAGGGATGTCCTAG	185
YSCAT1R	GGATCCCCTGCAGGTCAATCATCCTTACCCTTTGGTTTAC	186
	C	
YSCAT 1	ATGTCTTTTAGGGATGTCCTAGAAAGAGGAGATGAATTTT	187
KO F	CTGTGCGGTATTTTCACACCG	
YSCAT 1	TCAATCATCCTTACCCTTTGGTTTACCCTCTGGAGGCAGA	188
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT2F	GGATCCGCGGCCGCACAATGAAGCATTCCCAAAAATACCG	189
	TAGG	
YSCAT2R	GGATCCCCTGCAGGTCAATGATTTTTCATCACAAATA	190
	C	
YSCAT 2	ATGAAGCATTCCCAAAAATACCGTAGGTATGGAATTTATG	191
KO F	CTGTGCGGTATTTTCACACCG	
YSCAT 2	TCAATGATTTTTTTTCATCACAAATACAAGAATAAGAAAA	192
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT	GGATCCGCGGCCGCACAATGGGTTTTGTTGATTTCTTCGA	193
3F	AAC	
YSCAT	GGATCCCCTGCAGGTTATTTGGTCTCAATTTTAATATTTT	194
3R	TTTGC	
YSCAT 3	ATGGGTTTTGTTGATTTCTTCGAAACATATATGGTCGGTT	195
KO F	CTGTGCGGTATTTTCACACCG	
YSCAT 3	TTATTTGGTCTCAATTTTAATATTTTTTTTGCAAGGACTCG	196
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT	GGATCCGCGGCCGCACAATGGAAAAGTACACCAATTGGAG	197
4F	AGAC	
YSCAT	GGATCCCCTGCAGGCTACTTCCTCTTTTTACGTTGATCGC	198
4R	TG	
YSCAT 4	ATGGAAAAGTACACCAATTGGAGAGACAATGGTACGGGAA	199
KO F	CTGTGCGGTATTTTCACACCG	
YSCAT 4	CTACTTCCTCTTTTTACGTTGATCGCTGATATATTCCTTC	200
KO R	AGATTGTACTGAGAGTGCAC	

YSCAT	GGATCCGCGGCCGCACAATGCCTGCACCAAACTCACGGA	201
5F	G	
YSCAT	GGATCCCCTGCAGGCTACGCATCTCCTTCTTTCCCTTC	202
5R		
YSCAT 5	ATGCCTGCACCAAACTCACGGAGAAATCTGCCTCTTCCA	203
KO F	CTGTGCGGTATTTACACCG	
YSCAT 5	CTACGCATCTCCTTCTTTCCCTTCTTCTTCTTCTTCTCT	204
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT	GGATCCGCGGCCGCACAATGTCTGCTCCCGCTGCCGATCA	205
6F	TAACGC	
YSCAT	GGATCCCCTGCAGGTCATTCTTTCTTTTCGTGTTCTCTTT	206
6R	TCTG	
YSCAT 6	ATGTCTGCTCCCGCTGCCGATCATAACGCTGCCAAACCTA	207
KO F	CTGTGCGGTATTTACACCG	
YSCAT 6	TCATTCTTTCTTTTCGTGTTCTCTTTTCTGTCTTACCAGC	208
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT	GGATCCGCGGCCGCACAATGCTGCATCAAAAAATAGCTCA	209
7F	TAAAGTTCG	
YSCAT	GGATCCCCTGCAGGTCAAAAAATAAAACAATAAAGTTTAT	210
7R	AAACTAACC	
YSCAT 7	ATGCTGCATCAAAAAATAGCTCATAAAGTTCGAAAAGTCG	211
KO F	CTGTGCGGTATTTACACCG	
YSCAT 7	TCAAAAAATAAAACAATAAAGTTTATAAACTAACCAAATT	212
KO R	AGATTGTACTGAGAGTGCAC	
YSCAT	GGATCCGCGGCCGCACAATGAGTGTGATAGGTAGGTTCTT	213
8F	G	
YSCAT	GGATCCCCTGCAGGTTAATGCATCTTTTTTACAGATGAAC	214
8R	C	
YSCAT 8	ATGAGTGTGATAGGTAGGTTCTTGTATTACTTGAGGTCCG	215
KO F	CTGTGCGGTATTTACACCG	
YSCAT 8	TTAATGCATCTTTTTTACAGATGAACCTTCGTTATGGGTA	216
KO R	AGATTGTACTGAGAGTGCAC	

The entire coding regions for each of the acyltransferase sequences were amplified using the respective primers listed in the Table 3 above, cloned into the vector pCR2.1Topo (Invitrogen) or pZero (Invitrogen), and labeled as pCGN8558 (ATAT1), pCGN8564

(ATAT2), pCGB8565 (ATAT3), pCGN8566 (ATAT4), pCGN8918 (ATAT6), pCGN8913 (ATAT7), pCGN8904 (ATAT8), pCGN9970 (ATAT9), pCGN9940 (ATAT10), pCGN8567 (ATAT11), pCGN8632 (ATLPAAT1), pCGN9901 (YSCAT1 also referred to as gi2132299), pCGN9902 (YSCAT2, also referred to as gi1078509), pCGN9903 (YSCAT3, also referred to as gi2132939), pCGN9904 (YSCAT4, also referred to as gi2133031), pCGN9905 (YSCAT5, also referred to as gi320748), pCGN9906 (YSCAT6, also referred to as gi549627), pCGN9907 (YSCAT7, also referred to as gi586485), and pCGN9908 (YSCAT8, also referred to as gi464422). The nucleic acid sequences for the respective yeast acyltransferase are provided YSCAT1 (SEQ ID NO:225), YSCAT2 (SEQ ID NO:226), YSCAT3 (SEQ ID NO:227), YSCAT4 (SEQ ID NO:228), YSCAT5 (SEQ ID NO:229), YSCAT6 (SEQ ID NO:230), YSCAT7 (SEQ ID NO:231), and YSCAT8 (SEQ ID NO:232).

7A. Baculovirus Expression Constructs

Constructs are prepared to direct the expression of the *Arabidopsis* ATAT sequences in cultured insect cells. The entire coding regions of ATAT1, 2, 3, 4, 6, 7, 8, 9, 10, and 11 are cloned into the vector pFastBac1 (Gibco-BRL, Gaithersburg, MD) digested with *NotI* and *PstI*. The respective coding sequences were cloned as *NotI/Sse8387I* fragments. Double stranded DNA sequence was obtained to verify that no errors were introduced by PCR amplification. The resulting plasmid were designated pCGN9723 (ATAT1), pCGN9724 (ATAT2), pCGN9725 (ATAT3), pCGN9726 (ATAT4), pCGN9727 (ATAT5), pCGN9728 (ATAT7), pCGN9729 (ATAT8), pCGN9991 (ATAT9) pCGN9730 (ATAT10), pCGN9731 (ATAT11).

7B. Plant Expression Construct Preparation

A plasmid containing the napin cassette derived from pCGN3223 (described in USPN 5,639,790, the entirety of which is incorporated herein by reference) was modified to make it more useful for cloning large DNA fragments containing multiple restriction sites, and to allow the cloning of multiple napin fusion genes into plant binary transformation vectors. An adapter comprised of the self annealed oligonucleotide of sequence CGCGATTTAAATGGCGCGCCCTGCAGGCGGCCGCTGCAGGGCGCGCCATTTAA (SEQ ID NO:233) AT was ligated into the cloning vector pBC SK+ (Stratagene) after digestion with the restriction endonuclease BssHII to construct vector pCGN7765. Plasmids pCGN3223 and pCGN7765 were digested with *NotI* and ligated together. The resultant vector, pCGN7770, contains the pCGN7765 backbone with the napin seed specific expression cassette from pCGN3223.

The cloning cassette, pCGN7787, essentially the same regulatory elements as pCGN7770, with the exception of the napin regulatory regions of pCGN7770 have been replaced with the double CAMV 35S promoter and the tml polyadenylation and transcriptional termination region.

A binary vector for plant transformation, pCGN5139, was constructed from pCGN1558 (McBride and Summerfelt, (1990) Plant Molecular Biology, 14:269-276). The polylinker of pCGN1558 was replaced as a *HindIII*/*Asp718* fragment with a polylinker containing unique restriction endonuclease sites, *AscI*, *PacI*, *XbaI*, *SwaI*, *BamHI*, and *NotI*. The *Asp718* and *HindIII* restriction endonuclease sites are retained in pCGN5139.

A series of turbo binary vectors are constructed to allow for the rapid cloning of DNA sequences into binary vectors containing transcriptional initiation regions (promoters) and transcriptional termination regions.

The plasmid pCGN8618 was constructed by ligating oligonucleotides 5'-TCGAGGATCCGCGGCCGCAAGCTTCCTGCAGG-3') (SEQ ID NO:234) and 5'-TCGACCTGCAGGAAGCTTGCGGCCGCGGATCC-3') (SEQ ID NO:235) into SalI/XhoI-digested pCGN7770. A fragment containing the napin promoter, polylinker and napin 3' region was excised from pCGN8618 by digestion with Asp718I; the fragment was blunt-ended by filling in the 5' overhangs with Klenow fragment then ligated into pCGN5139 that had been digested with Asp718I and HindIII and blunt-ended by filling in the 5' overhangs with Klenow fragment. A plasmid containing the insert oriented so that the napin promoter was closest to the blunted Asp718I site of pCGN5139 and the napin 3' was closest to the blunted HindIII site was subjected to sequence analysis to confirm both the insert orientation and the integrity of cloning junctions. The resulting plasmid was designated pCGN8622.

The plasmid pCGN8619 was constructed by ligating oligonucleotides 5'-TCGACCTGCAGGAAGCTTGCGGCCGCGGATCC -3') (SEQ ID NO:236) and 5'-TCGAGGATCCGCGGCCGCAAGCTTCCTGCAGG-3') (SEQ ID NO:237) into SalI/XhoI-digested pCGN7770. A fragment containing the napin promoter, polylinker and napin 3' region was removed from pCGN8619 by digestion with Asp718I; the fragment was blunt-ended by filling in the 5' overhangs with Klenow fragment then ligated into pCGN5139 that had been digested with Asp718I and HindIII and blunt-ended by filling in the 5' overhangs with Klenow fragment. A plasmid containing the insert oriented so that the napin promoter was closest to the blunted Asp718I site of pCGN5139 and the napin 3' was closest to the blunted HindIII site was subjected to sequence analysis to confirm both the insert orientation and the integrity of cloning junctions. The resulting plasmid was designated pCGN8623.

The plasmid pCGN8620 was constructed by ligating oligonucleotides 5'-TCGAGGATCCGCGGCCGCAAGCTTCCTGCAGGAGCT -3') (SEQ ID NO:238) and 5'-CCTGCAGGAAGCTTGCGGCCGCGGATCC-3') (SEQ ID NO:239) into SalI/SacI-digested pCGN7787. A fragment containing the d35S promoter, polylinker and tml 3' region was removed from pCGN8620 by complete digestion with Asp718I and partial digestion with NotI. The fragment was blunt-ended by filling in the 5' overhangs with Klenow fragment then ligated into pCGN5139 that had been digested with Asp718I and HindIII and blunt-ended by filling in the 5' overhangs with Klenow fragment. A plasmid containing the insert

oriented so that the d35S promoter was closest to the blunted Asp718I site of pCGN5139 and the tml 3' was closest to the blunted HindIII site was subjected to sequence analysis to confirm both the insert orientation and the integrity of cloning junctions. The resulting plasmid was designated pCGN8624.

5 The plasmid pCGN8621 was constructed by ligating oligonucleotides 5'-TCGACCTGCAGGAAGCTTGCGGCCGCGGATCCAGCT -3') (SEQ ID NO:240) and 5'-GGATCCGCGGCCGCAAGCTTCCTGCAGG-3') (SEQ ID NO:241) into SalI/SacI-digested pCGN7787. A fragment containing the d35S promoter, polylinker and tml 3' region was removed from pCGN8621 by complete digestion with Asp718I and partial digestion with
10 NotI. The fragment was blunt-ended by filling in the 5' overhangs with Klenow fragment then ligated into pCGN5139 that had been digested with Asp718I and HindIII and blunt-ended by filling in the 5' overhangs with Klenow fragment. A plasmid containing the insert oriented so that the d35S promoter was closest to the blunted Asp718I site of pCGN5139 and the tml 3' was closest to the blunted HindIII site was subjected to sequence analysis to
15 confirm both the insert orientation and the integrity of cloning junctions. The resulting plasmid was designated pCGN8625.

The coding regions of the various acyltransferase sequences were cloned as *NotI/Sse8387I* fragments into pCGN8622, pCGN8623, pCGN8624, and pCGN8625, for expression in sense or antisense orientations from a tissue preferential promoter, napin, or the
20 35S promoter. Fragments which were cloned into the pCGN8622 vector created the constructs pCGN8901 (ATAT1), pCGN8571 (ATAT2), pCGN8909 (ATAT3), pCGN8596 (ATAT4), pCGN8919 (ATAT6), pCGN8914 (ATAT7), pCGN8905 (ATAT8), pCGN9973 (ATAT9), pCGN9942 (ATAT10), pCGN8575 (ATAT11), and pCGN8633 (ATLPAAT1) for the sense expression of the respective coding sequences from the napin promoter. Fragments
25 which were cloned into the pCGN8623 vector created the constructs pCGN8900 (ATAT1), pCGN8572 (ATAT2), pCGN8910 (ATAT3), pCGN8597 (ATAT4), pCGN8920 (ATAT6), pCGN8915 (ATAT7), pCGN8906 (ATAT8), pCGN9972 (ATAT9), pCGN9943 (ATAT10), pCGN8576 (ATAT11), and pCGN8634 (ATLPAAT1) for the antisense expression of the respective coding sequences from the napin promoter. Fragments which were cloned into the
30 pCGN8624 vector created the constructs pCGN8903 (ATAT1), pCGN8573 (ATAT2), pCGN8911 (ATAT3), pCGN8598 (ATAT4), pCGN8921 (ATAT6), pCGN8916 (ATAT7), pCGN8907 (ATAT8), pCGN9971 (ATAT9), pCGN9944 (ATAT10), pCGN8577 (ATAT11), and pCGN8635 (ATLPAAT1) for the sense expression of the respective coding sequences

from the 35S promoter. Fragments which were cloned into the pCGN8625 vector created the constructs pCGN8902 (ATAT1) and pCGN9974 (ATAT9) for the antisense expression of the respective coding sequences from the 35S promoter.

In addition, the yeast acyltransferase coding sequences were cloned into the vector pCGN8624 creating the constructs pCGN9926 (YSCAT1), pCGN9927 (YSCAT2), pCGN9928 (YSCAT3), pCGN9929 (YSCAT4), pCGN9930 (YSCAT5), pCGN9931 (YSCAT6), pCGN9932 (YSCAT7), and pCGN9933 (YSCAT8). These constructs allow for the sense expression of the respective acyltransferase coding sequences from the 35S promoter in plant cells.

Example 8: Plant Transformation

A variety of methods have been developed to insert a DNA sequence of interest into the genome of a plant host to obtain the transcription or transcription and translation of the sequence to effect phenotypic changes.

Transgenic *Brassica* plants are obtained by *Agrobacterium*-mediated transformation as described by Radke *et al.* (*Theor. Appl. Genet.* (1988) 75:685-694; *Plant Cell Reports* (1992) 11:499-505). Transgenic *Arabidopsis thaliana* plants may be obtained by *Agrobacterium*-mediated transformation as described by Valverkens *et al.*, (*Proc. Nat. Acad. Sci.* (1988) 85:5536-5540), or as described by Bent *et al.* ((1994), *Science* 265:1856-1860), or Bechtold *et al.* ((1993), *C.R.Acad.Sci, Life Sciences* 316:1194-1199) or Clough, *et al.* (1998) *Plant J.*, 16:735-43. Other plant species may be similarly transformed using related techniques.

Alternatively, microprojectile bombardment methods, such as described by Klein *et al.* (*Bio/Technology* 10:286-291) may also be used to obtain nuclear transformed plants.

The above results demonstrate that the nucleic acid sequences identified encode proteins which are related to protein sequences encoding acyltransferase proteins. Such acyltransferase sequences find use in preparing expression constructs for plant transformations.

All publications and patent applications mentioned in this specification are indicative of the level of skill of those skilled in the art to which this invention pertains. All

publications and patent applications are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

5 Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious that certain changes and modifications may be practiced within the scope of the appended claim.

Claims

What is Claimed is:

1. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like
5 proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 127
(VxNHxS) wherein the H is the conserved Histidine residue in the conserved peptide
sequence HXXXXD of said acyltransferase-like protein, x representing any amino acid.

10 2. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like
proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 128
(VTYSxS) within about 30 amino acids downstream from the conserved amino acid sequence
HXXXXD of said acyltransferase-like protein, x representing any amino acid.

15 3. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like
proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 129
(VxLTRxR) within about 60 amino acids downstream from the conserved amino acid
20 sequence HXXXXD of said acyltransferase-like protein, x representing any amino acid.

4. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like
proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 132
25 (LxxGDLV) within about 20 amino acids upstream of the conserved amino acid sequence
PEG of said acyltransferase-like protein, x representing any amino acid.

5. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like
proteins,

30 wherein said enzyme includes the amino acid sequence of SEQ ID NO: 130 (CPEGT)
containing the conserved amino acid sequence PEG of said acyltransferase-like protein.

6. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 133 (FxxGAF) within about 20 amino acids downstream from the conserved amino acid sequence PEG of said acyltransferase-like protein, x representing any amino acid.

7. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 131 (IVPVA) within about 40 amino acids downstream from the conserved amino acid sequence PEG of said acyltransferase-like protein.

8. An isolated DNA sequence encoding an enzyme of the class of acyltransferase-like proteins,

wherein said enzyme includes the amino acid sequence of SEQ ID NO: 134 (VANxxQ) within about 110 amino acids downstream from the conserved amino acid sequence PEG of said acyltransferase-like protein, x representing any amino acid.

9. A DNA sequence encoding an enzyme of the class of acyltransferase-like proteins, said DNA sequence obtainable by the steps comprising:

- (a) using the profile of Figure 1 to search a nucleic acid sequence database;
- (b) obtaining a probability score for nucleic acid sequences in said sequence database using the Smith-Waterman algorithm; and
- (c) selecting a nucleic acid sequence having a probability score of less than about 1.

10. The DNA encoding sequence according to Claim 9, wherein said DNA sequence is an encoding sequence.

11. The DNA encoding sequence according to Claim 9, wherein said DNA sequence is an EST.

12. The DNA encoding sequence according to any one of Claims 1 to 11, wherein said acyltransferase-like protein is from a plant.

13. A construct comprising a DNA sequence of any one of Claims 1 to 11 linked to a heterologous transcriptional and translational initiation region functional in a host cell.

14. The construct according to Claim 13 wherein said host cell is a plant cell.

15. A plant cell comprising a DNA construct according to Claim 13.

16. A plant comprising a cell according to Claim 15.

17. The DNA encoding sequence of any one of 1 to 11 wherein said acyltransferase-like protein is from *Arabidopsis thaliana*.

18. The DNA encoding sequence of any one of 1 to 11 wherein said acyltransferase-like protein is from corn.

19. The DNA encoding sequence of Claim 18 wherein said sequence comprises and EST selected from the group consisting of SEQ ID NO: 86 through SEQ ID NO: 126.

20. The DNA encoding sequence of any one of 1 to 11 wherein said acyltransferase-like protein is from soybean.

21. The DNA encoding sequence of Claim 20 wherein said sequence comprises and EST selected from the group consisting of SEQ ID NO: 24 through SEQ ID NO: 85.

22. The DNA encoding sequence of any one of Claims 2, 3, 4, 5, 7 and 8 wherein said acyltransferase-like protein is selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14 and SEQ ID NO: 16.

23 . The DNA encoding sequence of either of Claim 1 and Claim 6 wherein said acyltransferase-like protein is selected from the group consisting of SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7 and SEQ ID NO: 18.

Con	A	B	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	X	Y	Z	Gap	Len
S	0	0	-1	0	0	-2	0	-1	-2	0	-2	-1	0	-1	0	-1	5	0	-2	-3	-3	-2	0	11	1
K	0	-1	-3	-1	0	-3	-2	-1	-3	5	-2	-1	0	-1	0	0	2	0	-2	-4	-4	-2	0	11	1
Q	-2	-1	-2	-1	0	-1	-3	-2	-2	3	1	0	2	-2	-1	-1	-2	-1	1	-4	-4	-2	-1	11	1
I	0	-1	-3	-1	1	-3	3	-2	-3	-1	-3	-2	0	-2	2	2	3	2	-3	-3	-3	-3	-1	11	1
G	0	-1	-3	-1	-1	-3	3	-2	-3	-2	2	0	2	-3	-2	2	0	-1	0	0	-4	-2	-1	11	1
I	0	-1	-3	-3	-2	-1	-3	3	4	-2	2	0	2	-3	-2	2	0	-1	0	0	-4	-2	-2	11	1
N	-2	-1	-2	-3	2	-4	-2	-1	-4	2	-4	-3	4	-2	2	2	1	-1	-4	-4	-4	-3	1	11	1
K	-2	-1	-4	-1	1	-4	-2	-1	-4	4	-3	-2	3	1	2	2	1	-1	-3	-3	-4	-3	1	11	1
T	1	-3	-2	-3	-2	-1	-3	-2	0	-2	-1	-1	-2	-2	1	1	1	3	2	-2	-3	3	-2	11	1
!10	0	-1	-4	-1	2	-4	-3	-1	-4	5	-3	-2	-1	-2	4	4	2	-2	-3	-4	-4	3	2	11	1
K	0	-2	-3	-2	-1	-4	-2	-2	-4	3	-3	-2	-1	-2	1	3	1	-2	-3	-4	-4	-3	-1	11	1
K	0	-2	-4	-1	4	-3	-3	-2	0	2	1	-1	0	-3	0	1	-1	-2	-3	-4	-4	-3	0	11	1
E	3	-4	-2	-3	-3	5	-4	-3	0	-3	-2	-2	-4	-4	-2	-3	-2	-2	-1	-2	0	5	-3	11	1
F	0	-2	-4	-2	1	4	0	-2	2	-4	3	2	-4	-5	1	1	-1	-2	2	-5	-3	4	-4	11	1
K	0	-2	-4	-2	1	4	-5	-2	2	-4	3	2	-4	-4	-3	-4	0	-2	2	-1	-5	-4	-4	11	1
F	-3	-5	-3	-4	-4	0	-4	-4	0	-3	3	1	-4	-4	-3	-4	0	-2	2	4	-4	-2	0	11	1
W	-2	-2	-2	-4	-4	0	-4	-4	-4	-1	-3	2	-4	-4	1	1	0	-2	-3	-5	-4	-2	0	11	1
P	-3	-2	-4	-5	-4	-4	-3	-2	-4	-1	-3	2	-4	-4	-3	1	0	-3	0	-3	-5	4	0	11	1
S	1	-2	-3	-1	0	-3	0	-3	-2	0	-3	-2	-2	5	1	0	-1	-3	-4	-3	-5	4	0	11	1
P	-3	-2	-5	-2	-1	5	0	3	0	-2	0	3	-3	-5	-2	3	0	-3	-3	6	-5	-1	-2	11	1
W	0	-4	-4	-4	-3	-2	-4	-3	2	-3	3	4	2	-4	0	-3	0	-2	-1	4	-4	-3	-3	11	1
C	-3	-4	-3	-4	-4	1	-5	-3	2	-4	1	-1	1	-5	-4	-4	-1	0	3	-3	-5	-4	-4	11	1
!30	0	-3	-4	-3	-2	-4	-3	-2	0	2	-3	-3	0	0	0	4	1	0	-3	-5	-5	0	-2	11	1
R	0	-5	-4	-5	-4	0	-5	-4	1	-3	3	5	-4	-4	-3	0	0	0	-3	-5	-5	0	-2	11	1
M	-1	-5	-6	-5	-4	2	-1	-4	1	-4	0	0	-4	0	-4	0	-3	3	1	-4	-5	-3	-4	11	1
W	-3	-2	-4	-4	0	0	3	-3	-3	-2	-1	4	-2	0	-2	4	0	-3	-1	7	-4	4	-5	11	1
W	-2	-4	-4	-4	0	-2	0	-2	0	0	0	-3	-1	0	-4	-5	-1	-3	-1	6	-4	4	-2	11	1
I	-3	-5	-5	-5	-4	-1	-6	-4	0	-4	3	2	-5	0	-4	-5	-4	-1	3	-4	-6	1	-5	11	1
C	1	-5	-5	-5	-4	-4	-4	-4	0	-4	0	0	-4	-4	-3	-1	1	-1	0	-5	-5	-3	0	11	1
R	-3	-3	-5	-5	0	-4	3	-3	-2	0	1	2	0	-4	0	4	-3	-3	-4	-4	-5	0	0	11	1
W	-3	-5	-4	-5	-4	2	-2	1	-1	1	1	-2	-4	-5	-3	0	-2	0	-4	-4	-5	2	-4	11	1
M	-3	-5	-4	-5	-4	2	-2	1	-1	1	1	-2	-4	-5	-3	0	-2	0	0	8	-5	2	-4	11	1
!40	-2	-5	-4	-5	-5	6	-5	0	0	-5	0	3	-5	-6	-4	-5	-4	-4	1	2	-5	1	-4	11	1
W																									

Figure 1/5

F	1	-5	1	-5	-1	-4	0	-4	0	-4	3	1	-2	-4	-5	-4	-2	-3	1	-4	-2	-3	-4	1	-5	2	-4	11	1
W	0	-3	-5	1	0	1	-1	3	-1	2	-4	-3	-1	-1	-5	-1	-3	-4	-4	-1	-3	-4	-1	-4	-4	4	0	11	1
R	0	-1	1	0	0	2	-1	0	0	2	-4	-1	0	-1	-5	0	-1	0	0	3	-1	0	0	1	-5	-4	0	11	1
H	0	0	2	0	-2	4	0	0	0	0	1	1	4	0	-1	0	0	0	-1	1	0	0	1	-5	-1	0	-2	11	1
C	-3	-1	4	-1	-2	-4	1	-4	1	-2	-4	-2	-2	-2	-4	-4	-4	-4	0	1	-3	0	1	-4	0	0	-4	11	1
C	-3	-2	3	0	0	-4	1	-4	1	-2	1	-3	-3	-3	-4	-4	-4	-4	1	-5	0	-3	1	-4	0	0	-3	11	1
90	0	-3	1	1	1	-3	0	0	-3	0	0	0	0	0	-5	0	0	0	1	-5	0	0	1	-5	0	0	-3	11	1
C	0	-3	-4	-4	-3	-4	0	-1	-4	1	-1	-3	1	1	-4	-4	-4	-4	2	-4	0	-3	1	-5	-4	-4	-3	11	1
P	0	-3	-5	-4	-4	1	0	0	-4	0	0	-4	0	0	-4	-4	-4	-4	0	-4	0	-1	0	-5	1	1	-3	11	1
P	0	-4	-5	-4	-4	3	2	0	2	2	0	-4	-4	-4	-4	-4	-4	-4	-1	3	0	-4	0	-5	6	-4	-4	11	1
Y	-2	-5	0	-4	-5	-4	0	0	5	0	0	0	6	-4	-4	-4	-4	-4	0	-4	0	2	0	-4	1	1	-4	11	1
M	-3	-5	-4	-5	-5	-4	0	0	-4	2	-2	-4	2	-4	-4	-4	-4	-4	0	-4	0	0	0	-5	-3	-4	-2	11	1
A	5	-3	-5	-1	1	-4	0	-1	-3	-4	6	-4	0	-4	-4	-4	-4	-4	-1	-1	1	-1	1	-5	-4	0	0	11	1
K	0	-1	-5	0	0	0	0	2	0	2	2	2	2	-4	-4	-4	-4	-4	-3	1	-1	1	1	-5	-4	0	0	11	1
G	0	0	-5	1	0	1	0	0	0	0	0	0	0	2	0	0	0	0	-1	1	1	-2	-1	-5	-4	0	0	11	1
E	0	0	-5	1	0	4	0	0	1	2	2	2	2	-4	-4	-4	-4	-4	-1	-1	1	-2	-4	-5	0	0	-4	11	1
I	-3	-2	-4	-2	-2	-4	0	-3	0	3	3	3	3	-4	-4	-4	-4	-4	0	-4	-1	-2	-4	-5	-4	-4	-4	11	1
100	0	-5	-4	-1	-2	-4	1	3	0	0	2	0	0	-4	-4	-4	-4	-4	-1	-3	-2	-3	-4	-5	1	2	-3	11	1
F	-4	1	0	-2	-4	-4	1	-1	-2	-2	-1	-3	-3	-4	-4	-4	-4	-4	2	-3	0	-2	-3	-5	2	2	-2	11	1
W	1	-2	-4	-4	-4	-4	1	0	1	1	0	0	0	-4	-4	-4	-4	-4	0	-2	0	-4	-1	-4	0	0	-4	11	1
I	-3	-2	-4	-4	-4	-4	1	1	1	1	1	1	1	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
P	-2	-4	-4	-4	-4	-4	1	1	1	1	1	1	1	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
F	0	-5	-4	-5	-3	-4	0	0	6	-4	2	-4	2	-4	-4	-4	-4	-4	-1	0	0	-2	-3	-5	0	0	-4	11	1
F	-1	-3	-5	-3	-3	-4	0	1	1	1	1	1	1	-4	-4	-4	-4	-4	0	-2	0	-4	-1	-4	0	0	-4	11	1
G	-2	-4	-4	-5	-4	-4	0	0	2	2	2	2	2	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
W	-2	-4	-4	-5	-4	-4	0	0	2	2	2	2	2	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
M	2	-5	0	-4	-2	-4	1	1	0	0	0	0	0	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
M	0	-4	3	0	0	-4	1	1	0	0	0	0	0	-4	-4	-4	-4	-4	0	-4	-1	-3	-4	-5	0	0	-4	11	1
110	-1	-4	-5	-4	-5	-4	0	-1	-4	2	-2	-4	-2	-4	-5	-4	-4	-4	-3	0	0	-2	-3	-5	0	0	-4	11	1
W	-1	0	-4	0	-5	-4	0	-4	0	6	-2	0	-1	-4	-5	-4	-4	-4	-3	0	0	-2	-3	-5	0	0	-4	11	1
L	0	0	-4	0	-5	-4	1	1	-4	-2	-1	1	0	-4	-5	-4	-4	-4	0	1	1	0	-2	-3	-5	-1	-4	11	1
H	2	-5	3	-5	1	-1	2	-2	1	0	-1	-4	-5	-4	-5	-4	-4	-4	-5	0	0	-2	-3	-5	-4	1	-4	11	1
G	-3	0	-5	0	-1	-3	0	0	0	0	-2	-4	-5	-4	-5	-4	-4	-4	0	-4	-1	-3	-5	-4	1	-4	11	1	
C	1	1	0	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
C	-3	-5	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
F	-1	-5	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
F	-1	-5	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
I	-2	-5	0	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
I	-2	-5	0	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
D	-4	-2	-5	2	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
R	-3	-4	-5	-5	-4	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	-1	-2	0	-3	-5	-4	1	-4	11	1	
120	-3	0	-3	0	-3	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
N	-3	0	-3	0	-3	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
W	0	-3	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
K	0	-1	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
D	-2	1	-5	-5	-4	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
R	-2	-2	-5	-5	-4	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
K	2	-2	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1
A	2	-1	-4	-4	-5	-4	0	-6	-5	-2	-1	-2	-5	-4	-5	-4	-4	-4	0	0	0	-2	-3	-5	0	0	-4	11	1

Figure 3/5

Y	2	-4	-4	-4	-1	-2	-2	-3	1	1	0	-3	1	1	0	0	0	-1	0	-4	-4	4	-1	11	1
H	0	-3	-4	-4	1	-1	-5	3	1	-4	0	3	-3	-4	0	1	-1	2	0	-5	-5	-3	0	11	1
A	3	0	-4	-4	0	1	0	0	-1	1	-1	-2	0	0	0	1	0	0	-2	-5	-4	0	11	1	
I	0	-1	-4	-4	0	0	-4	-4	2	0	-3	0	-1	0	0	0	2	1	1	-5	-4	-3	11	1	
M	0	0	-2	-4	-4	1	-4	-2	1	-5	-4	-2	-1	-5	0	0	-1	-1	0	-4	-5	-3	11	1	
K	0	0	-4	-4	1	-2	0	0	-5	-2	1	-5	0	-1	-1	-1	1	-1	0	-5	0	-2	11	1	
E	1	-2	-4	-4	1	0	0	-3	-5	1	0	-4	-2	-1	-2	-2	0	-1	1	-3	5	1	11	1	
H	-1	-1	-4	-4	-1	-1	-1	-6	-1	-1	-1	-2	-4	-5	-1	-2	0	-1	2	-5	-3	-3	11	1	
A	3	0	-3	-4	0	0	-2	3	0	-4	2	0	0	-4	0	2	-1	-3	3	-5	-1	3	11	1	
H	0	0	0	-3	0	0	-4	0	0	-4	3	-3	0	-4	-4	-1	0	0	3	-5	-4	-4	11	1	
R	-2	0	-5	-4	1	-2	-5	-4	-4	-4	-4	3	-4	-5	-4	0	-3	0	1	-5	-6	1	11	1	
L	0	-3	-4	-4	-5	-4	0	-4	1	0	-1	0	0	-5	-4	0	-2	0	-4	-4	1	-4	11	1	
L	-3	-5	-4	-4	-5	-4	0	-4	0	0	0	4	0	-4	-4	0	0	0	-5	-4	1	-4	11	1	
I	-1	-1	-5	-4	-5	-4	-1	-5	1	-4	2	-4	1	-4	-4	0	0	0	-5	1	-4	2	11	1	
R	-1	0	-1	-5	-4	-5	-5	-4	-5	-4	2	-4	1	-4	-4	4	0	0	-5	-5	-4	-4	11	1	
Q	0	0	-5	-4	-5	-4	0	-4	-5	-4	3	-4	0	-4	-4	0	0	-3	-5	-5	-1	-2	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	0	0	4	-3	11	1	
Y	0	-1	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	-1	-1	-1	-1	-4	-5	-2	11	1	
W	-2	0	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	4	-4	-3	-2	11	1	
V	-2	0	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	2	6	-2	-2	11	1	
W	-2	0	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	4	-4	-3	-2	11	1	
I	0	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	3	4	-4	-4	11	1	
F	0	-4	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	0	0	-5	-4	11	1	
P	-1	-4	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	0	-5	-4	-3	11	1	
E	-2	-1	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-3	-4	-3	0	11	1	
G	1	-2	-4	-5	-4	-5	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
T	0	-1	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-2	-2	-4	-5	-4	-5	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	0	-2	-4	-5	-4	-5	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	0	-2	-4	-5	-4	-5	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	0	-2	-4	-5	-4	-5	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-1	-1	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
N	-1	-1	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-2	-2	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-2	-2	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
P	-2	-2	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
E	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
T	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
N	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
P	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
E	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
T	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
N	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
P	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
E	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
T	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
N	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
L	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
P	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
E	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
G	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
T	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
R	-3	-3	-5	-4	-5	-4	0	-4	-5	-4	0	-4	0	-4	-4	0	0	0	-4	-3	-4	-3	11	1	
S	-3	-3	-5	-4	-5																				

Figure 5/5

ATAT1
 ATAT9
 ATAT7
 ATAT8
 ATAT6
 ATAT5
 ATAT4
 ATAT3
 ATAT2
 ATAT10
 ATAT11
 ATAT12
 ATAT13
 ATAT14
 ATAT15
 ATAT16
 ATAT17
 ATAT18
 ATAT19
 ATAT20
 ATAT21
 ATAT22
 ATAT23
 ATAT24
 ATAT25
 ATAT26
 ATAT27
 ATAT28
 ATAT29
 ATAT30
 ATAT31
 ATAT32
 ATAT33
 ATAT34
 ATAT35
 ATAT36
 ATAT37
 ATAT38
 ATAT39
 ATAT40
 ATAT41
 ATAT42
 ATAT43
 ATAT44
 ATAT45
 ATAT46
 ATAT47
 ATAT48
 ATAT49
 ATAT50
 ATAT51
 ATAT52
 ATAT53
 ATAT54
 ATAT55
 ATAT56
 ATAT57
 ATAT58
 ATAT59
 ATAT60
 ATAT61
 ATAT62
 ATAT63
 ATAT64
 ATAT65
 ATAT66
 ATAT67
 ATAT68
 ATAT69
 ATAT70
 ATAT71
 ATAT72
 ATAT73
 ATAT74
 ATAT75
 ATAT76
 ATAT77
 ATAT78
 ATAT79
 ATAT80
 ATAT81
 ATAT82
 ATAT83
 ATAT84
 ATAT85
 ATAT86
 ATAT87
 ATAT88
 ATAT89
 ATAT90
 ATAT91
 ATAT92
 ATAT93
 ATAT94
 ATAT95
 ATAT96
 ATAT97
 ATAT98
 ATAT99
 ATAT100

ATAT1
ATAT9
ATAT7
ATAT8
ATAT6
PLSB_ECOLI
PLSB_MOUSE
ATLPAAT1
Jojoba AT
Maize AT
ATAT11
ATAT10
ATAT4
PLSC_COCO
PLSC_LIM
PLSC_ECOLI
PLSC_YEAST
ATAT2
ATAT3
ATAT10
ATAT4

[illegible][illegible]

Figure 2
2/3

SUBSTITUTE SHEET (RULE 26)

Figure 2
3/3

9/10




Figure 3 1/2

10/10

Percent Similarity

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1		67.0	58.2	47.2		11.6	11.5	12.0	10.5	12.4	13.4	12.9	12.8	12.3	12.3	11.8	16.3	14.4	14.4
2	31.4		63.9	44.8	42.8	12.9	12.4	14.9	14.4	13.9	16.5	11.3	12.4	12.4	11.3	11.2	13.4	13.7	14.4
3	40.2	35.8		44.8	44.8	12.9	14.4	14.9	13.4	11.3	12.9	12.4	12.9	11.9	13.9	13.4	13.4	17.1	14.4
4	49.7	50.0	50.3		67.2	10.8	13.3	11.8	11.8	10.8	16.4	11.8	11.8	12.8	13.3	12.3	17.4	15.1	12.8
5	50.3	50.3	48.6	25.7		12.3	12.3	13.8	12.8	12.3	12.3	12.3	12.8	12.8	12.3	12.8	15.9	13.7	15.9
6	85.6	86.3	85.6	86.2	86.1		28.5	12.6	12.1	11.6	9.7	13.9	14.3	14.8	11.8	17.6	13.5	12.3	10.6
7	83.8	86.8	82.8	82.7	84.3	66.2		12.6	13.9	12.9	13.1	12.4	13.3	14.3	13.8	15.0	11.7	11.6	10.0
8	82.9	78.4	81.2	83.1	81.2	83.6	85.1		82.3	78.0	31.6	12.4	12.8	13.3	15.8	13.9	12.2	16.4	14.4
9	83.5	77.8	81.8	85.9	84.6	85.6	87.1	18.2		77.5	32.1	11.9	14.3	13.3	16.3	15.5	12.4	15.1	12.0
10	83.5	82.4	84.1	87.6	85.1	84.4	87.1	22.5	22.5		30.6	13.9	16.7	12.8	16.3	14.4	12.9	16.4	12.0
11	84.1	81.4	83.1	85.1	85.1	90.3	87.4	65.4	65.0	67.5		14.4	14.8	11.8	12.8	13.4	14.6	15.8	12.9
12	83.6	84.6	84.6	83.3	83.2	84.6	86.8	80.9	82.2	81.1	82.4		66.7	27.9	28.4	23.5	14.9	17.1	12.9
13	82.1	84.0	81.7	81.0	82.0	87.6	86.9	79.5	80.5	79.5	81.6	33.3		26.1	28.1	19.3	14.8	14.4	15.3
14	83.2	81.4	85.0	83.6	82.9	89.1	86.8	82.1	81.6	80.5	84.3	71.3	71.6		30.0	19.3	18.7	17.8	12.3
15	83.1	80.6	83.0	79.3	81.0	88.2	87.4	81.4	82.0	79.8	84.1	70.3	70.1	62.8		20.3	15.3	15.1	13.8
16	82.7	82.6	83.9	78.4	78.8	80.8	86.1	82.9	82.2	81.6	84.5	72.3	75.0	76.5	73.5		18.2	15.8	17.6
17	83.7	82.0	86.6	78.4	80.2	86.7	89.8	86.4	85.5	85.5	84.4	80.1	78.2	78.6	80.6	77.8		30.8	17.2
18	78.5	82.5	82.5	81.7	81.8	88.7	87.1	79.1	80.5	78.9	82.8	81.8	78.1	76.1	78.1	79.3	64.8		18.5
19	84.7	84.8	84.8	84.7	85.5	86.5	83.6	87.4	86.5	87.6	91.0	85.0	83.1	85.7	81.8	83.7	79.4	74.1	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Percent Divergence

ATAT1
 ATAT9
 ATAT7
 ATAT8
 ATAT6
 PLSB_ECOLI
 PLSB_MOUSE
 ATLPAATI
 JOJOBA_AT
 Maize AT
 ATAT11
 PLSC_COCO
 PLSC_LIM
 PLSC_ECOLI
 PLSC_YEAST
 ATAT2
 ATAT3
 ATAT10(prelim)
 ATAT4

Figure 3 2/2

SEQUENCE LISTING

<110> Lassner, Michael W
Emig, Robin A
Ruezinsky, Diane
Van Eenennaam, Alison

<120> Novel Plant Acyltransferases

<130> 17029/00/WO

<140>

<141>

<150> 60/101,939

<151> 1998-09-25

<160> 241

<170> PatentIn Ver. 2.0

<210> 1

<211> 869

<212> DNA

<213> Arabidopsis sp.

<400> 1
atggttcacg cgaccaagtc agccacaacg attccaaaag aacgcttaaa gaaccgcata 60
gtcttccatg atgggcggtt agcgcaacgt ccaactccgt taaacgccat tatcacatac 120
ctatggcttc cttttgggtt catctctcca tcattcgcggt ctacttcaac ctccctttac 180
ctgaaagatt tgtccggttac acttacgaga tgctcgggat ccacttaacc attcgtggtc 240
atcgtcctcc acctccttcc cctggaactc ttggcaacct ctatgtcctt aaccaccgta 300
ccgcgcttga tcccatcatc gtcgctattg ctcttggacg taagatctgt tgcgtcactt 360
acagtgtctc tcgtctctcc cttatgcttt ctctattcc tgctgttgcc ctcaccctg 420
accgtgccac cgatgctgcc aacatgagaa aacttctcga gaaaggcgac ttggtgatat 480
gtccggaagg cagcagctgt agagaagagt atctactgag atttagcgct ctattcgcag 540
agctaagcga ccggtattgt ccagtagcga tgaactgtaa acaaggaatg ttcaacggga 600
ccacagttag ggggtgtgaag ttttgggacc cttacttctt ctcatgaac ccaagaccaa 660
gctatgaagc cactttcttg gatcggttgc ctgaagaaat gactgtcaac ggtggtggca 720
agactcctat agagggtggc aattacgtcc agaaagttat cggcgcggtt ttgggcttcg 780
aatgcaccga acttactcgc aaggataaat atcttttgct tggaggtaat gacggcaagg 840
tggagtctat caacaacacc aagaagtga 869

<210> 2

<211> 289

<212> PRT

<213> Arabidopsis sp.

<400> 2

Met	Val	His	Ala	Thr	Lys	Ser	Ala	Thr	Thr	Ile	Pro	Lys	Glu	Arg	Leu
1				5					10					15	
Lys	Asn	Arg	Ile	Val	Phe	His	Asp	Gly	Arg	Leu	Ala	Gln	Arg	Pro	Thr
			20					25					30		
Pro	Leu	Asn	Ala	Ile	Ile	Thr	Tyr	Leu	Trp	Leu	Pro	Phe	Gly	Phe	Ile
		35					40					45			
Leu	Ser	Ile	Ile	Arg	Val	Tyr	Phe	Asn	Leu	Pro	Leu	Pro	Glu	Arg	Phe
	50				55					60					
Val	Arg	Tyr	Thr	Tyr	Glu	Met	Leu	Gly	Ile	His	Leu	Thr	Ile	Arg	Gly
	65				70				75						80
His	Arg	Pro	Pro	Pro	Pro	Ser	Pro	Gly	Thr	Leu	Gly	Asn	Leu	Tyr	Val
				85				90						95	
Leu	Asn	His	Arg	Thr	Ala	Leu	Asp	Pro	Ile	Ile	Val	Ala	Ile	Ala	Leu
				100				105						110	

SEQUENCE LISTING

<110> Lassner, Michael W
Emig, Robin A
Ruezinsky, Diane
Van Eenennaam, Alison

<120> Novel Plant Acyltransferases

<130> 17029/00/WO

<140>

<141>

<150> 60/101,939

<151> 1998-09-25

<160> 241

<170> PatentIn Ver. 2.0

<210> 1

<211> 869

<212> DNA

<213> Arabidopsis sp.

<400> 1
atgggttcacg cgaccaagtc agccacaacg attccaaaag aacgcttaaa gaaccgcata 60
gtcttccatg atgggcggtt agcgcaacgt ccaactccgt taaacgccat tatcacatac 120
ctatggcttc cttttgggtt catctctcca tcattcgctt ctacttcaac ctccctttac 180
ctgaaagatt tgtccgttac acttacgaga tgctcgggat ccacttaacc attcgtggtc 240
atcgctctcc acctccttcc cctggaactc ttggcaacct ctatgtcctt aaccaccgta 300
ccgcgcttga tcccatcatc gtcgctattg ctcttggacg taagatctgt tgcgtcactt 360
acagtgtctc tcgtctctcc cttatgcttt ctctattcc tgctgttgcc ctcacccgtg 420
accgtgccac cgatgctgcc aacatgagaa aacttctcga gaaaggcgac ttggtgatat 480
gtccggaagg cagcagctgt agagaagagt atctactgag atttagcgtt ctattcgtag 540
agctaagcga ccggattgtg ccagtagcga tgaactgtaa acaaggaatg ttcaacggga 600
ccacagttag ggggtgtgaag ttttgggacc cttacttctt cttcatgaac ccaagaccaa 660
gctatgaagc cactttcttg gatcgtttgc ctgaagaaat gactgtcaac ggtggtggca 720
agactcctat agaggtggct aattacgtcc agaaagttat cggcgcggtt ttgggcttcg 780
aatgcaccga acttactcgc aaggataaat atcttttgct tggaggtaat gacggcaagg 840
tggagtctat caacaacacc aagaagtga 869

<210> 2

<211> 289

<212> PRT

<213> Arabidopsis sp.

<400> 2

Met Val His Ala Thr Lys Ser Ala Thr Thr Ile Pro Lys Glu Arg Leu
1 5 10 15

Lys Asn Arg Ile Val Phe His Asp Gly Arg Leu Ala Gln Arg Pro Thr
20 25 30

Pro Leu Asn Ala Ile Ile Thr Tyr Leu Trp Leu Pro Phe Gly Phe Ile
35 40 45

Leu Ser Ile Ile Arg Val Tyr Phe Asn Leu Pro Leu Pro Glu Arg Phe
50 55 60

Val Arg Tyr Thr Tyr Glu Met Leu Gly Ile His Leu Thr Ile Arg Gly
65 70 75 80

His Arg Pro Pro Pro Pro Ser Pro Gly Thr Leu Gly Asn Leu Tyr Val
85 90 95

Leu Asn His Arg Thr Ala Leu Asp Pro Ile Ile Val Ala Ile Ala Leu
100 105 110

Gly Arg Lys Ile Cys Cys Val Thr Tyr Ser Val Ser Arg Leu Ser Leu
 115 120 125
 Met Leu Ser Pro Ile Pro Ala Val Ala Leu Thr Arg Asp Arg Ala Thr
 130 135 140
 Asp Ala Ala Asn Met Arg Lys Leu Leu Glu Lys Gly Asp Leu Val Ile
 145 150 155 160
 Cys Pro Glu Gly Thr Thr Cys Arg Glu Glu Tyr Leu Leu Arg Phe Ser
 165 170 175
 Ala Leu Phe Ala Glu Leu Ser Asp Arg Ile Val Pro Val Ala Met Asn
 180 185 190
 Cys Lys Gln Gly Met Phe Asn Gly Thr Thr Val Arg Gly Val Lys Phe
 195 200 205
 Trp Asp Pro Tyr Phe Phe Phe Met Asn Pro Arg Pro Ser Tyr Glu Ala
 210 215 220
 Thr Phe Leu Asp Arg Leu Pro Glu Glu Met Thr Val Asn Gly Gly Gly
 225 230 235 240
 Lys Thr Pro Ile Glu Val Ala Asn Tyr Val Gln Lys Val Ile Gly Ala
 245 250 255
 Val Leu Gly Phe Glu Cys Thr Glu Leu Thr Arg Lys Asp Lys Tyr Leu
 260 265 270
 Leu Leu Gly Gly Asn Asp Gly Lys Val Glu Ser Ile Asn Asn Thr Lys
 275 280 285
 Lys

<210> 3
 <211> 939
 <212> DNA
 <213> Arabidopsis sp.

<400> 3
 atgacgagct ttactacttc ccttcatgct gtcccgagtg aaaaatttat gggcgaaaca 60
 agacgtactg gcattcaatg gtctaaccgc tctttaagac atgatacctta cagatttctt 120
 gataagaaat cacctagatc aagtcaattg gcaagagata tcactgtgag agcagatctt 180
 tcaggagctg caaccctga ctcttctttt cctgaaccag agattaagtt gagctcaaga 240
 ctacagaggga tattcttttg tgttggtgct ggcatttcgg ctacttttct cattgtcctg 300
 atgattattg ggcattccgt cgctccttctc ttcatgccct ataggagaaa attccaccac 360
 ttcattgcta aactttgggc ttccataagc atttatccgt tttacaaaat caacatcgag 420
 gggttgagga atctgccatc atcagacact cctgctgtat atgtttcaaa ccaccaaagt 480
 tttctggata tctacacact tcttagtctt ggaaaaagct ttaagttcat cagcaagaca 540
 gggatattcg taattcccat catcggttgg gccatgtcca tgatgggtgt cgttcccttg 600
 aagcggatgg acccaagaag ccaagtggat tgcttaaaac gctgcatgga acttttaag 660
 aagggagcat ctgtgttttt cttcccagaa ggaacacgga gtaaggatgg tcggttaggt 720
 tctttcaaga aaggcgcat tacagtggct gcgaagaccg gagttgcagt agttccaata 780
 acgctaattg gaacaggcaa aatcatgcca acgggtagtg aaggtatact gaaccatggg 840
 aatgtgagag ttatcatcca taaaccaata catggaagca aagcggatgt tctttgcaac 900
 gaggccagaa gcaagattgc agaatcaatg gatctctaa 939

<210> 4
 <211> 312
 <212> PRT
 <213> Arabidopsis sp.

<400> 4
 Met Thr Ser Phe Thr Thr Ser Leu His Ala Val Pro Ser Glu Lys Phe
 1 5 10 15
 Met Gly Glu Thr Arg Arg Thr Gly Ile Gln Trp Ser Asn Arg Ser Leu

20					25					30					
Arg	His	Asp	Pro	Tyr	Arg	Phe	Leu	Asp	Lys	Lys	Ser	Pro	Arg	Ser	Ser
		35					40					45			
Gln	Leu	Ala	Arg	Asp	Ile	Thr	Val	Arg	Ala	Asp	Leu	Ser	Gly	Ala	Ala
	50					55					60				
Thr	Pro	Asp	Ser	Ser	Phe	Pro	Glu	Pro	Glu	Ile	Lys	Leu	Ser	Ser	Arg
	65					70					75				80
Leu	Arg	Gly	Ile	Phe	Phe	Cys	Val	Val	Ala	Gly	Ile	Ser	Ala	Thr	Phe
				85					90					95	
Leu	Ile	Val	Leu	Met	Ile	Ile	Gly	His	Pro	Phe	Val	Leu	Leu	Phe	Asp
			100					105					110		
Pro	Tyr	Arg	Arg	Lys	Phe	His	His	Phe	Ile	Ala	Lys	Leu	Trp	Ala	Ser
		115					120					125			
Ile	Ser	Ile	Tyr	Pro	Phe	Tyr	Lys	Ile	Asn	Ile	Glu	Gly	Leu	Glu	Asn
	130					135					140				
Leu	Pro	Ser	Ser	Asp	Thr	Pro	Ala	Val	Tyr	Val	Ser	Asn	His	Gln	Ser
	145					150					155			160	
Phe	Leu	Asp	Ile	Tyr	Thr	Leu	Leu	Ser	Leu	Gly	Lys	Ser	Phe	Lys	Phe
				165					170					175	
Ile	Ser	Lys	Thr	Gly	Ile	Phe	Val	Ile	Pro	Ile	Ile	Gly	Trp	Ala	Met
			180					185					190		
Ser	Met	Met	Gly	Val	Val	Pro	Leu	Lys	Arg	Met	Asp	Pro	Arg	Ser	Gln
		195					200					205			
Val	Asp	Cys	Leu	Lys	Arg	Cys	Met	Glu	Leu	Leu	Lys	Lys	Gly	Ala	Ser
	210					215					220				
Val	Phe	Phe	Phe	Pro	Glu	Gly	Thr	Arg	Ser	Lys	Asp	Gly	Arg	Leu	Gly
	225					230					235			240	
Ser	Phe	Lys	Lys	Gly	Ala	Phe	Thr	Val	Ala	Ala	Lys	Thr	Gly	Val	Ala
				245					250					255	
Val	Val	Pro	Ile	Thr	Leu	Met	Gly	Thr	Gly	Lys	Ile	Met	Pro	Thr	Gly
			260					265					270		
Ser	Glu	Gly	Ile	Leu	Asn	His	Gly	Asn	Val	Arg	Val	Ile	Ile	His	Lys
		275					280					285			
Pro	Ile	His	Gly	Ser	Lys	Ala	Asp	Val	Leu	Cys	Asn	Glu	Ala	Arg	Ser
	290					295					300				
Lys	Ile	Ala	Glu	Ser	Met	Asp	Leu								
	305					310									

<210> 5

<211> 1197

<212> DNA

<213> Arabidopsis sp.

<400> 5

```

atggaatcag agctcaaaga tttgaattcg aattcgaatc ctccgtcgag caaagaggac 60
cggccgttac tgaaatcaga atccgatttg gcggtcgcca ttgaagagtt agacaaaaag 120
ttcgcacctt acgcgaggac cgatttgcgt gggacgatgg gtttgggtcc tttcccgatg 180
acggagaata ttaaattggc ggttgcattg gtgactcttg ttccattgag gtttcttctc 240
tcgatgagca tcttgcttct ctattacttg atttgtaggg tatttacgct gttttctgct 300
ccttatcgtg ggccagagga agaggaagat gaagggtggag ttgtttttca ggaagattat 360
gctcacatgg aaggttggaa acggactggt atcgtccggt ctgggaggtt tctctctagg 420

```

```

gttttgcttt tcgttttttg gttttattgg attcaccaga gctgtccaga tcgagattca 480
gacatggatt ctaatcctaa aactacttct acagagatta accagaaagg ggaagccgcc 540
acggaggaac ctgaaagacc tggagccatt gtgtccaatc atgtttcgta cttggacatt 600
ttgtatcata tgtctgcttc ttttccaagt tttgttgcca agagatcagt gggcaaactt 660
cctcttggtg gcctcattag caaatgcctt ggttgtgtct atgttcaaag agaagcaaaa 720
tcgcctgatt tcaagggtgt atctggcaca gtaaataaaa gagttcgaga agctcatagc 780
aataaatctg ctccaactat tatgcttttt ccagaaggaa caactaccaa tggagactac 840
ttacttacat tcaagacagg tgcatttttt gctggaactc cagttcttcc ggtaatatata 900
aaatatccgt atgagcgctt cagtgtggca tgggatacca tatccggggc acgccacatt 960
ttattccttc tctgtcaagt cgtaaatacac ttggaagtca tacggttacc tgtatactac
1020
ccatcccaag aagagaaaaga cgatcccaaa ctttatgcta gcaatgttcg gaaattaatg
1080
gccaccgagg gtaacttgat tctatcggag ttgggactta gcgacaaaag gatatatcac
1140
gcaactctca atggtaatct tagtcaaacc cgtgatttcc atcagaaaga agaatga
1197

```

<210> 6
 <211> 398
 <212> PRT
 <213> Arabidopsis sp.

```

<400> 6
Met Glu Ser Glu Leu Lys Asp Leu Asn Ser Asn Ser Asn Pro Pro Ser
  1          5          10          15

Ser Lys Glu Asp Arg Pro Leu Leu Lys Ser Glu Ser Asp Leu Ala Ala
          20          25          30

Ala Ile Glu Glu Leu Asp Lys Lys Phe Ala Pro Tyr Ala Arg Thr Asp
          35          40          45

Leu Tyr Gly Thr Met Gly Leu Gly Pro Phe Pro Met Thr Glu Asn Ile
          50          55          60

Lys Leu Ala Val Ala Leu Val Thr Leu Val Pro Leu Arg Phe Leu Leu
          65          70          75          80

Ser Met Ser Ile Leu Leu Leu Tyr Tyr Leu Ile Cys Arg Val Phe Thr
          85          90          95

Leu Phe Ser Ala Pro Tyr Arg Gly Pro Glu Glu Glu Glu Asp Glu Gly
          100          105          110

Gly Val Val Phe Gln Glu Asp Tyr Ala His Met Glu Gly Trp Lys Arg
          115          120          125

Thr Val Ile Val Arg Ser Gly Arg Phe Leu Ser Arg Val Leu Leu Phe
          130          135          140

Val Phe Gly Phe Tyr Trp Ile His Glu Ser Cys Pro Asp Arg Asp Ser
          145          150          155          160

Asp Met Asp Ser Asn Pro Lys Thr Thr Ser Thr Glu Ile Asn Gln Lys
          165          170          175

Gly Glu Ala Ala Thr Glu Glu Pro Glu Arg Pro Gly Ala Ile Val Ser
          180          185          190

Asn His Val Ser Tyr Leu Asp Ile Leu Tyr His Met Ser Ala Ser Phe
          195          200          205

Pro Ser Phe Val Ala Lys Arg Ser Val Gly Lys Leu Pro Leu Val Gly
          210          215          220

Leu Ile Ser Lys Cys Leu Gly Cys Val Tyr Val Gln Arg Glu Ala Lys
          225          230          235          240

Ser Pro Asp Phe Lys Gly Val Ser Gly Thr Val Asn Glu Arg Val Arg

```


245 250 255

Glu Ala His Ser Asn Lys Ser Ala Pro Thr Ile Met Leu Phe Pro Glu
260 265 270

Gly Thr Thr Thr Asn Gly Asp Tyr Leu Leu Thr Phe Lys Thr Gly Ala
275 280 285

Phe Leu Ala Gly Thr Pro Val Leu Pro Val Ile Leu Lys Tyr Pro Tyr
290 295 300

Glu Arg Phe Ser Val Ala Trp Asp Thr Ile Ser Gly Ala Arg His Ile
305 310 315 320

Leu Phe Leu Leu Cys Gln Val Val Asn His Leu Glu Val Ile Arg Leu
325 330 335

Pro Val Tyr Tyr Pro Ser Gln Glu Glu Lys Asp Asp Pro Lys Leu Tyr
340 345 350

Ala Ser Asn Val Arg Lys Leu Met Ala Thr Glu Gly Asn Leu Ile Leu
355 360 365

Ser Glu Leu Gly Leu Ser Asp Lys Arg Ile Tyr His Ala Thr Leu Asn
370 375 380

Gly Asn Leu Ser Gln Thr Arg Asp Phe His Gln Lys Glu Glu
385 390 395

<210> 7
<211> 1131
<212> DNA
<213> Arabidopsis sp.

<400> 7
atgagcagta cggcagggag gctcgtgact tcaaaatccg agcttgacct cgatcacccct 60
aacatcgaag attaccttcc ttctgggttct tccatcaatg aacctcgcgg caagctcagc 120
ctgctgtgatt tgctagacat ctctccaacg ctccactgaag ctgctgggtgc cattgttgat 180
gactcgttca caagatgttt caaatcaaat cctccagaac cttggaactg gaatatattac 240
ttattccac tatactgctt tgggggtgtt gttagatact gtatcctctt tcccttgagg 300
tgcttcactt tagcttttgg gtggattatt ttcctttcat tgtttatccc tgtaaatgag 360
ttgctgaaag gtcaagatag gttgaggaaa aagatagaga gggctcttggg ggaaatgatt 420
tgcagctttt ttgtcgctc atggaccgga gttgtcaaat atcacgggac acgtcctagc 480
atccgtccta agcaggtcta tgttgccaac catacttcaa tgattgattt catcgtattg 540
gagcagatga ccgcatttgc tgttataatg cagaagcatc ctgggtgggt tggctctctg 600
caaagcacia tattagagag tgtgggatgt atctgggtca atcggtcaga ggcaaaggat 660
cgtgaaattg tagcaaaaaa gtaaggagac catgtccaag gagctgacag taatcctctt 720
ctcatatttc ccgaaggagc atgtgttaaat aataattaca cagtgatgtt taagaagggt 780
gcttttgaat tggactgcac tgtttgtcca attgcaatta aatacaacaa gatttttgtt 840
gagccttctt ggaatagcag aaaacaatca ttactatgc acttgctgca actcatgaca 900
tcatgggctg ttgtatgtga agtgtgttac ttggaaccac aaaccataag gcccggtgaa 960
acaggaattg aatttgcaga gaggggtcaga gacatgatat ctcttcgggc gggtctcaaa
1020
aaggctccctt gggatggata cttgaagtat tcgagaccaa gccccaagca tagtgaacgc
1080
aagcaacaga gtttcgcaga gtcgatcctg gctagattgg aagagaagtg a
1131

<210> 8
<211> 376
<212> PRT
<213> Arabidopsis sp.

<400> 8
Met Ser Ser Thr Ala Gly Arg Leu Val Thr Ser Lys Ser Glu Leu Asp
1 5 10 15
Leu Asp His Pro Asn Ile Glu Asp Tyr Leu Pro Ser Gly Ser Ser Ile
20 25 30

Asn Glu Pro Arg Gly Lys Leu Ser Leu Arg Asp Leu Leu Asp Ile Ser
 35 40 45
 Pro Thr Leu Thr Glu Ala Ala Gly Ala Ile Val Asp Asp Ser Phe Thr
 50 55 60
 Arg Cys Phe Lys Ser Asn Pro Pro Glu Pro Trp Asn Trp Asn Ile Tyr
 65 70 75 80
 Leu Phe Pro Leu Tyr Cys Phe Gly Val Val Val Arg Tyr Cys Ile Leu
 85 90 95
 Phe Pro Leu Arg Cys Phe Thr Leu Ala Phe Gly Trp Ile Ile Phe Leu
 100 105 110
 Ser Leu Phe Ile Pro Val Asn Ala Leu Leu Lys Gly Gln Asp Arg Leu
 115 120 125
 Arg Lys Lys Ile Glu Arg Val Leu Val Glu Met Ile Cys Ser Phe Phe
 130 135 140
 Val Ala Ser Trp Thr Gly Val Val Lys Tyr His Gly Pro Arg Pro Ser
 145 150 155 160
 Ile Arg Pro Lys Gln Val Tyr Val Ala Asn His Thr Ser Met Ile Asp
 165 170 175
 Phe Ile Val Leu Glu Gln Met Thr Ala Phe Ala Val Ile Met Gln Lys
 180 185 190
 His Pro Gly Trp Val Gly Leu Leu Gln Ser Thr Ile Leu Glu Ser Val
 195 200 205
 Gly Cys Ile Trp Phe Asn Arg Ser Glu Ala Lys Asp Arg Glu Ile Val
 210 215 220
 Ala Lys Lys Leu Arg Asp His Val Gln Gly Ala Asp Ser Asn Pro Leu
 225 230 235 240
 Leu Ile Phe Pro Glu Gly Thr Cys Val Asn Asn Asn Tyr Thr Val Met
 245 250 255
 Phe Lys Lys Gly Ala Phe Glu Leu Asp Cys Thr Val Cys Pro Ile Ala
 260 265 270
 Ile Lys Tyr Asn Lys Ile Phe Val Asp Ala Phe Trp Asn Ser Arg Lys
 275 280 285
 Gln Ser Phe Thr Met His Leu Leu Gln Leu Met Thr Ser Trp Ala Val
 290 295 300
 Val Cys Glu Val Trp Tyr Leu Glu Pro Gln Thr Ile Arg Pro Gly Glu
 305 310 315 320
 Thr Gly Ile Glu Phe Ala Glu Arg Val Arg Asp Met Ile Ser Leu Arg
 325 330 335
 Ala Gly Leu Lys Lys Val Pro Trp Asp Gly Tyr Leu Lys Tyr Ser Arg
 340 345 350
 Pro Ser Pro Lys His Ser Glu Arg Lys Gln Gln Ser Phe Ala Glu Ser
 355 360 365
 Ile Leu Ala Arg Leu Glu Glu Lys
 370 375

<210> 9

<211> 965

<212> DNA

<213> Arabidopsis sp.

<400> 9

gttggttaagt	tacaagtctc	ttcaaaaaca	cacacacacg	tctctcttca	cagccaatca	60
tcgatcacag	ctcgattttc	ctttattgtt	ccgttggttt	tcttgagnat	ttttctttct	120
tgggatcatc	aaactngtcg	gtaaggwaac	ttcacggacg	gatcttcaat	gttgagctgt	180
tctaattgga	ccgtcgatgat	cgcaaccgcc	atggtttgct	caagcaccgc	tctgtttctc	240
gccatggctc	gtcaattcca	tggaaatcat	caaaatccta	aggttcttga	tcagactcta	300
cgaccatttc	tccgttcttg	tctatcttca	gaggaaacga	agaaacaggg	gaagaagata	360
aagaaagtgc	ggttcgcgga	taatgtgaaa	gatacgaaag	gtaacgggga	agagtaccgg	420
aggagggaat	tgaaccggaa	aagcgtaccg	aagccagtga	ctaaaccggg	aaagaccggt	480
tctatgtgta	gaatctctac	catgccagcg	aaccggatgg	ctctgtacaa	tgggattctt	540
agagaccgag	atcacagagt	tcaatattct	tattgacttt	ttcttcttga	ttagtcaata	600
gatttaggtt	ttgtaaatct	ttcttttgtt	tttcggtaat	attagatttt	ttcttggaaa	660
tttcagatat	tgtagacttt	gtagtgggt	ggtcttcttt	ttctcccttt	ttgtgtctca	720
tagtagtagg	tgggtttctt	atgctccact	tatctactta	cttgttttta	atcaagtgat	780
gatgtaaata	attgacatgt	aagtagtcat	tagaaatttg	aaaaggcaaa	tgaaagaata	840
taaatttgta	aaaacatagt	gtgcctattg	tacatataaa	ctctcttttg	ttggggatat	900
ctatggaatt	tatattgatt	gtgttgaaaa	aacaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	960
aaaaa						965

<210> 10

<211> 1593

<212> DNA

<213> Arabidopsis sp.

<400> 10

atgtccggta	ataagatctc	gactcttcaa	gctcttgtct	tcttcttgta	ccggtttttc	60
attctccgtc	gttgggtgtca	tcgtagccct	aaacaaaaat	acaaaaaatg	cccttctcac	120
ggcctccacc	aatatcaaga	cctatcgaat	cacactttga	tattcaacgt	cgaaggagct	180
ctactcaaat	caaactcttt	attcccttac	ttcatggttg	tggcattcga	agccggaggg	240
gtgataagg	cacttttctc	cttagttctt	tatccattta	taagcttgat	gagctacgaa	300
atgggcttga	agacgatgg	gatgctgagc	ttctttggag	ttaaaaagga	aagcttccga	360
gtggggaaat	cagttttgcc	taagtatttt	ctagaagatg	ttgggctcga	gatgttccag	420
gttttgaaaa	gaggaggcaa	gagagtgtct	gtgagtgatt	taccacaagt	tatgattgat	480
gtattcttgc	gagattactt	ggagatagaa	gttgtggctg	gaagagacat	gaaaatggtc	540
ggtggttact	acctaggcat	cgtggaggat	aagaagaacc	ttgaaattgc	ttttgataaa	600
gtggttcaag	aagaaagact	tggtagtggt	cgctcgtcta	ttggcatcac	ttcctttaac	660
tcgccaagtc	acagatctct	cttctctcaa	ttttgccagg	aaatttactt	cgtcagaaaat	720
tcagacaaga	aaagttggca	aaccctacca	caagatcaat	accctaaacc	attgattttc	780
cacgatggtc	gttttagccgt	taagccaaca	cctttaaaca	cactcgtatt	attcatgtgg	840
gccccattcg	ccgcctgtct	agccgctgca	agactcgtct	tcggcctaaa	cttaccttac	900
tccctagcca	atcccttctc	cgccttttcc	ggtatccacc	ttactctcac	cgtaacaac	960
cacaacgacc	taatatccgc	cgacagaaaa	agaggttgct	tctttgtgtg	taaccataga	
1020						
acgttatttg	accactttta	catttcatac	gctctaagaa	agaaaaacat	gaaagccgtg	
1080						
acgtatagtc	taagcagatt	atctgagctt	ctggctccga	tcaagaccgt	tagattgact	
1140						
cgtgatcgag	tcaaagatgg	tcaagccatg	gagaaattgc	tgagccaggg	agatctcgtg	
1200						
gtttgtccgg	aagggactac	gtgtagagag	ccttacttgc	ttcgggttag	tccacttttc	
1260						
tctgaggttt	gtgacgtcat	cgtacctgtt	gctattgact	cacacgtgac	tttcttctat	
1320						
ggcacgacgg	ctagtggctc	taaggcattt	gatccccatt	tcttcctttt	gaatcctttc	
1380						
ccttcctaca	ccgtcaaatt	gcttgaccct	gtctctggaa	gtagctcgtc	cacgtgtcga	
1440						
ggagtccctg	acaatggaaa	agttaacttc	gaggtggcta	atcacgtgca	gcatgagatc	
1500						
gggaatgcct	tggggtttga	gtgcaccaac	ctcacgagaa	gagataagta	cttgatcttg	
1560						
gccggtaata	acggagtgtg	caagaaaaaa	taa			
1593						

<210> 11

<211> 530

<212> PRT

<213> Arabidopsis sp.

<400> 11

```

Met Ser Gly Asn Lys Ile Ser Thr Leu Gln Ala Leu Val Phe Phe Leu
 1          5          10          15

Tyr Arg Phe Phe Ile Leu Arg Arg Trp Cys His Arg Ser Pro Lys Gln
          20          25          30

Lys Tyr Gln Lys Cys Pro Ser His Gly Leu His Gln Tyr Gln Asp Leu
 35          40          45

Ser Asn His Thr Leu Ile Phe Asn Val Glu Gly Ala Leu Leu Lys Ser
 50          55          60

Asn Ser Leu Phe Pro Tyr Phe Met Val Val Ala Phe Glu Ala Gly Gly
 65          70          75          80

Val Ile Arg Ser Leu Phe Leu Leu Val Leu Tyr Pro Phe Ile Ser Leu
          85          90          95

Met Ser Tyr Glu Met Gly Leu Lys Thr Met Val Met Leu Ser Phe Phe
          100          105          110

Gly Val Lys Lys Glu Ser Phe Arg Val Gly Lys Ser Val Leu Pro Lys
          115          120          125

Tyr Phe Leu Glu Asp Val Gly Leu Glu Met Phe Gln Val Leu Lys Arg
          130          135          140

Gly Gly Lys Arg Val Ala Val Ser Asp Leu Pro Gln Val Met Ile Asp
          145          150          155          160

Val Phe Leu Arg Asp Tyr Leu Glu Ile Glu Val Val Val Gly Arg Asp
          165          170          175

Met Lys Met Val Gly Gly Tyr Tyr Leu Gly Ile Val Glu Asp Lys Lys
          180          185          190

Asn Leu Glu Ile Ala Phe Asp Lys Val Val Gln Glu Glu Arg Leu Gly
          195          200          205

Ser Gly Arg Arg Leu Ile Gly Ile Thr Ser Phe Asn Ser Pro Ser His
          210          215          220

Arg Ser Leu Phe Ser Gln Phe Cys Gln Glu Ile Tyr Phe Val Arg Asn
          225          230          235          240

Ser Asp Lys Lys Ser Trp Gln Thr Leu Pro Gln Asp Gln Tyr Pro Lys
          245          250          255

Pro Leu Ile Phe His Asp Gly Arg Leu Ala Val Lys Pro Thr Pro Leu
          260          265          270

Asn Thr Leu Val Leu Phe Met Trp Ala Pro Phe Ala Ala Val Leu Ala
          275          280          285

Ala Ala Arg Leu Val Phe Gly Leu Asn Leu Pro Tyr Ser Leu Ala Asn
          290          295          300

Pro Phe Leu Ala Phe Ser Gly Ile His Leu Thr Leu Thr Val Asn Asn
          305          310          315          320

His Asn Asp Leu Ile Ser Ala Asp Arg Lys Arg Gly Cys Leu Phe Val
          325          330          335

Cys Asn His Arg Thr Leu Leu Asp Pro Leu Tyr Ile Ser Tyr Ala Leu
          340          345          350

Arg Lys Lys Asn Met Lys Ala Val Thr Tyr Ser Leu Ser Arg Leu Ser

```

355 360 365

Glu Leu Leu Ala Pro Ile Lys Thr Val Arg Leu Thr Arg Asp Arg Val
370 375 380

Lys Asp Gly Gln Ala Met Glu Lys Leu Leu Ser Gln Gly Asp Leu Val
385 390 395 400

Val Cys Pro Glu Gly Thr Thr Cys Arg Glu Pro Tyr Leu Leu Arg Phe
405 410 415

Ser Pro Leu Phe Ser Glu Val Cys Asp Val Ile Val Pro Val Ala Ile
420 425 430

Asp Ser His Val Thr Phe Phe Tyr Gly Thr Thr Ala Ser Gly Leu Lys
435 440 445

Ala Phe Asp Pro Ile Phe Phe Leu Leu Asn Pro Phe Pro Ser Tyr Thr
450 455 460

Val Lys Leu Leu Asp Pro Val Ser Gly Ser Ser Ser Ser Thr Cys Arg
465 470 475 480

Gly Val Pro Asp Asn Gly Lys Val Asn Phe Glu Val Ala Asn His Val
485 490 495

Gln His Glu Ile Gly Asn Ala Leu Gly Phe Glu Cys Thr Asn Leu Thr
500 505 510

Arg Arg Asp Lys Tyr Leu Ile Leu Ala Gly Asn Asn Gly Val Val Lys
515 520 525

Lys Lys
530

<210> 12

<211> 1509

<212> DNA

<213> Arabidopsis sp.

<400> 12

atggttatgg agcaagctgg aacgacatcg tattcggtcg tgtcagagtt tgaaggaaca 60
atactgaaga acgcagattc attctcttac ttcattgctcg tagccttcga agcagctggt 120
ctaattcggt tgcgtatctt gttgtttcta tggcccgtaa tcacactcct tgacgttttc 180
agctacaaaa acgcagctct caagctcaag attttttagt ccaactgttg tctacgtgaa 240
ccggagatcg aatcagtggt tagagccgtt ctgccaaaat tctacatgga cgacgtaagc 300
atggacacgt ggagggtttt cagctcgtgt aagaagaggg tcgtgggtcac gagaatgcct 360
cgagttatgg tggagaggtt tgctaaggag catcttagag cagatgaggt catcggtacg 420
gaactgattg taaaccggtt cggttttgtc accggtttga ttcgcgaaac ggatgttgat 480
cagctcgtct tgaaccgtgt cgctaatttg tttgttggtc ggaggcctca actaggtcct 540
ggaaaaccgg ctttgaccgc ctctacaaat ttcttatcgt tatgtgagga gcatattcat 600
gcaccaatcc cggagaacta caaccacggt gaccaacaac ttcagctacg tccacttcg 660
gtgatatttc acgacggaag actagtgaag cggccaacgc cggccaccgc tctcatcatc 720
ctcctttgga tcccatttgg aatcattctc gccgtgatcc ggatctttct tggagccgtc 780
ctcccattgt gggccacacc ttacgtctct cagatattcg gtggccatat catcgtcaaa 840
ggaaagcctc ctcagccacc ggcggctgga aaatccggcg tgctctttgt gtgtactcac 900
agaaccctaa tggaccctgt ggtattatct tatgtcctcg gacgtagcat cccagccgtt 960
acttactcaa tctcgcgtt atcagagatc ttatctccca ttccaaccgt ccgattgaca
1020
agaatccgag atgtggatgc ggctaagatc aaacaacaac tgtcaaaagg agatctagtg
1080
gtttgtcctg agggaaccac ttgtcgtgaa ccgtttttgt taagattcag cgcgcttttc
1140
gctgagttaa cggataggat tgttccggtt gcgatgaact acagagtcgg attcttccac
1200
gcgactacag cgagaggctg gaagggtttg gacccaattt tcttcttcat gaacccaaga
1260
ccggttttac agattacgtt cttgaaccag cttcctatgg aggcaacatg ttcgtccggg
1320

aagagcccgcc atgacgtggc gaactatgtt cagagaatct tggcggctac gttaggggtt
 1380
 gagtgcacca acttcacaag aaaagataag tatagggttc tcgctggaaa cgatggaaca
 1440
 gtgtcgtact tgtcgttgct agaccaattg aagaaggtgg ttagcacttt cgagccttgt
 1500
 ctccattga
 1509

<210> 13
 <211> 502
 <212> PRT
 <213> Arabidopsis sp.

<400> 13
 Met Val Met Glu Gln Ala Gly Thr Thr Ser Tyr Ser Val Val Ser Glu
 1 5 10 15
 Phe Glu Gly Thr Ile Leu Lys Asn Ala Asp Ser Phe Ser Tyr Phe Met
 20 25 30
 Leu Val Ala Phe Glu Ala Ala Gly Leu Ile Arg Phe Ala Ile Leu Leu
 35 40 45
 Phe Leu Trp Pro Val Ile Thr Leu Leu Asp Val Phe Ser Tyr Lys Asn
 50 55 60
 Ala Ala Leu Lys Leu Lys Ile Phe Val Ala Thr Val Gly Leu Arg Glu
 65 70 75 80
 Pro Glu Ile Glu Ser Val Ala Arg Ala Val Leu Pro Lys Phe Tyr Met
 85 90 95
 Asp Asp Val Ser Met Asp Thr Trp Arg Val Phe Ser Ser Cys Lys Lys
 100 105 110
 Arg Val Val Val Thr Arg Met Pro Arg Val Met Val Glu Arg Phe Ala
 115 120 125
 Lys Glu His Leu Arg Ala Asp Glu Val Ile Gly Thr Glu Leu Ile Val
 130 135 140
 Asn Arg Phe Gly Phe Val Thr Gly Leu Ile Arg Glu Thr Asp Val Asp
 145 150 155 160
 Gln Ser Ala Leu Asn Arg Val Ala Asn Leu Phe Val Gly Arg Arg Pro
 165 170 175
 Gln Leu Gly Leu Gly Lys Pro Ala Leu Thr Ala Ser Thr Asn Phe Leu
 180 185 190
 Ser Leu Cys Glu Glu His Ile His Ala Pro Ile Pro Glu Asn Tyr Asn
 195 200 205
 His Gly Asp Gln Gln Leu Gln Leu Arg Pro Leu Pro Val Ile Phe His
 210 215 220
 Asp Gly Arg Leu Val Lys Arg Pro Thr Pro Ala Thr Ala Leu Ile Ile
 225 230 235 240
 Leu Leu Trp Ile Pro Phe Gly Ile Ile Leu Ala Val Ile Arg Ile Phe
 245 250 255
 Leu Gly Ala Val Leu Pro Leu Trp Ala Thr Pro Tyr Val Ser Gln Ile
 260 265 270
 Phe Gly Gly His Ile Ile Val Lys Gly Lys Pro Pro Gln Pro Pro Ala
 275 280 285
 Ala Gly Lys Ser Gly Val Leu Phe Val Cys Thr His Arg Thr Leu Met

290 295 300
 Asp Pro Val Val Leu Ser Tyr Val Leu Gly Arg Ser Ile Pro Ala Val
 305 310 315 320
 Thr Tyr Ser Ile Ser Arg Leu Ser Glu Ile Leu Ser Pro Ile Pro Thr
 325 330 335
 Val Arg Leu Thr Arg Ile Arg Asp Val Asp Ala Ala Lys Ile Lys Gln
 340 345 350
 Gln Leu Ser Lys Gly Asp Leu Val Val Cys Pro Glu Gly Thr Thr Cys
 355 360 365
 Arg Glu Pro Phe Leu Leu Arg Phe Ser Ala Leu Phe Ala Glu Leu Thr
 370 375 380
 Asp Arg Ile Val Pro Val Ala Met Asn Tyr Arg Val Gly Phe Phe His
 385 390 395 400
 Ala Thr Thr Ala Arg Gly Trp Lys Gly Leu Asp Pro Ile Phe Phe Phe
 405 410 415
 Met Asn Pro Arg Pro Val Tyr Glu Ile Thr Phe Leu Asn Gln Leu Pro
 420 425 430
 Met Glu Ala Thr Cys Ser Ser Gly Lys Ser Pro His Asp Val Ala Asn
 435 440 445
 Tyr Val Gln Arg Ile Leu Ala Ala Thr Leu Gly Phe Glu Cys Thr Asn
 450 455 460
 Phe Thr Arg Lys Asp Lys Tyr Arg Val Leu Ala Gly Asn Asp Gly Thr
 465 470 475 480
 Val Ser Tyr Leu Ser Leu Leu Asp Gln Leu Lys Lys Val Val Ser Thr
 485 490 495
 Phe Glu Pro Cys Leu His
 500

<210> 14

<211> 1563

<212> DNA

<213> Arabidopsis sp.

<400> 14

atgtccgcca agatttcaat attccaagct cttgtctttc tattctaccg gtttatactc 60
 cggcgatata ggaactctaa accaaaatac caaatggcc cttcttctct cctccaatcc 120
 gacctatcac gccacacatt gatcttcaac gtagaaggag ctcttctcaa atccgactct 180
 ctcttccctt acttcatgtt agtagcattt gaggcgggag gcgtaataag gtcattttct 240
 ctcttcattc tctatccatt gataagcttg atgagccatg agatgggtgt caaagtgatg 300
 gtaatgggtga gcttcttcgg gatcaaaaaa gaagggtttc gagcggggag agcgggtttg 360
 cctaaatact ttctagaaga tgtcggactc gagatcttcg aagtgttgaa gagaggaggg 420
 aagaaaatcg gagtgagtga tgatcttcct caagttatga tcgaagggtt cttgagagat 480
 tacttgagga ttgacgttgt ggtcgggaga gaaatgaaag tcgttgaggg ttattatcta 540
 ggtatcatgg aggataaaac caaacatgat cttgtctttg atgagttagt tcgtaaagag 600
 agactaaaca ccggtcgtgt tattggcattc acttccttca atacatctct tcaccgatat 660
 ctattctctc agttttgcca ggaaatttat ttcgtgaaga aatcagacaa gcgaagctgg 720
 caaaccttac cacgaagcca gtaccctaaa ccattgattt tccatgatgg ccgtctcgcg 780
 atcaaaccac ccctaataaa cactttggtc ttgttcattg ggggtccttt cgcagccgca 840
 gccgcagcag ccagactctt cgtctctctt tgcattcctt actctttatc aatccccgatc 900
 ctgcgctttt ccggttgcag actaaccgtc actaacgact acgtttcatc tcaaaaacaa 960
 aaaccaagtc aacgcaaagg ttgtctcttt gtatgtaacc ataggacttt attggaccct
 1020
 ctctatgttg cattcgcttt gagaaagaaa aacatcaaaa ctgtaacgta tagtttgagt
 1080
 agggatatctg agattttggc tccgatcaag acggtgagac tgaccctgta tcgggtgagc
 1140

gacgggtcaag ccatggagaa attgttaacc gaaggagatc tcgttggttg tcctgaagga
 1200
 accacttgta gagaacctta cctgcttagg ttagccctt tgttcaccga ggtagtgat
 1260
 gtcacgttc ccgtggctgt gacggtacac gtgaccttct tctacggtac aacggcgagt
 1320
 ggtcttaagg cacttgaccc gcttttcttc ctcttggaac cttatcctac ctacaccatc
 1380
 caatttctcg accctgtctc cggtgccacg tgccaagatc ctgatggaaa gttgaagttt
 1440
 gaggtggcca acaatgttca gaggatatt gggaaggcgc tggatttcga gtgcacaagt
 1500
 ctactagaa aagacaagta tttgatcttg gccggtaata atggagtagt taagaaaaat
 1560
 taa
 1563

<210> 15

<211> 520

<212> PRT

<213> Arabidopsis sp.

<400> 15

Met	Ser	Ala	Lys	Ile	Ser	Ile	Phe	Gln	Ala	Leu	Val	Phe	Leu	Phe	Tyr
1				5						10				15	
Arg	Phe	Ile	Leu	Arg	Arg	Tyr	Arg	Asn	Ser	Lys	Pro	Lys	Tyr	Gln	Asn
			20					25					30		
Gly	Pro	Ser	Ser	Leu	Leu	Gln	Ser	Asp	Leu	Ser	Arg	His	Thr	Leu	Ile
		35					40					45			
Phe	Asn	Val	Glu	Gly	Ala	Leu	Leu	Lys	Ser	Asp	Ser	Leu	Phe	Pro	Tyr
	50					55					60				
Phe	Met	Leu	Val	Ala	Phe	Glu	Ala	Gly	Gly	Val	Ile	Arg	Ser	Phe	Leu
	65				70					75					80
Leu	Phe	Ile	Leu	Tyr	Pro	Leu	Ile	Ser	Leu	Met	Ser	His	Glu	Met	Gly
				85					90					95	
Val	Lys	Val	Met	Val	Met	Val	Ser	Phe	Phe	Gly	Ile	Lys	Lys	Glu	Gly
			100					105					110		
Phe	Arg	Ala	Gly	Arg	Ala	Val	Leu	Pro	Lys	Tyr	Phe	Leu	Glu	Asp	Val
		115					120					125			
Gly	Leu	Glu	Ile	Phe	Glu	Val	Leu	Lys	Arg	Gly	Gly	Lys	Lys	Ile	Gly
	130					135					140				
Val	Ser	Asp	Asp	Leu	Pro	Gln	Val	Met	Ile	Glu	Gly	Phe	Leu	Arg	Asp
	145				150					155					160
Tyr	Leu	Glu	Ile	Asp	Val	Val	Val	Gly	Arg	Glu	Met	Lys	Val	Val	Gly
				165					170					175	
Gly	Tyr	Tyr	Leu	Gly	Ile	Met	Glu	Asp	Lys	Thr	Lys	His	Asp	Leu	Val
			180					185					190		
Phe	Asp	Glu	Leu	Val	Arg	Lys	Glu	Arg	Leu	Asn	Thr	Gly	Arg	Val	Ile
		195					200					205			
Gly	Ile	Thr	Ser	Phe	Asn	Thr	Ser	Leu	His	Arg	Tyr	Leu	Phe	Ser	Gln
	210					215					220				
Phe	Cys	Gln	Glu	Ile	Tyr	Phe	Val	Lys	Lys	Ser	Asp	Lys	Arg	Ser	Trp
	225				230					235					240
Gln	Thr	Leu	Pro	Arg	Ser	Gln	Tyr	Pro	Lys	Pro	Leu	Ile	Phe	His	Asp
				245					250					255	

Gly Arg Leu Ala Ile Lys Pro Thr Leu Met Asn Thr Leu Val Leu Phe
 260 265 270
 Met Trp Gly Pro Phe Ala Ala Ala Ala Ala Ala Arg Leu Phe Val
 275 280 285
 Ser Leu Cys Ile Pro Tyr Ser Leu Ser Ile Pro Ile Leu Ala Phe Ser
 290 295 300
 Gly Cys Arg Leu Thr Val Thr Asn Asp Tyr Val Ser Ser Gln Lys Gln
 305 310 315 320
 Lys Pro Ser Gln Arg Lys Gly Cys Leu Phe Val Cys Asn His Arg Thr
 325 330 335
 Leu Leu Asp Pro Leu Tyr Val Ala Phe Ala Leu Arg Lys Lys Asn Ile
 340 345 350
 Lys Thr Val Thr Tyr Ser Leu Ser Arg Val Ser Glu Ile Leu Ala Pro
 355 360 365
 Ile Lys Thr Val Arg Leu Thr Arg Asp Arg Val Ser Asp Gly Gln Ala
 370 375 380
 Met Glu Lys Leu Leu Thr Glu Gly Asp Leu Val Val Cys Pro Glu Gly
 385 390 395 400
 Thr Thr Cys Arg Glu Pro Tyr Leu Leu Arg Phe Ser Pro Leu Phe Thr
 405 410 415
 Glu Val Ser Asp Val Ile Val Pro Val Ala Val Thr Val His Val Thr
 420 425 430
 Phe Phe Tyr Gly Thr Thr Ala Ser Gly Leu Lys Ala Leu Asp Pro Leu
 435 440 445
 Phe Phe Leu Leu Asp Pro Tyr Pro Thr Tyr Thr Ile Gln Phe Leu Asp
 450 455 460
 Pro Val Ser Gly Ala Thr Cys Gln Asp Pro Asp Gly Lys Leu Lys Phe
 465 470 475 480
 Glu Val Ala Asn Asn Val Gln Ser Asp Ile Gly Lys Ala Leu Asp Phe
 485 490 495
 Glu Cys Thr Ser Leu Thr Arg Lys Asp Lys Tyr Leu Ile Leu Ala Gly
 500 505 510
 Asn Asn Gly Val Val Lys Lys Asn
 515 520

<210> 16

<211> 1506

<212> DNA

<213> Arabidopsis sp.

<400> 16

```

atgggagctc aggagaaacg gcgccgtttc gagcagatat caaagtgcga tgттаaggac 60
cggtccaacc ataccgtggc cgctgatcta gacggaacac tactaatctc tcgtagcgcc 120
ttcccttact attcctcgt agccctcgag gcaggagct tgctccgagc gttgatccta 180
cttgtgtcgcg taccattcgt ttatcttacg tacttgacca tctccgagac tttagccatc 240
aacgtatttg tcttcacac gttcgcgggt ctcaagatcc gagacgttga gctagtgggc 300
cgttccgccc tcccagaggt ctatgcggag gacgtgaggc ccgataacctg gcgtatcttc 360
aacacgttcg ggaaacggta cataataact gcgagccctc gaattatggt cgagccattc 420
gtgaaaacat tcctaggagt tgataaagtt cttggaacag agctagaggt ctccaaatcg 480
ggtcggggcaa cggggttcac cagaaaacca ggtattctcg tcggtcagta caaacgtgac 540
gtcgttttga gagagtttg tggcctagcg tctgatttac ctgatttggg gctcggcgat 600
agcaagacgg accacgactt catgtccatc tgcaaggaag gttacatggt gccacgtacg 660

```

```

aaatgcgaac cattaccaag aaacaaactc ttaagcccca taatattcca cgagggcaga 720
ttagtccaac gcccaacgcc gttagtgtgt ctgttaactt tcctctgggt tcccgtcggg 780
ttcgtcctct ctatcatccg cgtctacacg aatattccgt taccggaacg tatcgcccggt 840
tacaactaca agcttactgg catcaagcta gtcgtcaacg gccaccctcc tccgccgcca 900
aaacctggcc agccaggcca tcttttgggtc tgcaaccacc gcaccgttct cgatcctgtg 960
gtcacagctg tcgcactcgg ccggaataatc agctgcgtca cttacagcat cagcaagttc
1020
tctgagctaa tctcaccaat caaagccggt gcgttgactc gtcaacgtga gaaagacgca
1080
gcgaacatca agcgtctttt ggaggaaggc gatctcgtga tatgtcccga ggggaaccacg
1140
tgccgtgagc ctttctttct ccggttttagt gctcttttctg ctgagctcac ggaccggatc
1200
gttcccgtgg cgatcaacac aaagcagagc atgttcaatg gtaccaccac acgtggatac
1260
aagcttcttg atccttactt tgcgttcattg aacccgagggc cgacgtatga gatcacgttc
1320
ctcaaacaga ttccagctga gctgacgtgt aaaggaggca aatctccgat agagggttgcg
1380
aattacatac agaggggtttt gggaggaacc ttaggttttg agtgcaccaa tttcacaaga
1440
aaggataagt acgcaatgct tgctgggtact gacggtaggg ttccggtgaa gaaggagaag
1500
acgtga
1506

```

<210> 17
 <211> 500
 <212> PRT
 <213> Arabidopsis sp.

```

<400> 17
Met Gly Ala Gln Glu Lys Arg Arg Arg Phe Glu Gln Ile Ser Lys Cys
 1          5          10          15

Asp Val Lys Asp Arg Ser Asn His Thr Val Ala Ala Asp Leu Asp Gly
      20          25          30

Thr Leu Leu Ile Ser Arg Ser Ala Phe Pro Tyr Tyr Phe Leu Val Ala
      35          40          45

Leu Glu Ala Gly Ser Leu Leu Arg Ala Leu Ile Leu Leu Val Ser Val
      50          55          60

Pro Phe Val Tyr Leu Thr Tyr Leu Thr Ile Ser Glu Thr Leu Ala Ile
      65          70          75          80

Asn Val Phe Val Phe Ile Thr Phe Ala Gly Leu Lys Ile Arg Asp Val
      85          90          95

Glu Leu Val Val Arg Ser Val Leu Pro Arg Phe Tyr Ala Glu Asp Val
      100          105          110

Arg Pro Asp Thr Trp Arg Ile Phe Asn Thr Phe Gly Lys Arg Tyr Ile
      115          120          125

Ile Thr Ala Ser Pro Arg Ile Met Val Glu Pro Phe Val Lys Thr Phe
      130          135          140

Leu Gly Val Asp Lys Val Leu Gly Thr Glu Leu Glu Val Ser Lys Ser
      145          150          155          160

Gly Arg Ala Thr Gly Phe Thr Arg Lys Pro Gly Ile Leu Val Gly Gln
      165          170          175

Tyr Lys Arg Asp Val Val Leu Arg Glu Phe Gly Gly Leu Ala Ser Asp
      180          185          190

Leu Pro Asp Leu Gly Leu Gly Asp Ser Lys Thr Asp His Asp Phe Met
      195          200          205

```

Ser Ile Cys Lys Glu Gly Tyr Met Val Pro Arg Thr Lys Cys Glu Pro
 210 215 220
 Leu Pro Arg Asn Lys Leu Leu Ser Pro Ile Ile Phe His Glu Gly Arg
 225 230 235 240
 Leu Val Gln Arg Pro Thr Pro Leu Val Ala Leu Leu Thr Phe Leu Trp
 245 250 255
 Leu Pro Val Gly Phe Val Leu Ser Ile Ile Arg Val Tyr Thr Asn Ile
 260 265 270
 Pro Leu Pro Glu Arg Ile Ala Arg Tyr Asn Tyr Lys Leu Thr Gly Ile
 275 280 285
 Lys Leu Val Val Asn Gly His Pro Pro Pro Pro Pro Lys Pro Gly Gln
 290 295 300
 Pro Gly His Leu Leu Val Cys Asn His Arg Thr Val Leu Asp Pro Val
 305 310 315 320
 Val Thr Ala Val Ala Leu Gly Arg Lys Ile Ser Cys Val Thr Tyr Ser
 325 330 335
 Ile Ser Lys Phe Ser Glu Leu Ile Ser Pro Ile Lys Ala Val Ala Leu
 340 345 350
 Thr Arg Gln Arg Glu Lys Asp Ala Ala Asn Ile Lys Arg Leu Leu Glu
 355 360 365
 Glu Gly Asp Leu Val Ile Cys Pro Glu Gly Thr Thr Cys Arg Glu Pro
 370 375 380
 Phe Leu Leu Arg Phe Ser Ala Leu Phe Ala Glu Leu Thr Asp Arg Ile
 385 390 395 400
 Val Pro Val Ala Ile Asn Thr Lys Gln Ser Met Phe Asn Gly Thr Thr
 405 410 415
 Thr Arg Gly Tyr Lys Leu Leu Asp Pro Tyr Phe Ala Phe Met Asn Pro
 420 425 430
 Arg Pro Thr Tyr Glu Ile Thr Phe Leu Lys Gln Ile Pro Ala Glu Leu
 435 440 445
 Thr Cys Lys Gly Gly Lys Ser Pro Ile Glu Val Ala Asn Tyr Ile Gln
 450 455 460
 Arg Val Leu Gly Gly Thr Leu Gly Phe Glu Cys Thr Asn Phe Thr Arg
 465 470 475 480
 Lys Asp Lys Tyr Ala Met Leu Ala Gly Thr Asp Gly Arg Val Pro Val
 485 490 495
 Lys Lys Glu Lys
 500

<210> 18

<211> 1620

<212> DNA

<213> Arabidopsis sp.

<400> 18

atggcggatc ctgatctgtc ttctcctttg atccaccatc aatcctccga tcaacctgaa 60
 gttgttatct ctatcgccga cgacgacgac gacgagtcag gactcaatct tcttcagcc 120
 gttgttgacc ctctgttttc acgaggtttt gagtttgacc atcttaatcc ttatggcttt 180
 ctcagcgagt cagagcctcc ggttctcggt ccgacgacgg tggatccatt ccggaacaat 240
 acacctggag ttagcggatt gtacgaagcg attaagctcg tgatttgtct tccgattgct 300

```

ctgattagac ttgttctctt tgctgctagc ttagctgttg gttacttggc tacaaaaattg 360
gcacttgctg gctggaaaaga taaagagaac cctatgcctc tttggagatg cagaatcatg 420
tggtactctc ggatctgtac cagatgtatc ctcttctctt ttggctatca gtggataaga 480
aggaaagggg aacctgctcg gagagagatt gctccgattg ttgtatcaaa tcatgtttct 540
tatattgaac caatcttcta cttctatgaa ttatcaccca ccattgttgc atcggagtca 600
catgattcac ttccatttgt tggaactatt atcagggcaa tgcaggtgat atatgtgaat 660
agattctcac agacatcaag gaagaatgct gtgcatgaaa taaagagaaa agcttctctg 720
gatagatttc ctgctctgct gttattcccc gaaggaacca cgactaatgg gaaagttctt 780
atttccttcc aactcgggtgc ttcatccctt ggttacccta ttcaacctgt agtagtccgg 840
tatccccatg tacattttga tcaatcctgg ggaaatatct ctttggtgac gctcatgttt 900
agaatgttca ctcagtttca caatttcatg gaggttgaat atcttctgt aatctatccc 960
agtgaaaagc aaaagcagaa tgctgtgcgt ctctcacaga agactagtca tgcaattgca
1020
acatctttga atgtcgtcca aacatcccat tcttttgagg acttgatgct actcaacaaa
1080
gcaactgagt taaagctgga gaacccctca aattacatgg ttgaaatggc aagagttgag
1140
tcgctattcc atgtaagcag cttagaggca acgcgatttt tggatacatt tggttccatg
1200
attccggact cgagtggacg tgtaggcta catgactttc ttcgggggtct taaactgaaa
1260
ccttgccctc tttctaaaag gatatttgag ttcatcgatg tggagaaggt cggatcaatc
1320
actttcaaac agttcttggt tgcctcgggc cacgtgttga cacagccgct ttttaagcaa
1380
acatgcgagc tagccttttc ccattgcgat gcagatggag atggctatat tacaattcaa
1440
gaactcggag aagctctcaa aaacacaatc ccaaacttga acaaggacga gattcgagga
1500
atgtaccatt tgctagacga cgaccaagat caaagaatca gccaaaatga cttggtgtcc
1560
tgcttaagaa gaaaccctct tctcatagcc atctttgcac ctgacttggc cccaacataa
1620

```

<210> 19

<211> 539

<212> PRT

<213> Arabidopsis sp.

<400> 19

```

Met Ala Asp Pro Asp Leu Ser Ser Pro Leu Ile His His Gln Ser Ser
 1           5           10           15
Asp Gln Pro Glu Val Val Ile Ser Ile Ala Asp Asp Asp Asp Asp Glu
          20           25           30
Ser Gly Leu Asn Leu Leu Pro Ala Val Val Asp Pro Arg Val Ser Arg
          35           40           45
Gly Phe Glu Phe Asp His Leu Asn Pro Tyr Gly Phe Leu Ser Glu Ser
          50           55           60
Glu Pro Pro Val Leu Gly Pro Thr Thr Val Asp Pro Phe Arg Asn Asn
          65           70           75           80
Thr Pro Gly Val Ser Gly Leu Tyr Glu Ala Ile Lys Leu Val Ile Cys
          85           90           95
Leu Pro Ile Ala Leu Ile Arg Leu Val Leu Phe Ala Ala Ser Leu Ala
          100          105          110
Val Gly Tyr Leu Ala Thr Lys Leu Ala Leu Ala Gly Trp Lys Asp Lys
          115          120          125
Glu Asn Pro Met Pro Leu Trp Arg Cys Arg Ile Met Trp Ile Thr Arg
          130          135          140
Ile Cys Thr Arg Cys Ile Leu Phe Ser Phe Gly Tyr Gln Trp Ile Arg
          145          150          155          160

```

Arg Lys Gly Lys Pro Ala Arg Arg Glu Ile Ala Pro Ile Val Val Ser
 165 170 175
 Asn His Val Ser Tyr Ile Glu Pro Ile Phe Tyr Phe Tyr Glu Leu Ser
 180 185 190
 Pro Thr Ile Val Ala Ser Glu Ser His Asp Ser Leu Pro Phe Val Gly
 195 200 205
 Thr Ile Ile Arg Ala Met Gln Val Ile Tyr Val Asn Arg Phe Ser Gln
 210 215 220
 Thr Ser Arg Lys Asn Ala Val His Glu Ile Lys Arg Lys Ala Ser Cys
 225 230 235 240
 Asp Arg Phe Pro Arg Leu Leu Leu Phe Pro Glu Gly Thr Thr Thr Asn
 245 250 255
 Gly Lys Val Leu Ile Ser Phe Gln Leu Gly Ala Phe Ile Pro Gly Tyr
 260 265 270
 Pro Ile Gln Pro Val Val Val Arg Tyr Pro His Val His Phe Asp Gln
 275 280 285
 Ser Trp Gly Asn Ile Ser Leu Leu Thr Leu Met Phe Arg Met Phe Thr
 290 295 300
 Gln Phe His Asn Phe Met Glu Val Glu Tyr Leu Pro Val Ile Tyr Pro
 305 310 315 320
 Ser Glu Lys Gln Lys Gln Asn Ala Val Arg Leu Ser Gln Lys Thr Ser
 325 330 335
 His Ala Ile Ala Thr Ser Leu Asn Val Val Gln Thr Ser His Ser Phe
 340 345 350
 Ala Asp Leu Met Leu Leu Asn Lys Ala Thr Glu Leu Lys Leu Glu Asn
 355 360 365
 Pro Ser Asn Tyr Met Val Glu Met Ala Arg Val Glu Ser Leu Phe His
 370 375 380
 Val Ser Ser Leu Glu Ala Thr Arg Phe Leu Asp Thr Phe Val Ser Met
 385 390 395 400
 Ile Pro Asp Ser Ser Gly Arg Val Arg Leu His Asp Phe Leu Arg Gly
 405 410 415
 Leu Lys Leu Lys Pro Cys Pro Leu Ser Lys Arg Ile Phe Glu Phe Ile
 420 425 430
 Asp Val Glu Lys Val Gly Ser Ile Thr Phe Lys Gln Phe Leu Phe Ala
 435 440 445
 Ser Gly His Val Leu Thr Gln Pro Leu Phe Lys Gln Thr Cys Glu Leu
 450 455 460
 Ala Phe Ser His Cys Asp Ala Asp Gly Asp Gly Tyr Ile Thr Ile Gln
 465 470 475 480
 Glu Leu Gly Glu Ala Leu Lys Asn Thr Ile Pro Asn Leu Asn Lys Asp
 485 490 495
 Glu Ile Arg Gly Met Tyr His Leu Leu Asp Asp Asp Gln Asp Gln Arg
 500 505 510
 Ile Ser Gln Asn Asp Leu Leu Ser Cys Leu Arg Arg Asn Pro Leu Leu
 515 520 525
 Ile Ala Ile Phe Ala Pro Asp Leu Ala Pro Thr

530

535

<210> 20
 <211> 1128
 <212> DNA
 <213> Arabidopsis sp.

<400> 20
 atggaaaaaa agagtgtacc aaattctgat aagttgtctc tgattagagt gtttaagaggt 60
 ataatatgtc tgatgggtgt agtttcaaca gcttttatga tgttgatatt ctggggggttc 120
 ttatcagctg tagtggtgag gcttttcagc attcgcctata gccgtaaagtg tgtttccttc 180
 ttctttggct cgtggctcgc ctgtgtgacct ttcctctttg agaagattaa caaaacccaaa 240
 gttatcttct ctggtgataa ggttccttgc gaggatcgag tattgctcat tgcaaaccac 300
 cgaacagaag ttgattggat gtacttctgg gatcttgcac tgcgtaaagg ccagattggg 360
 aatatcaaat atgtgcttaa gagtagtttg atgaaattac ctctctttgg ttgggcgttt 420
 cacctctttg agttttattcc tgttgagagg agatgggaag tcgatgaagc aaacttgaga 480
 cagatagttt cgagttttta ggatccccga gacgctttat ggcttgctct tttccccgag 540
 ggcacagatt acacagaggc taaatgccaa aggagtaaga aatttgctgc tgaaaatggc 600
 cttccgatac tgaacaacgt gctgcttccc aggacaaaag gtttcgtctc ctgcttgcaa 660
 gaactgagtt gctcacttga cgcagtttat gatgtgacca tcggttataa aaccgcgtgc 720
 ccatctttct tagacaacgt ttatggaatt gagccatcag aagttcacat ccacatccgt 780
 cgtatcaacc tgacccaaat cccaaatcaa gaaaaggaca tcaatgcttg gttaatgaac 840
 acattccagc tcaaagacca gctgctcaat gacttttact ccaatgggtc tttccctaac 900
 gaaggaacag agaaagagtt caacacaaaag aagtacctca taaactgttt ggcagtgatt 960
 gccttcacca ccatctgtac acatctcacc ttcttctcat caatgatttg gttcaggatt
 1020
 tatgtctctt tggectgtgt ctacttgacc tctgctacgc atttcaatct tcgttctggt
 1080
 ccacttggtg agactgcaaa aaattccctc aaattagtaa acaaataa
 1128

<210> 21
 <211> 375
 <212> PRT
 <213> Arabidopsis sp.

<400> 21
 Met Glu Lys Lys Ser Val Pro Asn Ser Asp Lys Leu Ser Leu Ile Arg
 1 5 10 15
 Val Leu Arg Gly Ile Ile Cys Leu Met Val Leu Val Ser Thr Ala Phe
 20 25 30
 Met Met Leu Ile Phe Trp Gly Phe Leu Ser Ala Val Val Leu Arg Leu
 35 40 45
 Phe Ser Ile Arg Tyr Ser Arg Lys Cys Val Ser Phe Phe Phe Gly Ser
 50 55 60
 Trp Leu Ala Leu Trp Pro Phe Leu Phe Glu Lys Ile Asn Lys Thr Lys
 65 70 75 80
 Val Ile Phe Ser Gly Asp Lys Val Pro Cys Glu Asp Arg Val Leu Leu
 85 90 95
 Ile Ala Asn His Arg Thr Glu Val Asp Trp Met Tyr Phe Trp Asp Leu
 100 105 110
 Ala Leu Arg Lys Gly Gln Ile Gly Asn Ile Lys Tyr Val Leu Lys Ser
 115 120 125
 Ser Leu Met Lys Leu Pro Leu Phe Gly Trp Ala Phe His Leu Phe Glu
 130 135 140
 Phe Ile Pro Val Glu Arg Arg Trp Glu Val Asp Glu Ala Asn Leu Arg
 145 150 155 160
 Gln Ile Val Ser Ser Phe Lys Asp Pro Arg Asp Ala Leu Trp Leu Ala
 165 170 175

Leu Phe Pro Glu Gly Thr Asp Tyr Thr Glu Ala Lys Cys Gln Arg Ser
 180 185 190
 Lys Lys Phe Ala Ala Glu Asn Gly Leu Pro Ile Leu Asn Asn Val Leu
 195 200 205
 Leu Pro Arg Thr Lys Gly Phe Val Ser Cys Leu Gln Glu Leu Ser Cys
 210 215 220
 Ser Leu Asp Ala Val Tyr Asp Val Thr Ile Gly Tyr Lys Thr Arg Cys
 225 230 235 240
 Pro Ser Phe Leu Asp Asn Val Tyr Gly Ile Glu Pro Ser Glu Val His
 245 250 255
 Ile His Ile Arg Arg Ile Asn Leu Thr Gln Ile Pro Asn Gln Glu Lys
 260 265 270
 Asp Ile Asn Ala Trp Leu Met Asn Thr Phe Gln Leu Lys Asp Gln Leu
 275 280 285
 Leu Asn Asp Phe Tyr Ser Asn Gly His Phe Pro Asn Glu Gly Thr Glu
 290 295 300
 Lys Glu Phe Asn Thr Lys Lys Tyr Leu Ile Asn Cys Leu Ala Val Ile
 305 310 315 320
 Ala Phe Thr Thr Ile Cys Thr His Leu Thr Phe Phe Ser Ser Met Ile
 325 330 335
 Trp Phe Arg Ile Tyr Val Ser Leu Ala Cys Val Tyr Leu Thr Ser Ala
 340 345 350
 Thr His Phe Asn Leu Arg Ser Val Pro Leu Val Glu Thr Ala Lys Asn
 355 360 365
 Ser Leu Lys Leu Val Asn Lys
 370 375

<210> 22

<211> 1170

<212> DNA

<213> Arabidopsis sp.

<400> 22

atggtgattg ctgcagctgt catcgtgcct ttgggccttc tcttcttcat atctgggtctc 60
 gctgtcaatc tctttcaggc agtttgcctat gtactcattc gaccactgtc taagaacaca 120
 tacagaaaaa ttaaccgggt gggtgcagaa accttgtggt tggagcttgt atggatagtt 180
 gactgggtggg ctggagttaa gatccaagt tttgctgata atgagacctt caatcgaatg 240
 ggcaaagaac atgctcttgt cgtttgaat caccgaagt atattgattg gcttgtggga 300
 tggattctgg ctccagcggtc aggttgccctg ggaagcgcat tagctgtaat gaagaagtct 360
 tccaaattcc ttccagtcac aggcctggtca atgtggttct cggagtatct ctttctggaa 420
 agaaattggg ccaaggatga aagcactcta aagtcaggtc ttcagcgctt gagcgacttc 480
 cctcgacctt tctggtttagc cctttttgtg gagggaaactc gctttacaga agccaaactt 540
 aaagccgcac aagagtatgc agcctcctct gaattgccta tccctcgaaa tgtgttgatt 600
 cctcgcacca aaggtttctg gtcagctggt agtaatatgc gttcatttgt cccagcaatt 660
 tatgatatga cagtgactat tccaaaaacc tctccaccac ccacgatgct aagactattc 720
 aaaggacaac ctccagtggt gcatgttcac atcaagtgtc actcgatgaa agacttacct 780
 gaatcagatg acgcaattgc acagtgggtc agagatcagt ttgtggctaa ggatgctctg 840
 tttagacaaac acatagctgc agacactttc cccgggtcaac aagaacagaa cattggccgt 900
 ccataaagt cccttgcggt ggttctatca tgggcatgcg tactaactct tggagcaata 960
 aagttcctac actgggcaca actcttttct tcatggaaag gtatcacgat atcggcgctt
 1020
 ggtctaggta tcatcactct ctgtatgcag atcctgatac gctcgtctca gtcagagcgt
 1080
 tcgacccag ccaaagtcgt ccagccaag ccaaagaca atcaccaccc agaatcatcc
 1140

tcccaaacag aaacggagaa ggagaagtaa
1170

<210> 23

<211> 389

<212> PRT

<213> Arabidopsis sp.

<400> 23

Met	Val	Ile	Ala	Ala	Ala	Val	Ile	Val	Pro	Leu	Gly	Leu	Leu	Phe	Phe
1				5					10					15	
Ile	Ser	Gly	Leu	Ala	Val	Asn	Leu	Phe	Gln	Ala	Val	Cys	Tyr	Val	Leu
			20					25					30		
Ile	Arg	Pro	Leu	Ser	Lys	Asn	Thr	Tyr	Arg	Lys	Ile	Asn	Arg	Val	Val
		35					40					45			
Ala	Glu	Thr	Leu	Trp	Leu	Glu	Leu	Val	Trp	Ile	Val	Asp	Trp	Trp	Ala
	50					55					60				
Gly	Val	Lys	Ile	Gln	Val	Phe	Ala	Asp	Asn	Glu	Thr	Phe	Asn	Arg	Met
65					70					75					80
Gly	Lys	Glu	His	Ala	Leu	Val	Val	Cys	Asn	His	Arg	Ser	Asp	Ile	Asp
				85					90					95	
Trp	Leu	Val	Gly	Trp	Ile	Leu	Ala	Gln	Arg	Ser	Gly	Cys	Leu	Gly	Ser
			100					105					110		
Ala	Leu	Ala	Val	Met	Lys	Lys	Ser	Ser	Lys	Phe	Leu	Pro	Val	Ile	Gly
		115					120					125			
Trp	Ser	Met	Trp	Phe	Ser	Glu	Tyr	Leu	Phe	Leu	Glu	Arg	Asn	Trp	Ala
	130					135					140				
Lys	Asp	Glu	Ser	Thr	Leu	Lys	Ser	Gly	Leu	Gln	Arg	Leu	Ser	Asp	Phe
145					150					155					160
Pro	Arg	Pro	Phe	Trp	Leu	Ala	Leu	Phe	Val	Glu	Gly	Thr	Arg	Phe	Thr
				165					170					175	
Glu	Ala	Lys	Leu	Lys	Ala	Ala	Gln	Glu	Tyr	Ala	Ala	Ser	Ser	Glu	Leu
			180					185					190		
Pro	Ile	Pro	Arg	Asn	Val	Leu	Ile	Pro	Arg	Thr	Lys	Gly	Phe	Val	Ser
		195					200					205			
Ala	Val	Ser	Asn	Met	Arg	Ser	Phe	Val	Pro	Ala	Ile	Tyr	Asp	Met	Thr
	210					215					220				
Val	Thr	Ile	Pro	Lys	Thr	Ser	Pro	Pro	Pro	Thr	Met	Leu	Arg	Leu	Phe
225					230					235					240
Lys	Gly	Gln	Pro	Ser	Val	Val	His	Val	His	Ile	Lys	Cys	His	Ser	Met
				245					250					255	
Lys	Asp	Leu	Pro	Glu	Ser	Asp	Asp	Ala	Ile	Ala	Gln	Trp	Cys	Arg	Asp
			260					265					270		
Gln	Phe	Val	Ala	Lys	Asp	Ala	Leu	Leu	Asp	Lys	His	Ile	Ala	Ala	Asp
		275					280					285			
Thr	Phe	Pro	Gly	Gln	Gln	Glu	Gln	Asn	Ile	Gly	Arg	Pro	Ile	Lys	Ser
		290				295					300				
Leu	Ala	Val	Val	Leu	Ser	Trp	Ala	Cys	Val	Leu	Thr	Leu	Gly	Ala	Ile
305					310					315					320
Lys	Phe	Leu	His	Trp	Ala	Gln	Leu	Phe	Ser	Ser	Trp	Lys	Gly	Ile	Thr

325 330 335
 Ile Ser Ala Leu Gly Leu Gly Ile Ile Thr Leu Cys Met Gln Ile Leu
 340 345 350
 Ile Arg Ser Ser Gln Ser Glu Arg Ser Thr Pro Ala Lys Val Val Pro
 355 360 365
 Ala Lys Pro Lys Asp Asn His His Pro Glu Ser Ser Ser Gln Thr Glu
 370 375 380
 Thr Glu Lys Glu Lys
 385

<210> 24
 <211> 269
 <212> DNA
 <213> Glycine max

<400> 24
 gaccactga acgctctcat caccttcacg tggctcccct tcggttcat cctctccatc 60
 ataagggtct acttcaacct cctctcccga gaacncattg tccgctacac ctacgagatg 120
 ctcggcacga acctcgctcat ccgcggccac cgccctcctc cgcttcccc cggcaccccc 180
 ggcaacctct acgtctgcaa ccaccgcacc gctctcgacc ccctcgtcat cgccattgcc 240
 ctcggcgcga aggtctcctg cgtcaccta 269

<210> 25
 <211> 242
 <212> DNA
 <213> Glycine max

<400> 25
 tgatcttcca cgacggccgt ttcgtgcaga ggccagaccc actgaacgct ctcatcacct 60
 tcacgtggct ccccttcggc ttcctcctct ccatcataag ggtctacttc aaccttctc 120
 tcccagaacg cattgtccgc tacacctacg agatgctcgg catcaacctc gtcattccgc 180
 gccaccgccc tcttcgcct tccccggca cccccggcaa cctctacgct tgcaaccacc 240
 gc 242

<210> 26
 <211> 272
 <212> DNA
 <213> Glycine max

<400> 26
 gtttgttcaa aggccaactc ctctagcagc cctcttgacc ttcctatggg tgccaattgg 60
 catcatactc tccatnctta agggctctacc ttaacatccc tttgcctgaa agaattgctt 120
 ggataacta taagctatta ggaatcagag ttattgtgaa gggtagccct ccaccacccc 180
 caaagaaggg tcaaagtggg gtcttatttg tttgtaacca ccgcacagtt ttagaccctg 240
 tggttactgc agttgcactt ggaagaaaaa tt 272

<210> 27
 <211> 218
 <212> DNA
 <213> Glycine max

<400> 27
 atagcacagg agggttacat ggtgcctcgc agcaaatcag caaaggcagt cccacaggag 60
 cgtctgaaga gcagaatgat cttccacgac gggcggttctg tgcagaggcc agacccaatg 120
 aatgccctca tcaccttcac atggctccct ttgggttctg tctctccat cataagggtc 180
 tacttcaacc tccctctccc agaacgcac gtcgcgta 218

<210> 28
 <211> 270
 <212> DNA
 <213> Glycine max

<400> 28
 gtgcctgttg ctgtgaactg caagcagaac atgttctttg gaaccaccgt tcgtggcgctc 60
 aagttctggg acccttaact tacttcttac atgaacccta ggccgtgtga cgagggtacc 120

```

ttaccttgat acctttgccg aggagatgtc gggttaaggct gggggggaagt cgtccattga 180
gggtggccaac cacgtggcag aagggtgctgg gggatgtgtt aggggtttgag tgcaccgggt 240
tgactaggaa ggataagtat atgttgttgg                270

```

<210> 29
 <211> 252
 <212> DNA
 <213> Glycine max

```

<400> 29
catgagggtg gggtttgctca aaggccaact. cctctagctg ccctcttgac cttcctatgg 60
ctgccaattg gcatcatact ctccatctta agggctctacc ttaacatccc ttgacctgaa 120
agaattgttg gtacaactac aagctcttag gaatcagagt tattgtgaag ggtacccctc 180
caccgcccc aaagaagggt caaagtgggt tctatttgtt tgtaaccacc gcacagtatt 240
agacctgtgt gt                252

```

<210> 30
 <211> 272
 <212> DNA
 <213> Glycine max

```

<400> 30
ctgggactgc cttaaaccgat gcatggatct tatcaagaaa ggagcctctg tttttttctt 60
tccagaggga acacgcagta aagatggaag actaggcaca ttcaagaagg gtgctttcag 120
tggtgtctga aagacaaatg caccagtagt accaattacc cttattggaa ctgggtcaa 180
catgcctgca ggaaaggagg gaatagttaa cataggttct gtgaaagtgg ttatacataa 240
acctattgtt ggaaaggatc ctgacatgtt at                272

```

<210> 31
 <211> 239
 <212> DNA
 <213> Glycine max

```

<400> 31
cggggaatcaa ggtcatcaga cttcaagggt gtttcagctg ttgtcactga cagaattcga 60
gaagctcatc agaatgagtc tgctccatta atgatgttat ttccagaagg tacaaccaca 120
aatggagagt tcctccttcc attcaagact ggtggttttt. tggcaaaggc accggtactt 180
cctgtgatat tacgatatca ttaccagaga tttagccctg cctgggattc catatctgg 239

```

<210> 32
 <211> 242
 <212> DNA
 <213> Glycine max

```

<400> 32
gaacggcaac ggcaacagcg ttcgcgatga ccgtcctctg ctgaagccgg agcctccggt 60
cttcgcgcga cagcatcgcc gatatggaga agaagttcgc cgcttacgtc cgccgctacg 120
tgtacggcac catgggacgc ggcgagttgc ctcccaagga gaagctcttg ctcggtttcg 180
cgttggtcac tcttctcccc attcgagtcg ttctgcgcgt caccatattg ctcttttatt 240
ac                242

```

<210> 33
 <211> 248
 <212> DNA
 <213> Glycine max

```

<400> 33
ttctttttct ctcactctct aaaaccctaa ctctatacat ggaagggaaa nctcaaattct 60
natgactaat taattaatcc atcgatcaag catggagtcc gaactcaaag acctcaattc 120
gaagccgcgc aacggcaacg gcaacagcgt tcgcgatgac cgctcctctg tgaagccgga 180
gcctccggtc tccgccgaca gcatcgccga tatggagaag aagttcgccg cttacgtccg 240
ccgcgacg                248

```

<210> 34
 <211> 217
 <212> DNA
 <213> Glycine max

```

<400> 34
aaaaccctaa ttctatacat ggaagggaaa tctcaaattc aatgactaat taattaatcc 60

```

```

atcgatcaag catggagtcc gaactcaaag acctcaattc gaagccgccc aacggcaacg 120
gcaacagcgt tcgcatgac cgtcctctgc tgaagccgga gcctccggtc tccgcccaga 180
gcatcgccga tatggagaag aagttcgccc cttacgt 217

```

<210> 35
 <211> 257
 <212> DNA
 <213> Glycine max

```

<400> 35
atctctgtct ctgcatttcc ctccctaaaa ccctaattct acatttggaaggaaatctc 60
aaatctaata actaattaat caatcaatcg tattaataat ccatcgatca agtatggagt 120
ccgaactcaa agacctcaat tcgaagccac ccaactgcaa cggcaacgcc aacagcgttt 180
gcgacgaccg tctctgtctg aagccggagc ctccggcctc ctccgacagc atcgccgaga 240
tggagaagaa gttcgcc 257

```

<210> 36
 <211> 284
 <212> DNA
 <213> Glycine max

```

<400> 36
cccgacaaaa acagggttttt gtggccaatc atacttccat gattgatttc attatcttag 60
aacagatgac tgcatttgct gttattatgc agaagcatcc tggatgggtt ggattattgc 120
agagcaccat tntggagagt gtaggggtga tctggttcaa ccgtacagag gcaaaggatc 180
gagaagttgt ggcaaggaaa ttgagggatc atgtcctggg agctaacaac aaccctcttc 240
ttatatttcc tgaaggaact tgtgtaaata atcactactc gtca 284

```

<210> 37
 <211> 246
 <212> DNA
 <213> Glycine max

```

<400> 37
ggagatccgc ataagcaaact caatcatcct gttccttccct tatctctgtc tctgcatttc 60
cctccctaaa accctaattc tacatttggg aaggaantct caaatctaata gataattaat 120
caatcaatcg tattaataat ccatcgatca agtatggagt ccgaactcaa agacctcaat 180
tcgaagccac ccaactgcaa cggcaacgcc aacagcggtt gcgacgaccg tctctgtctg 240
aagccg 246

```

<210> 38
 <211> 278
 <212> DNA
 <213> Glycine max

```

<400> 38
gttttctatt gccacgttgt ggaagcgtaa cgaagatgaa tggcattggg aaactcaaat 60
cgctcgatttc tgaattggac cttcacattg aagattacct accttctgga tccagtgttc 120
aacaagaacg gcatggcaag ctccgactgt gtgatttgct agacatttct ctagtctat 180
ctgaggcagc acgtgccatt gtagatgata cattcacaag gtgcttcaag caaatcctcc 240
agaaccttgg aactggaatg tttatttgtt tcctttgt 278

```

<210> 39
 <211> 312
 <212> DNA
 <213> Glycine max

```

<400> 39
ttaactttgg cacattctcc ttttgttcat caatgtgtgt tgtaaattgt ncatttcctt 60
cagaggtctt tggtaganat gatgtgcagt ttctgtgggt catcttggac tngngntgtt 120
aagnatcatg gaccagggc tagcaggaga ccaaagcagg tttttgtagc caaccatact 180
tcatgattga tntcattatn tnagaacaga tgactgcttt tgcngttatn atgcagaagc 240
atcctggatg ggttggtgaag cntacagnat gtcaacngtg tatnaaatat gntacacnnn 300
acttgcgtct tc 312

```

<210> 40
 <211> 255
 <212> DNA
 <213> Glycine max

<400> 40
 ggattattgn ngcanatgca gtcattctgtt ctaagataat ganatcnatc atggaagtat 60
 gattggncac anaaacctgt yttttggttg gatactaggt cttggcccat ggtacttgac 120
 naccacagtc catgatgcaa canaganact gnacatcatc tccaccaaac ccctctgana 180
 ganacgagaa ttgagcaatt tagagtacct tggtttgatg caagtcagta tattcaagtt 240
 tctattcatc aaagg 255

<210> 41
 <211> 291
 <212> DNA
 <213> Glycine max

<400> 41
 caacctccca tgcaatcgct caccctctcc gtcacctgaa tctgttttct attccctccg 60
 tcgcgtaaca aggatgaatg gcattgggaa actcaaatcg tcgagttctg aattggacct 120
 tcacattgaa gattacctgc cttctggatc cagtgttcaa caagaacggc atggcaagct 180
 ccgcctgtgt gatttgctag acatttctcc tagtctatct gaggcagcac gtgccattgt 240
 agatgatata ttcacaaggt gcttcaagtc aaatcctcca gaaccttgga a 291

<210> 42
 <211> 284
 <212> DNA
 <213> Glycine max

<400> 42
 ctgcaacctc ccatgcaatt cctcacctga atccgttttc tattgccacg ttgtggaagc 60
 gtaacgaaga tgaatggcat tgggaaactc aaatcgctga gttctgaatt ggaccttcac 120
 attgaagatt acctaccttc tggatccagt gttcaacaag aacggcatgg caagctccga 180
 ctgtgtgatt tgctagacat ttctcctagt ctatctgagg cagcacgtgc catgtagatg 240
 atacatcaca aggtgctcaa gtcaaatctc cagaaccttg gaat 284

<210> 43
 <211> 268
 <212> DNA
 <213> Glycine max

<400> 43
 ctgaagtatt ctcgtcctag cccaaagcat agagaaagggn agcaacagaa ctttgctgag 60
 tcagtgtgc ggcgatggga ggaaaagtga tgtgtacctt tatgtggtgt tgttcttaaat 120
 tattcttagt aatgccattg cttcgacccc tttttttgct tttgttttgt cattgctaac 180
 tatttatttt taacactttt attaaagata tggcatatat ncacttcagt anacaaagtt 240
 gtnccagtaa tttnttttcc aaaaaaaa 268

<210> 44
 <211> 241
 <212> DNA
 <213> Glycine max

<400> 44
 gancaaaaatt gccctccatc actttccttg ttagagttgg tttctgcnac ctaccatgca 60
 attccctcac ctgaatccgt tttctattgc caggttgtgg aagcgtaacg aagatgaatg 120
 gcattgggaa actcaaatcg tcgagttctg aattggacct tcacattgaa gattacctac 180
 cttctggatc cagtgttcaa caagaacggc atggcaagct ccgactgtgt gatttgctag 240
 a 241

<210> 45
 <211> 247
 <212> DNA
 <213> Glycine max

<400> 45
 gtaggatgtc tgagatcctt gcccacatca aaacgggtgcg gttaactaga aaccgcgacg 60
 aggatgcgaa aatgatgaaa aatttgctgg ggcaagggga cctgggtggt tgcctgaag 120
 ggaccacatg tagagaacct tattttattga gggtcagccc tctgttctca gagatgtgcg 180
 atgagattgt ccccggtggc agttgattcc cagttatatg ttccacggaa cactgctgg 240
 tgganta 247

<210> 46
 <211> 271
 <212> DNA

<213> Glycine max

<400> 46

tgcagggggg	cttgtagag	ccatagtttt	ggttcttcta	tacccttttg	tttgtgtcgt	60
aggaaaagag	atgggggtga	agataatggt	catggcatgc	ttcttcggga	tcaaagcatc	120
gagcttcaga	gttggaaggt	ccgtttttgcc	cnaattcttc	tnggaggacg	ttngtgcaga	180
aatgtttgag	gcactcaaaa	aaggagggaa	gacagtggga	gttaccaatt	taccccacgt	240
gatgggtggaa	agcttcttga	gagagtattt	g			271

<210> 47

<211> 242

<212> DNA

<213> Glycine max

<400> 47

ttcacagctg	tcacgccgtg	aacggaaaat	ggcaacggcg	agacgcagtt	tcctcgccat	60
caccgaatgc	aacggaaacga	cnccgtgcga	ntctgtngnc	gccgacctcg	agggtacgct	120
cctcatctcc	cgtngctcgt	tcccgtaact	catgctcgtc	gccgtcgaag	ccggcagcnt	180
cctccgcggc	ctcatgctnc	tectctccct	tccgttcgtc	atnatcgct	acctcttcat	240
ct						242

<210> 48

<211> 244

<212> DNA

<213> Glycine max

<400> 48

acatattctt	cagttagctc	ccccaaaccta	tacacttcac	caccacacca	caaccctacc	60
ctctctctct	gtcatggtea	ttggaggagc	cttccctcgt	ttcgacccaa	tcaccaaagt	120
tagacccaag	accgctccaa	ccagaccatc	gcctcggacc	tcgatggcac	cctccttgct	180
tcccggagtg	ccttccccta	ctacttccct	gtcgccctcg	aagccggcag	cgtcttccga	240
gcct						244

<210> 49

<211> 230

<212> DNA

<213> Glycine max

<400> 49

caacattcca	cctagctccc	caatcacatc	ttcaccacac	cataaacctt	cttaattttct	60
ctcttcattt	tctcctctat	tgtcataatc	atggggacct	tccctcgctt	cgacccaatc	120
accaccaag	accggtccaa	ccagaccgtg	gcctccgacc	ttgacggcac	cctcctcgct	180
tcccggagcg	ccttccccta	ctacctcctc	gttgccctcg	aagccggcag		230

<210> 50

<211> 265

<212> DNA

<213> Glycine max

<400> 50

ctgggtgaata	atcctaagtt	atggagtctg	tggtgtgtga	gctagaaggc	acgcttgtga	60
aggacaagga	tgcgtttctca	tacttcatgt	tggttgcggt	tgaagcttca	ggtttggttc	120
gtttcgccct	gttgctaaca	ctattgcccg	tgattcggtt	ccttgacatg	gttggcatga	180
acgatgcac	tctcaagcta	ntnatcttcg	tggtgtgggc	tggtgttcca	aagtccgaga	240
ttgaatcagt	ggctagggca	gtttt				265

<210> 51

<211> 252

<212> DNA

<213> Glycine max

<400> 51

ctgggtgaata	atcctaagtt	atggagtctg	tggtgtgtga	gctagaaggc	acgcttgtga	60
aggacaagga	tgcgtttctca	tacttcatgt	tggttgcggt	tgaagcttca	ggtttggttc	120
gtttcgccct	gttgctaaca	ctattgcccg	tgattcggtt	ccttgacatg	gttggcatga	180
acgatgcac	tctcaagcta	atgatcttcg	tggtgtgggc	tggtgttcca	agtcagagat	240
tgaatcagt	gc					252

<210> 52

<211> 218

<212> DNA

<213> Glycine max

<400> 52

aactgcaact	acaacaacat	tcattcattc	acagctgtca	cgccgtgaac	ggaaaatggc	60
aacggcgaga	cgagttttac	ccgcctatac	accgaatgca	acggaacgac	accgtgcgag	120
tctgtggcgc	ccgacctcga	cggtacgctc	ctcatntccc	gtagctcggt	cccgtacttc	180
atgctcgtcg	ccgtcgaagc	cggcagcctc	ctccgcgg			218

<210> 53

<211> 262

<212> DNA

<213> Glycine max

<400> 53

ggttaaggac	attgagatgg	tcgnntcctc	ggtgctgccc	aagttctaca	ccgaggacgt	60
gcnccccag	agctggagag	tcttcaatcc	ttcggaagc	gttacattgt	cactgctagt	120
ctaggggtgat	ggtggagcan	tttggttaaga	cgtttcttgg	ggctgataag	gtgcttggga	180
ctgagcttga	ggccacgaaa	tcggggaggt	tcatgggttt	gttaaggagc	ctggtgtgct	240
tgttggggag	cacaagaaag	tg				262

<210> 54

<211> 212

<212> DNA

<213> Glycine max

<400> 54

gcaactacaa	caacattcat	tcattcacag	ctgtcacgcc	gtgaacggaa	aatggcaacg	60
gcgagacgca	gtttcccgcc	tatcacggaa	tgcaacggaa	cgacgccgtg	cgagtctgtg	120
gccgccgacc	tcgacgggtac	gtcctcctac	tcccgtagnc	cgttcccgtg	cttcatgctc	180
gtngccgtcg	aagccggcag	cctcctccgc	gg			212

<210> 55

<211> 273

<212> DNA

<213> Glycine max

<400> 55

catgggttttc	ttgagcttct	ttggcctcag	aaaggacaca	ttcagaacag	gatcagctgt	60
tctggcaaaag	ttcttcttag	aagatgttgg	attggaaggc	tttgaggccg	taatatgttg	120
tgagagaaaa	gtggcatcta	gtaagttgcc	aagggtcatg	gttgaaaatt	tcctcaagga	180
ctatttaggg	gttgatgctg	ttatagcaag	agaattgaag	tccttttagtg	gcttcttttt	240
gggagttttt	gagagtaaga	agccaattaa	aat			273

<210> 56

<211> 257

<212> DNA

<213> Glycine max

<400> 56

ctctcaaaaa	aggaggggaag	acagtgggag	tcaccaatct	accccatgtg	atggtggaaa	60
gcttcttgag	agagtatttg	gacattgatt	tcgttgtggg	caggagctg	aaagttttct	120
gtggatacta	cgtaggattg	atggatgaca	caaaaactat	gcatgccttg	gagctgggta	180
aagaaggaaa	aggatgctcc	gacatgatcg	gaatcacaaag	gtttcgcaac	atacgcgacc	240
atgatgattt	tttctcc					257

<210> 57

<211> 240

<212> DNA

<213> Glycine max

<400> 57

gaactaagtg	tgaaccacta	ccaagaaaca	agctttttaag	tccaattatt	tttcatgagg	60
gtaggtttgc	tcaaaggcca	actcctctag	ctgnnctctt	gaccttccta	tggtgcca	120
ttggcatcat	actctccatc	ttaagggtct	accttaacat	ccctttgcct	gaaagaattg	180
cttggtacaa	ctacaagctc	ttaggaatca	gagttattgt	gaagggtacc	cctccaccgc	240

<210> 58

<211> 254

<212> DNA

<213> Glycine max

<400> 58

```

cttgggaataa ggggtcattag gaagggtatc cctccacccc cagcnaagaa gggccaaagt 60
ggagtcctat ttgtatgcaa ccacaggaca gtttttagacc ctgtggttac agctgttgca 120
ttaggaagga aaattagctg tgtcacatat agcataagca aattcactga aataatttca 180
ccaatcaaag ctgtggcact ctctagggag agggacaaag atgctgccaa catcaagang 240
ttgcttgagg aagg                                     254

```

<210> 59

<211> 267

<212> DNA

<213> Glycine max

<400> 59

```

gccaganaga cttgcttggt acaactacaa gcttcttga ataagggtca ttaggaaggg 60
tatccctcca cccccagcaa agaagggcc aagtggagtc ctatttgtat gcaaccacag 120
gacagtttta gaccctgtgg ttacagctgt tgcattagga aggaaaatta gctgtgtcac 180
atatagcata agcaaattca ctgaaataat tcaccaatca aagctgtggc actctctagg 240
gagagggacc nagatgctgc cnacatc                                     267

```

<210> 60

<211> 261

<212> DNA

<213> Glycine max

<400> 60

```

gtaaccacag ggtctaaaac tgtgcggtgg ttactgcagt tgcacttgnc nagaaaaatt 60
tgcttatgct atatgtgaca cagctaattc actgnaataa tttcaccaat taaagctgtg 120
gcactctcaa ggganngaga gaaagatgct gccaatatcc ngagactact tgaggagggg 180
gacttggtga ttgcccctga aggcacaact tgtagagagc ctctctcttg aggttcagtg 240
cactatttgc tgaactcact g                                     261

```

<210> 61

<211> 258

<212> DNA

<213> Glycine max

<400> 61

```

caaggagctc acatgcagtg gagggaaatc agctattgaa gttgcaaact acattcaaag 60
ggttcttgca gggacttttg gatttgagtg cacaaatttg actaggaaga gcaaatatgc 120
catgcttgca ggcacagatg ggacagttcc atctaaggag aaggcttgan aaggggagaga 180
aattaagttc tcccttttga ttattctgta ttggtgcccc atgtgtttcc aaaacactta 240
gaattatgat agaaataa                                     258

```

<210> 62

<211> 258

<212> DNA

<213> Glycine max

<400> 62

```

attggcataa tctctctcat cctaagggtc tatctcaaca tccctctgcc agaaagactt 60
gcttgntaca actacaagct tcttggaata agggtcatta ggaagggtat ccctccacc 120
ccagcaaaga agggccaaag tggagcctat ttgtatgcaa ccacaggaca gtttttagacc 180
ctgtggttac agctgttgca ttaggaagga aaattagctg tgtcacatat agcataagca 240
aattcactga aataattt                                     258

```

<210> 63

<211> 239

<212> DNA

<213> Glycine max

<400> 63

```

cacttcacca ccacaccaca accctaccct ctctctctgt catggtcatt ggaggagcct 60
tccctcgttt cgacccaatc accaaatgta gcacccaaga ccgctccaac cagaccatcg 120
cctcggaact cgatggcacc ctcttgtct cccggagtgc ctcccccac tacttctcg 180
tcgccctcga agccggcagc gtcttccgag ccctccttct cttaaccttc gtccccctc 239

```

<210> 64

<211> 531

<212> DNA

<213> Glycine max

<400> 64

```

ccgagaaccg gtctaacc aa accgtggcct cggacttgga cggcaccctc ctggtgtccc 60
ccagcgcatt tccttactac atgctggctg ccacgaagc cggcagcttc ctccgtggcc 120
ttgtcctcct tgcctccgtc cctttcgtgt attcacgtac atattcctct ccgagaccgc 180
ggccatcaag tccctgatct tcacgcctt cgcgggcttg aaggtcaggg acgttgagat 240
ggtcgcgtgc tcggtgctgc ccaagttcta cgcgcacata ttcttcagtt agtccccca 300
acctatacac ttcaccacca caccacaacc ctaccctctc tctctgtcat ggtcattgga 360
ggagccttcc ctcgtttcga cccaatcacc aaatgtagca cccaagaccg ctccaaccag 420
accatcgctc cggacctcga tggcaccctc cttgtctccc ggagtgcctt cccctactac 480
ttcctcgtcg ccctcgaagc cggcagcgtc ttccgagccc tccttctctt a 531

```

<210> 65

<211> 256

<212> DNA

<213> Glycine max

<400> 65

```

acatattctt cagttagctc cccaaccta tacacttcac caccacacca caaccctacc 60
ctctctctct gtcattggtc ttggaggagc ctccctcgt ttcgacccaa tcaccaaagt 120
tagcacccaa gaccgctcca accagaccat cgcctcggac ctcgatggca cctccttgt 180
ctcccggagt gccttccctt actacttctt cgtcgccttc gaagccggca gcgtcttccg 240
agccctcctt ctctta 256

```

<210> 66

<211> 260

<212> DNA

<213> Glycine max

<400> 66

```

ccatccaaca tattcttcag ttagctcccc caacctatac acttcaccac cacaccacaa 60
ccctaccctc tctctctgtc atggctcattg gaggagcctt ccctcgtttc gacccaatca 120
ccaaatgtag cacccaagac cgctccaacc agactatcgc ctcggaacctc gatggcacc 180
tccttgtctc cgggagtgc ttccctactt acttctcgt cgccttcgaa gccggcagcg 240
tcttccgagc cctccttctc 260

```

<210> 67

<211> 248

<212> DNA

<213> Glycine max

<400> 67

```

caccaaccaa acctcactct ccctttctcc cctgaccctc tccctgccat ggtcatggga 60
gccttttgcc acttcgaacc ggtctccaaa tgcagcaccg agaaccggctc taaccaaacc 120
gtggcctcgg acttggaagg caccctcctg gtgtccccc gcgcatttcc ttactacatg 180
ctgggcgcca tcgaagccgg cagcttcttc cgtggccttg tctccttgc ctccgtccct 240
ttcgtgta 248

```

<210> 68

<211> 283

<212> DNA

<213> Glycine max

<400> 68

```

ttcttcccca ccacacacc aancaaacct cactctnctt ggccatggctc atgnnngect 60
ttccgccact tcgaaccggt ttccaaatgc agcaccgaaa accgggtttaa ccaaaccgtg 120
gcctcggact tggacggcac cctcctgggtg tccccatagcg cctttcctta ctacatgctc 180
gtcgccatcg aagccggcag ctctcctcgt ggccttgctc tcttggatc cgtcccttcc 240
gtgtacttca cgtacatatt cttctccgag accgcggcca tca 283

```

<210> 69

<211> 258

<212> DNA

<213> Glycine max

<400> 69

```

ctcttcttcc ccaccatcnn accaaccaaa cctcactctc cctgaccatg gtcattggag 60
cctttcgcca cttcgaaccg gtttccaaat gcagcaccga aaaccggttt aaccaaaccg 120

```



```

tggcctcgga cttggacggc accctcctgg tgtcccctag cgcctttcct tactacatgc 180
tcgtcgccat cgaagccggc agcttcctcc gtggccttgt cctccttgga tccgtccctt 240
tcgtgtactt cacgtaca                                258

```

<210> 70
 <211> 256
 <212> DNA
 <213> Glycine max

```

<400> 70
tgcaactaca acaacattca ttcattcaca gctgtcacgc cgtgaacgga aaatggcaac 60
ggcgagacgc agtttcccgc ctatcaccga atgcaacgga acgacaccgt gcgagtctgt 120
ggccgcccgc ctcgacggta cgtccctcat ctcccgtage tcgttcccgt acttcatgct 180
cgtcgccgtc gaagccggca gcntcctccg cggcctcacc ctccctcctng ccantccgtt 240
cgtcatcanc gcctac                                256

```

<210> 71
 <211> 259
 <212> DNA
 <213> Glycine max

```

<400> 71
cttccccacc atcacaccan ggcnacccctc antctccctt tctccacnga cctctccctt 60
gccatngtca tgggancctt tggccacttc gaaccgggtct ccaaatgcag caaccgagaa 120
cggncataacc aaaccgtggc ctcggacttg gacggcaccc tccgtgtgtc ccncagcgca 180
tttcttactt acatgctggc ngccatcgaa gccggcagct tcttccgtgg ccttgtcctc 240
cttgccctcg tccctttcg                                259

```

<210> 72
 <211> 249
 <212> DNA
 <213> Glycine max

```

<400> 72
ccaacatatt cttcagttag ctcccccaac ctatacactt caccaccaca ccacaaccct 60
accctctctc tctgtcatgg tcattggagg agccttccct cgtttcgacc caatcaccaa 120
atgtagcacc caagaccgct ccaaccagac catcgctctg gacctcgatg gacccctnct 180
tgtctcccgg agtgcccttc cctactactt cctcgtcgcc ctcgaagccg gcagcgtctt 240
ncgagccct                                257

```

<210> 73
 <211> 257
 <212> DNA
 <213> Glycine max

```

<400> 73
caaccctctt cttccccacc atcacaccaa ncaaaccctca ctctcccttt ctcccctgac 60
cctctccctg ccatgggtcat gggagccttt ggccacttcg aaccgggtctc caaatgcagc 120
accgagaacc ggtctaacca aaccgtggcc tcggacttgg acggcacctt cctgggtgtc 180
cccagcgcac ntcccttacta catgctggtc gccatcgaag ccggcagctt cctccgtggc 240
cttgctctcc ttgcctg                                257

```

<210> 74
 <211> 255
 <212> DNA
 <213> Glycine max

```

<400> 74
gccgaagacg tgcacccgga gagttggaga gtgttcaact ctttcgggaa gcgttacatt 60
gtcacggcta gtcctagggg gatgggtggag ccgtttgtta aggcgtttct cggggctgac 120
aagggtgctt ggactgaact tgaggccacc aaatcgggga cgttcaactg gtttgttaag 180
aagcctggtg tgcttgttgg ggagcataag aaagtggctc tgggtgaagga gtttcagggg 240
aattacctga cttgg                                255

```

<210> 75
 <211> 244
 <212> DNA
 <213> Glycine max

<400> 75

```

caacaacatt cattcattca cagctgtcac gccgtgaacg gaaaatggca acggcgagac 60
gcagtttccc gcctatcacc gaatgcaacg gaacgacacc gtgcgagtct gtggccgccc 120
acctcgacgg tactgtcctc atcncctgta gctcgttccc gtacttcatt ctcgtcgccc 180
tcgaagccgg cagcctcctc cgcggcctca tgcnttcctg ggtttanttt gagnaccctc 240
gagg 244

```

<210> 76
 <211> 240
 <212> DNA
 <213> Glycine max

```

<400> 76
gctggctacc ctctttcttc ccaccatcac accaatcaaa cctcactcta ccctggccat 60
ggatcatggga gcctttncgc cacttcgaac cgggtttccaa atgcagcacc gaanaccggg 120
ttaccanac cgtggcctcg gncctggacg gcaccctcct ggtgtccctc agcgcctttc 180
cttactacat gctcgtcgcc atcgaagccg gcagcttcct ccgtggcctg tcctccttgg 240

```

<210> 77
 <211> 263
 <212> DNA
 <213> Glycine max

```

<400> 77
gtttctcggg gctgacaagg tgcttgggac tgaacttgag gccaccaaat cggggacggt 60
cactgggttt gtttaagaagc ctgggtgtgct tggtggggag cataagaaaag tggctctggg 120
gaaggagttt cagggttaatt tacctgactt ggggtctagg gatagtaaaa gtgattatga 180
cttcatgtca atttgcaagg aagggtacat ggtgccaaga actaagtgtg aaccactacc 240
aagaaacaag cttttaagtc caa 263

```

<210> 78
 <211> 258
 <212> DNA
 <213> Glycine max

```

<400> 78
ggccacgaaa tcggggagggt tcaactgggtt tgtaaggag cctgggtgtgc ttgttgggga 60
gcacaagaaa gtggctgttg tgaaggaggt tcagggtaat ttacctgact tgggactagg 120
agatagtata agtgattatg acttcatgtc aatttgcaag gaagggtaca tgggtgccaag 180
gactaagtgt gaaccactac caagaaacaa acttttaagt ccaattattt ntcattgagg 240
taggtttgtt caaaggcc 258

```

<210> 79
 <211> 260
 <212> DNA
 <213> Glycine max

```

<400> 79
ctctttcttc ccaccatcac accaancaaa cctcactctc cttttctccc ctgaccctct 60
ccctgccatg gtcattgggag ccttttgcca cttcgaaccg gtctccaaat gcagcaccga 120
gaaccgggtc aaccaaaccg tggcctcgga cttggacggc accctcctgg tgtccccag 180
cgcatttctc tactacatgc tggtcgccat cgaagccggc agcttctctc gtgggccttg 240
tcctccttgc ctccgtccct 260

```

<210> 80
 <211> 257
 <212> DNA
 <213> Glycine max

```

<400> 80
gggaacaaca acaaatggca ngaaccttat ctcttccaa cttgggtgcat ttatccctgg 60
atacccaatc cagcctgtaa ttgtacgcta tcctcatgtg cactttgacc aatcctgggg 120
tcattgtntc ttgggaaagc ttatgttcag aatgttcact caatttcaca acttttttga 180
ggtagaatat cttcctgtca tttatccctt ggatgataag gaaactgctg tancttntcg 240
ggagaggact agccggg 257

```

<210> 81
 <211> 272
 <212> DNA
 <213> Glycine max

<400> 81
 cataccctttt gttggcacca ttattagagc aatgcaggtc atatatgtta acagattctt 60
 accatcatca aggaagcagg ctgttaggga aataaaggaa ctgaataaca gagaagggcc 120
 tcttgtgata aatttcctcg agtactatta tttcccgagg gaacaacaac taatggcagg 180
 aaccttatct ccttccaact tgggtgcattt atccctggat acccaatcca gcctgtaatt 240
 atacgctatc ctcattgtaca ctttgaccaa tc 272

<210> 82
 <211> 245
 <212> DNA
 <213> Glycine max

<400> 82
 gggcatttca catactagag ttcattccag tgaaaagaaa gtgggagggt gatgaatcaa 60
 tcatgcgcca tatgctttct acattcaagg atccacaaga tctctctctg cttgcgcttt 120
 tcccagaagg cactgatttc actgagcaaa agtgccttcg gagtcaaaaa tatgctgctg 180
 aacataagtt accggttctg aaaaatgttt tacttccaag gacaaagggg cttctgtgcc 240
 gcttg 245

<210> 83
 <211> 268
 <212> DNA
 <213> Glycine max

<400> 83
 cagtgtcctt cctttctgga caatgttttt ggtgttgacc cttcagaagt gcacctgcat 60
 gtgcggcgta ttccgggtgga ggagattcca gcttctgaaa ccaaagctgc ttcttggtta 120
 atcgacacat tccagatcaa ggaccaattg ctttcggatt tcaagattca aggccatttc 180
 cctaaccaac taaatgaaaa tgaaattttct agatttaaga gcctactctc ttttatgggtg 240
 atagttttctt ttactgccat gtttattt 268

<210> 84
 <211> 265
 <212> DNA
 <213> Glycine max

<400> 84
 gaaagagact gggcaaaaaga tgaaacatca ctgaagtcag gttttaggca tctagagcac 60
 atgccattcc ctttctgggt ggcccttttt gttgaaggaa ctcgtttcac gcagacaaag 120
 cttttacaag ctcaagagtt tgctgcttca aaagggctgc ctatacctag aaatgttttg 180
 attcctcgta ctaagggttt tgtcacagca gnacaaagcc ttcggccatt tcgttccagc 240
 catttatgat tgcacatatg cagtt 265

<210> 85
 <211> 265
 <212> DNA
 <213> Glycine max

<400> 85
 gaaagagact gggcaaaaaga tgaaacatca ctgaagtcag gttttaggca tctagagcac 60
 atgccattcc ctttctgggt ggcccttttt gttgaaggaa ctcgtttcac gcagacaaag 120
 cttttacaag ctcaagagtt tgctgcttca aaagggctgc ctatacctag aaatgttttg 180
 attcctcgta ctaagggttt tgtcacagca gnacaaagcc ttcggccatt tcgttccagc 240
 catttatgat tgcacatatg cagtt 265

<210> 86
 <211> 301
 <212> DNA
 <213> Zea mays

<400> 86
 ctgctcgta agggcacccc gccgcccgcg cccaagaagg gccacccggg cgctctcttc 60
 gctcgcaacc accgcaccgt gctcgacccc gtcgaggtgg ccgtggcgct gcgcccgaag 120
 gtcagctgcg tcacctacag catctccaag ttctccgagc tcctctcgcc catcaaggcc 180
 gtcgcgctgt cgcgggaggc gacaaggacg ccgagaacat ccgcccctg ctggaggagg 240
 gcgacctggt catctgcccc gagggnaaca actgccgcga gcccttctctg ctgctgttcag 300
 g 301

<210> 87
 <211> 309

<212> DNA

<213> Zea mays

<400> 87

cgctcatg	gtgtacat	caacctg	cccgag	atcgct	acacct	60
gctcatgg	atcagggt	tcgtcaag	cacccgcg	ccgccg	agaaggg	120
cccgggcg	ctcttcgt	gcaaccac	caccgtgc	gacccg	aggtgg	180
ggcgctgc	cgcaaggt	gctgcgtc	ctacagca	tccaagtt	ccgagctc	240
ctcgccac	aaggccgt	cgctgtcg	gaggcgaa	ggacgccg	aacatccg	300
gcctgctg						309

<210> 88

<211> 304

<212> DNA

<213> Zea mays

<400> 88

tggctgtg	ggaggcct	ctggtgac	caaggaag	cagcccgg	cccagga	60
agctgctg	cccgtgat	cgtgcacg	ggccgcct	tgcagcgc	gacgccgt	120
gtcgcgtc	tcaccttc	ctggatgc	ttcggttc	cgctggcg	catgcgcg	180
tacatca	tgccgctg	cgagcgca	gtctacta	cctacaag	catgggca	240
aggctcgt	tcaagggc	cccgcgcg	ccgccaa	agggccac	ggcgctcc	300
ttcg						304

<210> 89

<211> 312

<212> DNA

<213> Zea mays

<400> 89

ggttcatc	cttgtgtg	tattngac	gtaccgtg	agagcacg	actancat	60
caaagatt	gggctacg	gacaatct	atgttctt	atcttnag	cgaagga	120
gagaatct	ctccaaat	ctgtcctg	gtctatgt	ctaaccat	gagcttct	180
gatattta	cccttcta	tctagggg	tgcttcaa	ttataagc	gaccagca	240
tttatgtt	ctattatg	gtgggcaa	tatctctt	gtgtgatt	tctgcggc	300
atggacag	gg					312

<210> 90

<211> 264

<212> DNA

<213> Zea mays

<400> 90

ggtgctgt	ctgaaaga	ccatcggt	catcaaca	aaaatgc	aatgatgc	60
ctcttccc	gagggcac	ctacaaat	ggattatc	cttccatt	aaacaggt	120
ttttcttg	aaggcacc	ttcaaccg	cattttga	tatcctta	aaagattt	180
tgcagcat	gattccat	caggggca	tcatgtat	ctgctgct	gtcaattt	240
aaattac	ta	gaggtgtc	gctt			264

<210> 91

<211> 212

<212> DNA

<213> Zea mays

<400> 91

aaatgtct	gatgcatt	tgttcagc	gagtcgaa	caccagatt	caaaggtg	60
tcaggtgc	tatttgaa	aatccatc	gctcatca	agaaaaat	accaatga	120
ctactctt	ctgagggc	aactacaa	ggggattat	tccttcatt	caaaacag	180
gcttttct	caaaggca	agttcaac	gt			212

<210> 92

<211> 267

<212> DNA

<213> Zea mays

<400> 92

gtctaaag	atngaaag	gtggggna	tgtgtcta	catgtntc	atgtggat	60
tctttatc	atgtcagc	cttttcct	ttttgttg	aagagatc	tggntagat	120
gcctctag	ggtctcata	gcaaatgt	tggatgc	tttgttcg	gggagtna	180
aatncan	att	tcaaaggt	gtg	gnatctga	gaatccat	240

cagaaaaatg caccaatgat gctactc

267

<210> 93

<211> 152

<212> DNA

<213> Zea mays

<400> 93

ctacaaatgg	ggattacctt	cttccattta	agactggagc	ctttntttgca	ggtgcaccag	60
tgcagccagt	cattttgaaa	tacccttaca	ggagatttag	tccagcatgg	gattcaatgg	120
atggagcacg	tcattgtgta	ttgctgctct	gt			152

<210> 94

<211> 274

<212> DNA

<213> Zea mays

<400> 94

aaaatataaa	ttaatatggt	cttaaatccca	ccatataaat	aacgtttctct	ttctgcaggg	60
caatttagtt	cttttctaata	ttgggctggc	agagaagcgc	gtgtaccatg	cagcactgac	120
tggtagtagt	ctacctggcg	ctagacatga	gaaagatgat	tgaaagacgt	tgctgcgctt	180
tttctgtaac	agacagccga	ggaacactta	aaaatgtaac	tgtgtgcgtg	ttttataacc	240
tgtaatgtgg	cagtttattt	gtttgaggag	gctg			274

<210> 95

<211> 295

<212> DNA

<213> Zea mays

<400> 95

aatagctatc	aagtacaata	aaatatattgt	tgatgccttt	tggaacagta	agaagcaatc	60
ttttacaatg	cacttggtcc	ggctgatgac	atcatgggct	gttgtgtgtg	atgtttggta	120
cttacctcct	caatatctga	gggagggaga	gacggcaatt	gcatttgctg	agagagtaag	180
ggacatgata	gctgctagag	ctggactaaa	gaaggttcct	tgggatggct	atctgaaaca	240
caaccgtcct	agtcccaaac	acactgaaga	gaacaacgca	tattgccgat	ctgtc	295

<210> 96

<211> 273

<212> DNA

<213> Zea mays

<400> 96

gngccatctc	accggcggn	ggcctgcggc	cggcaaccgg	aggcgatggc	gagctngtct	60
gtggtggcgg	acatggagca	ntaccgcccc	aacctggagg	actacctccc	gcccgactcg	120
ctcccgccag	aggcgcccag	gaatctccat	ctgcgcgatc	tgcttgacat	ctcgccggtg	180
ctaaccgagg	cagcggtg	catagtcgat	gattcattca	cccgttgctt	taagtcgaat	240
tctccagaac	catggaatgg	aacatatatt	tgt			273

<210> 97

<211> 127

<212> DNA

<213> Zea mays

<400> 97

ctcaatatct	ganggagggg	gagactgcaa	ttgcgtttgc	tgagagagta	agggacatga	60
tagcagctag	agctggtctt	aagaagggtcc	cgtgggatgg	ctatctgaag	cacaaccgcc	120
ctagtc						127

<210> 98

<211> 286

<212> DNA

<213> Zea mays

<400> 98

gaaccgtacg	cgctcatta	cgccccatcca	cgtgctcgcc	tctccccatc	gcataatttt	60
nctcggcggc	gtcgccatct	ccancggcng	cnggcctgcn	gccggcaacc	ggaggcgatg	120
gcgagctcgt	ctgtggcggc	ggacatggag	ctggaccgcc	ccaacctgga	ggactacntc	180
ccgccccgant	cgctcccgca	ggaggcgacc	aggaatctcc	atctgngcga	tctgcttgan	240
atctcgccgg	tgctaaccga	ggcagcggtt	gccatagtcg	atgatt		286

<210> 99
 <211> 308
 <212> DNA
 <213> Zea mays

<400> 99
 cgccatctca tcggcgggcg gcggtcgggc ggcgngag gcgaggngcg attggcgagc 60
 tcgtctgtgg cgccggacat ggagctggac cgccanacc tggaggacta nctcccgccc 120
 gactcgnncc cgagaggcg ccccggaatc tccanctgcg cgatctgctg gacatcnegc 180
 cgggtgctcac cgaggcagcg ggtgccattg tcgatgactc cttcacacgg ngctttaagt 240
 caaattctcc agagccatgg aattggaaca tatactctgtt ccccttatgt gctttgggtg 300
 ataataag 308

<210> 100
 <211> 282
 <212> DNA
 <213> Zea mays

<400> 100
 cagaaactag angttagtca cagcatggca ttaaattgtc atagtaaaca acanencact 60
 gagcaactat gcaatttaat gccatgctgt gactaacttc tagtttctgg cattaaatta 120
 ctgtttggct actaggaaga ccgaggtaga gaagcaata taagaatacc ctccaacgca 180
 canccaaatg acagagtaaa tgaaggtagg gtacaccttc ttgaacatga ccgtatactg 240
 gttgttaaca caagttcttc tgggaaaatc agagagggtt tt 282

<210> 101
 <211> 282
 <212> DNA
 <213> Zea mays

<400> 101
 ggcgcggctg gccgtggcgc tggctctgcc gtacagtact cgacgccgat cctggcngcg 60
 acnggcattg cgtggcggtc caaagggtng cgccngngc ttgcnngcc gtgctccggc 120
 gggcgctgnc agctgttcgt gtgcaacnac cgagcgctga tcgaccngt gtacgtgtcc 180
 gtagcgtgga ccgggaaatg cgcgncgtgt nctacagnct gangcggntn tcggagctca 240
 tctcccccat ngncggaang tgcacctgan accgggaacg gg 282

<210> 102
 <211> 290
 <212> DNA
 <213> Zea mays

<400> 102
 ggacgcggca ccatgcgcgc cgagctggcc agtggcgacg tggccgtgtg ccccgagggc 60
 accacgtgcc gggagccctt cctgctccgc ttctccaagc tcttcgcgga gctcagcgac 120
 aggatcgtgc ccgtggcgat gaactaccgc gtggggctct tccaccgac gacggcgcg 180
 ggggtgaaag ccatggaccc catcttcttc ttcattgaacn gcggcccggtg tacgaggtga 240
 cgttcctgaa ccantccccg caaagcgacg tgcgcggcgg ggaagagccc 290

<210> 103
 <211> 279
 <212> DNA
 <213> Zea mays

<400> 103
 acgaggtgac gttcctgaac cagctccccg cagaggcgac gtgcgcggcg gggaagagcc 60
 ccgttgatgt agccaactac gttcagcgga tactcgctgc cagctcggg ttcgagtga 120
 ccaccctcac aaggaaggac aaatacacgg tgctcgcccg caacgacggc gtcctgaacg 180
 ccaagccggc ggcgcccgcg aagccggctt ggcagagccg cgtgaaggaa gtcctcgggt 240
 tctgctccac taacaattac accttgcccc gatctggac 279

<210> 104
 <211> 315
 <212> DNA
 <213> Zea mays

<400> 104
 gcccgagcgc atcgtctact acacctacaa gctcatgggc atcaggctcg tcgtcaagg 60
 cccccgcgc ccgcgcgcca agaagggcc cccggcgctc ctcttcgtct gcaaccaccg 120
 caccgtgctc gaccccgctc aggtggccgt ggcgctgcgc cgcaangtca gctgcgtcac 180

tacagcatct	ccaagttctc	cgagctcatt	tgcgccatca	aggccgtagc	agnaaagcag	240
gtcgcaaattg	gagcagnagc	gagtcgatgg	aagngaattg	gcgactgggtc	atctgcncga	300
aggnacactg	cggag					315

<210> 105

<211> 314

<212> DNA

<213> Zea mays

<400> 105

cgagacaccg	agcacgtact	accagcaaga	tggtggcgctc	tcccagattc	aagcccatcg	60
aggagtgtctg	ctcggagggg	cggtcggagc	agacgggtggc	cgccgacctg	gacggcacgc	120
tgctcatctc	caggagcgcg	tccccctact	acctcctcgt	ggctctcgag	gccggcagcg	180
tctccgcgc	cgcgctgctg	ctcctgtccg	tgccgttcgt	ctacgtcacc	tacgccttct	240
tctccgagtc	gctggccatc	agcacgctgg	tgtacatctc	cgtggcgggg	ctcaagggtgc	300
gcanatcgag	atgg					314

<210> 106

<211> 291

<212> DNA

<213> Zea mays

<400> 106

ctctgggtct	ggggccgaga	caccgagcac	gtactaccag	caagatgggtg	gcgtctccca	60
gattcaagcc	catcgaggag	tgctgctcgg	aggggcggtc	ggagcagacg	gtggccgccc	120
acctggacgg	cacgctgctc	atntccagga	gcgcgttccc	ctactacctc	ctcgtggctc	180
tcgaggccgg	cagcgtcttc	cgcgccgcgc	tgctgtctct	gtccgtgccg	ttcgtctacg	240
tcacctacgc	cttcttcttc	gagtcgctgg	ccatcagcac	gctggtgtac	a	291

<210> 107

<211> 300

<212> DNA

<213> Zea mays

<400> 107

gcacgcagca	gtacgacgtc	tctcctctgg	gtctggggcc	gagacaccga	gcacgtacta	60
ccagcaagat	ggtggcgtct	cccagattca	agcccatcga	ggagtgtctg	tcggaggggc	120
ggtcggagca	gacgggtggc	gccgacctgg	acggcacgct	gtcatctctc	aggagcgctg	180
tccccacta	cctcctcgtg	gctctcgagg	ccggcagcgt	cctccgcgcg	gcgctgtgc	240
tcctgtccgt	gccgttcgtc	tacgtcacct	acgccttctt	ctccgagtcg	ctggccatca	300

<210> 108

<211> 284

<212> DNA

<213> Zea mays

<400> 108

gnggccgaga	caccgagcac	gtactaccag	cangatgggtg	gcgtctccca	gattcangcc	60
antcgaggag	tgctgctcgg	aggggcggtc	ggagcagacg	gtggccgccc	acctggacgg	120
cacgctgctc	atctccagga	gcgcgttccc	ctacnacctc	ctcgtggctc	tcgaggccgg	180
cagcgtcttc	cgcgccgcgc	tgctgtctct	gtccgtgccg	ttcgtctacg	tcactacgcc	240
ttcttctcgg	agtcgctggc	catcaanacg	ctggtgtaca	tctc		284

<210> 109

<211> 280

<212> DNA

<213> Zea mays

<400> 109

ctcctctggg	tctggggccg	agacaccgag	cacgtactac	cagcaagatg	gtggcgctctc	60
ccagattcaa	gccccatcgag	gagtgtctgt	cggagggggc	gtcggagcag	acgggtggccg	120
ccgacctgga	cggcacgctg	ctcatctcca	ggagcgcgtt	ccnctactac	ctcctcgtgg	180
ctctcgaggg	cggcagcgct	ctccgcgcgc	cgctgtctgt	cctgtccgtn	ccgttcgtct	240
acgtcaccta	cgcnttnttc	tccgagtcgc	tggccatcag			280

<210> 110

<211> 287

<212> DNA

<213> Zea mays

<400> 110
cgtctctcct ctgggtcttg ggccgagaca ccgagcacgt actaccagca agatgggtggc 60
gtctcccaga ttcaagccca tcgaggagtg ctgctcggag gggcggtcgg agcagacggg 120
ggccgcccag ctggacggca gctgctcatc tccaggagcg cgttccccta ctacctctc 180
gtggtctctg aggcggcag cgtcctccgc gccgcgctgc tgctcctgtc cgtgccgttc 240
gtctacgtca ctacggcttc ttctccgagt cgtgggcat cagcacg 287

<210> 111
<211> 286
<212> DNA
<213> Zea mays

<400> 111
cgcacagtta cgacgtctct cctctgggtc tggggccgag acaccgagca cgtactacca 60
gcaagatggg ggcgtctccc agattcaagc ccatcgagga gtgctgctcg gaggggcggg 120
cggagcagac ggtggccgcc gacctggacg gcacgctgct catctccagg agcgcgttcc 180
cctactactc ctctgtctct cgaggccggc aggtcctccg cgccgcgctg tgctcctgtc 240
gtgcgttcgt ctagtacta cgcttttctc gancgtggca ataana 286

<210> 112
<211> 323
<212> DNA
<213> Zea mays

<400> 112
gttattccct gaaggtacca caacaaatgg gagattcctg atttcgttcc aacatgggtgc 60
attcatacct ggctaccctg ttcaacctgt tgttgctcgt tatccacatg tgcaactttga 120
tcaatcatgg gggnatatat cgttattaaa gctcatgttt aagatgttca cccaatttca 180
taatttcacg gaggtagagt accttcctgt tgtctaccct cctgagatca agcaagagaa 240
tgcccttcat ttgcgggagg ataccagcta tgctatggca cgtgccctca atgtcttgcc 300
aacttctat tcatatggtg att 312

<210> 113
<211> 312
<212> DNA
<213> Zea mays

<400> 113
cgataaggcc cttttcgaag agcttctacc gtcggatcaa cagattcctg gccgagctgc 60
tgtggcttca gcttgctctg gtgggtggact ggtgggcagg tgttaaggta caactgcatg 120
cagatgagga aacttacaga tcaatgggta aagagcatgc actcatcata tcaaatcatc 180
ggagtgatat tgattggctc attggatgga tattggccca gcgttcaggg tgcccttgaa 240
gtacacttgc tgtcatgaag aagtcatcca agttccttcc agttattggc tggatcaatg 300
ggtttgcaga gt 312

<210> 114
<211> 279
<212> DNA
<213> Zea mays

<400> 114
agtggggtct ccaaagggtg aaagacttcc ctagaccatt ttggctagct ctttttgttg 60
agggtactcg ctttactcca gcaaagcttc tcgcagctca ggagtatgcg gcttcccagg 120
gcttaccagc tcctagaaat gtacttatto cacgtaccaa gggatttgta tctgccgtaa 180
gtattatgcg agattttgtt ccagccattt acgatacaac tgtaatagtt cctaaagatt 240
cccctcaacc aacaatgctg cggattttga aagggaat 279

<210> 115
<211> 304
<212> DNA
<213> Zea mays

<400> 115
cgtcaacgcc atccaggccg tcctatttgt gacgataagg cccttttcga agagcttcta 60
ccgtcggatc aacagattct tggccgagct gctgtggctt cagcttgtct ggggtgggtgga 120
ctgggtgggca ggtgttaagg tacaactgca tgcagatgag gaaacttaca gatcaatggg 180
taaagagcat gcaatcatca tatcaaatca tcggagtgat attgattggc tcatggatgg 240
atattggccc agcgttcagg gtgccttgga agtacattgc tgtcatgaag aagtcatcca 300
agtt 304

<210> 116
 <211> 259
 <212> DNA
 <213> Zea mays

<400> 116
 cttcctcctg tccggcctca tctgcaacgc catccaggcc gtcctatttg tgacgataag 60
 gccnttttcg aagagcttct aacgtcggat caacagattc ntggccgagc tgctgtggct 120
 tcagcttggtc tgggtgggtg acnggtgggc aggtgttaag gtacaactgc atgcngatga 180
 ggaaacttac agatcnatgg gtanagagca tgcactcatc atatcaaate atcggagtga 240
 tattgattgg cncattgga 259

<210> 117
 <211> 235
 <212> DNA
 <213> Zea mays

<400> 117
 attccacgta ccaagggatt tgtatctgct gtaagtatta tgcgagattt tgttccagcc 60
 atttatgata caactgtaat agttcctaaa gattcccttc aaccaacaat gctgaggatt 120
 ttgaaagggc aatcatcagt gatacatgtc cgcatgaaac gtcattgcaat gattgagatg 180
 ccaaaatcag atgaggatgt ttcaaaatgg tgtaaagaca tttttgtggc aaagg 235

<210> 118
 <211> 282
 <212> DNA
 <213> Zea mays

<400> 118
 tgagatgcca aaatcagatg atgacgtttc aaaatgggtg aaagacattt ttgtgacaaa 60
 ggatgcctta ctggacaaaac atttggaac aggcactttc gatgaggaga ttagacctat 120
 cggccgcca gtgaaatcat tgctgggtgac cctgttttgg tctgtcctgc tgttgtttgg 180
 tgccatcgag ttcttcaagt ggacgcagct cctatcgaca tggagaggag tggcattcac 240
 tgccgcagga tggcgctcgt gacaggggtc atgcacgtct tc 282

<210> 119
 <211> 166
 <212> DNA
 <213> Zea mays

<400> 119
 ctgggtgggca ggcgttaagg tacaactaca tgcggatgag gacacttacc gatcaatggg 60
 taaagagcat gcactcgta tatcaaatca tcgaagtgat attgattggc ttattggatg 120
 gatattggcc cagcgctcag ggtgccttgg aagtacgctc gctgtc 166

<210> 120
 <211> 234
 <212> DNA
 <213> Zea mays

<400> 120
 agtcanccaa gntccttcca gtcattggct ggtcaatgtg gtttgagag tacctctttt 60
 nggagaggag ctgggccaag gatgaaaaga cactaaagtg gggctctcaa aggttgaaag 120
 acttccctag accatttngg ctagctcttn tttgtngagg gnantcgctt tactccagca 180
 angnttntng aggnnncagn agnnncgggn ttcccanggg ttaacagncc cana 234

<210> 121
 <211> 210
 <212> DNA
 <213> Zea mays

<400> 121
 gtgagatgcn aaaatcagat gatgacgttt caaaatgggtg taaagacatt tttgtggaca 60
 aaggatgcct tactggacaa acatttggca acaggcactt tcgatgagga gattagacct 120
 atcggccgcc cagtgaatc atngctgggt accctgtntt ggtcgtgct gctgttgttt 180
 ggtgccatcg agntcttcaa gtggacgcag 210

<210> 122
 <211> 274
 <212> DNA

<213> Zea mays

<400> 122

```
acnccccgaat cgcgcgcgcg cgcnccggtcc tcgtcgccgg cggaggcgcc cgcnacccgcc 60
cacagcagcc tatcgccgga gaaggaacgc cgcggggagc ttttccacng ccatctccccg 120
tctgaccctt cggagatcgn aagcggcgcc catggcgatc cgcgtcgtgc tcgtcgtgct 180
cccgtcggc ctctctctcc tctgttcgg cctcatcgtc aacaccatcc aggccatcct 240
atttgtgaca ataaggccct tttccaagag cttg 274
```

<210> 123

<211> 305

<212> DNA

<213> Zea mays

<400> 123

```
ttgcactgag gaaaggccat tagggatata tcaagtacat acataagagc agcttgatga 60
agttgcctat ttttagctgg gcatttcaca tttttgagtt tatcccggtg gaacggaaat 120
gggagattga tgaagcaatt attcagaaca agctatcaaa atttaagaac ccgagagatc 180
ctatctgggtt ggcgggttttt cctgaaggca cggattatac tgagaagaaa tgcacatga 240
gtcaagagta tgcttcagaa catggcttgc ctatgctaga acatgtcctc cttccaaaga 300
caagg 305
```

<210> 124

<211> 279

<212> DNA

<213> Zea mays

<400> 124

```
ccagattttc tggacaatgt gtatggcggt gattccttct aagtccacat ccacgtcaga 60
atgggtcagc tccatcacat cccacaaca gaagacaaga taacagaatg gatggncgag 120
aggtttaggc agaaggacca gctcctggca gatttcttca tgaaggggca tttcctgatg 180
aaaggaactg aaaggagatc tgtcgacgcc gagtgcctgg caaactttct taaccagtag 240
tatgcttgac ggccnatctg gtttgtacct aaactcttt 279
```

<210> 125

<211> 219

<212> DNA

<213> Zea mays

<400> 125

```
agattttntg gacaatgtgt atggngttga tcttntgaa gtnacacatcc acgtnagaat 60
ggttcagctc catcacatcc ccacaacagn agacaagata acagaangga tggtagagag 120
gtttaggcag aaggaccagc tcttggcaga tttcttcagt aagggggcact ttcctgatga 180
aggaactgaa ggagatctgt cgacgccgaa gtgcctggc 219
```

<210> 126

<211> 293

<212> DNA

<213> Zea mays

<400> 126

```
taccatagat gctgtgtacg acatcacgat cgentacaaa caccggcngc ngacatttct 60
ngacaacgtc tacngcgtgg ntcttctcga agtccacatc cacatcanca gcatccaggt 120
ctccgacata nccgctgccg aaaaacgggg tggctggcng gntnngtgga gcgggtcaag 180
gcntnganna acgagctngc tgttcggggc tttctaccgc ggctggggcc aatttcnccc 240
cgaacgaaag ggaaaaaggg gaaccgaagg ggggaacctg ttngaacggg ncc 293
```

<210> 127

<211> 6

<212> PRT

<213> conserved sequence

<400> 127

Val Xaa Asn His Xaa Ser

1 5

<210> 128

<211> 6

<212> PRT

<213> conserved sequence

<400> 128

Val Thr Tyr Ser Xaa Ser
1 5

<210> 129

<211> 7

<212> PRT

<213> conserved sequence

<400> 129

Val Xaa Leu Thr Arg Xaa Arg
1 5

<210> 130

<211> 5

<212> PRT

<213> conserved sequence

<400> 130

Cys Pro Glu Gly Thr
1 5

<210> 131

<211> 5

<212> PRT

<213> conserved sequence

<400> 131

Ile Val Pro Val Ala
1 5

<210> 132

<211> 7

<212> PRT

<213> conserved sequence

<400> 132

Leu Xaa Xaa Gly Asp Leu Val
1 5

<210> 133

<211> 6

<212> PRT

<213> conserved sequence

<400> 133

Phe Xaa Xaa Gly Ala Phe
1 5

<210> 134

<211> 6

<212> PRT

<213> Synthetic Oligonucleotide

<400> 134

Val Ala Asn Xaa Xaa Gln
1 5

<210> 135

<211> 30

<212> DNA

<213> Synthetic Oligonucleotide

<400> 135
ccatccgctt caagggaaacg acacccatca 30

<210> 136
<211> 31
<212> DNA
<213> Synthetic Oligonucleotide

<400> 136
tcctgtctt gcttgatgaa cttaaagctt g 31

<210> 137
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 137
acagcaggag tgtctgatga tggcagattc 30

<210> 138
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 138
actggagttc cagccaaaaa tgcacctgtc 30

<210> 139
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 139
gatacacct tgaaatcagg cgatttttgc 30

<210> 140
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 140
ttgcaaattc aattcctggt tcaccggggcc 30

<210> 141
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 141
gttttctgct attccagaag gcgtcaacaa 30

<210> 142
<211> 32
<212> DNA
<213> Synthetic Oligonucleotide

<400> 142
cattgaagat ccgtccgtga agttncctta cc 32

<210> 143
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 143
tcgagctgtg atcgatgatt ggctgtgaag 30

<210> 144

<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 144
gtctcttcaa aaacacacac acacgtctct 30

<210> 145
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 145
gtctcttcaa aaacacacac acacgtctct 30

<210> 146
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 146
gtagagagcc ttacttgctt cggtttagtc 30

<210> 147
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 147
acgtcatcgt acctgttgct attgactcac 30

<210> 148
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 148
acttttccat tgtcagggaac tcctcgacac 30

<210> 149
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 149
acggtgtagg aagggaagg attcaaaagg 30

<210> 150
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 150
gcgatgaact acagagtcgg attcttcttc 30

<210> 151
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 151
ccggtttacg agattacgtt cttgaaccag 30

<210> 152
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 152
caatggagac aaggctcgaa agtgctaacc 30

<210> 153
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 153
attctctgaa catagttcgc cacggtcatg 30

<210> 154
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 154
gaaatccaac gccttcccaa tatcactctg 30

<210> 155
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 155
cttcaacttt ccatcaggat cttggcacgt 30

<210> 156
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 156
accacttggt agagacctta cctgcttagg 30

<210> 157
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 157
tcctacctac accatccaat ttctcgacct 30

<210> 158
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 158
ctgcgtcaag tgagcaactc agttcttgca 30

<210> 159
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 159
tggaagcag cacgttggtc agtatcgga 30

<210> 160
<211> 30
<212> DNA
<213> Synthetic Oligonucleotide

<400> 160
tagcctctgt gtaatctgtg ccctcgggga 30

<210> 161
<211> 1702
<212> DNA
<213> *Simmondsia chinensis*

<400> 161

```

gaattctagc ctctctcctc ctgcaattct acttgctttc tacgatcttt cccctctctct 60
ctctaaaacc ttaaaattgg aatggaatcg tttaaaaata tgatcttttt gtaattgaat 120
tagtataatt atatctgggt aatcttgaat ttgttggtga ggccatgggg atcccagctg 180
cggctgtgat tgtaccgctt ggcttgctct tcttcttctc tgggtctctc atcaacttca 240
ttcaggcaat ttgttttgtg ctctgtcggc cactgtcaaa gnntacatac agaaggatta 300
acagggtgct ggtggaattg ttgtggcttg agctgatatg gctcgtagat tgggtgggcaa 360
gtgttaagat caagtgttgc acagatcctg ataccttctg gctaattggg aaagagcatg 420
cacttgtgat atcaaaccac agaagtgata ttgattggct tggttggatgg gtgttggccc 480
agagatcagg ctgcctggga agcacactgg ctgtcatgaa gaaatcatca aagtttctcc 540
cggtcatagg ttggtctatg tgggtttctg agtacctttt tcttgagaga agctgggcca 600
aggatgaaag cacattgaag ttaggtcttc aacgcctcaa ggactaccct ctgcctttct 660
ggttggtctt ttctgtagaa ggaacacgat ttaccaagc taaactttta gcagctcaag 720
aatatgctac ttcaatggga ttgccagttc ctagaatac tttgatccct cgtactaagg 780
gatttgtttc agccgtgagc catatgcgtt cgtttgtccc ggccatatat gatgtaacgg 840
tggccatccc taaatcttct tcgcagccta caatgtctag acttttcaaa ggccagccat 900
ccacggttca tgtacacatc aagcgccgct cgatgaaaga tctccctgaa gcagcagatg 960
atgttgaca atggtgtcga gacacattcg tcgcaaagga tgcactcctg gacaagcata
1020
atgtagatga cactttcggga gatgagatc tgcaggacac tggccggcct ttgaaatctc
1080
tctttgtagc agtctcttgg gcattgattc tcatcctggg aggtttgaaa ttcctacgat
1140
ggtcgtccct tctatcatca tgggaagggg tcgccttctc agccgcatgc cttgtgctcg
1200
tcaccattct tatgcagatc ttaatccaat tttctcaatc cgagcgctcg actcctgcta
1260
aggtagcccc aggaaagccc aagaacatgg tatcagaacc cacggaaacg caacgacata
1320
agcagcacta aaagtatata tggaccccaa ctaagaagat tcagacgcaa gccacagttg
1380
attcaactgt tcagaatgtc aaatatagtt tgagaaacaa aagatcaaga ttagctgatg
1440
aagagcctaa tgaacctaca tacttggatc tgtcgtcgcc accgtctgct gctagctcgt
1500
tatcagaatt cgtgattccg ggaccgatcc cggatcttag ccttctatgc atggattatg
1560
atagtatctt aaatttcttt aatgatgtac cggaattata atgttagtta attaggggga
1620
tgagcattgt ttgggtttat atcgtggtaa atccttgtat tgtttataag atttgaagaa
1680
aattcgattc gagtgcctcg aa
1702

```

<210> 162

<211> 387

<212> PRT

<213> *Simmondsia chinensis*

<400> 162

```

Met Gly Ile Pro Ala Ala Ala Val Ile Val Pro Leu Gly Leu Leu Phe
  1             5             10             15

Phe Phe Ser Gly Leu Phe Ile Asn Phe Ile Gln Ala Ile Cys Phe Val
          20          25          30

Leu Val Arg Pro Leu Ser Lys Thr Tyr Arg Arg Ile Asn Arg Val Leu
      35          40          45

Val Glu Leu Leu Trp Leu Glu Leu Ile Trp Leu Val Asp Trp Trp Ala
  50          55          60

Ser Val Lys Ile Lys Leu Phe Thr Asp Pro Asp Thr Phe Arg Leu Met
  65          70          75          80

Gly Lys Glu His Ala Leu Val Ile Ser Asn His Arg Ser Asp Ile Asp
          85          90          95

Trp Leu Val Gly Trp Val Leu Ala Gln Arg Ser Gly Cys Leu Gly Ser
      100          105          110

```

Thr Leu Ala Val Met Lys Lys Ser Ser Lys Phe Leu Pro Val Ile Gly
 115 120 125
 Trp Ser Met Trp Phe Ser Glu Tyr Leu Phe Leu Glu Arg Ser Trp Ala
 130 135 140
 Lys Asp Glu Ser Thr Leu Lys Leu Gly Leu Gln Arg Leu Lys Asp Tyr
 145 150 155 160
 Pro Leu Pro Phe Trp Leu Ala Leu Phe Val Glu Gly Thr Arg Phe Thr
 165 170 175
 Gln Ala Lys Leu Leu Ala Ala Gln Glu Tyr Ala Thr Ser Met Gly Leu
 180 185 190
 Pro Val Pro Arg Asn Thr Leu Ile Pro Arg Thr Lys Gly Phe Val Ser
 195 200 205
 Ala Val Ser His Met Arg Ser Phe Val Pro Ala Ile Tyr Asp Val Thr
 210 215 220
 Val Ala Ile Pro Lys Ser Ser Ser Gln Pro Thr Met Leu Arg Leu Phe
 225 230 235 240
 Lys Gly Gln Pro Ser Thr Val His Val His Ile Lys Arg Arg Ser Met
 245 250 255
 Lys Asp Leu Pro Glu Ala Ala Asp Asp Val Ala Gln Trp Cys Arg Asp
 260 265 270
 Thr Phe Val Ala Lys Asp Ala Leu Leu Asp Lys His Asn Val Asp Asp
 275 280 285
 Thr Phe Gly Asp Glu Tyr Leu Gln Asp Thr Gly Arg Pro Leu Lys Ser
 290 295 300
 Leu Phe Val Ala Val Ser Trp Ala Leu Ile Leu Ile Leu Gly Gly Leu
 305 310 315 320
 Lys Phe Leu Arg Trp Ser Ser Leu Leu Ser Ser Trp Lys Gly Val Ala
 325 330 335
 Phe Ser Ala Ala Cys Leu Val Leu Val Thr Ile Leu Met Gln Ile Leu
 340 345 350
 Ile Gln Phe Ser Gln Ser Glu Arg Ser Thr Pro Ala Lys Val Ala Pro
 355 360 365
 Gly Lys Pro Lys Asn Met Val Ser Glu Pro Thr Glu Thr Gln Arg His
 370 375 380
 Lys Gln His
 385

<210> 163

<211> 43

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
Oligonucleotide

<400> 163

aagcttgcat gcgtcgacac aatgggtcat gcgaccaagt cag

<210> 164

<211> 35

<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 164

ggtaccgtcg actcacttct tgggtgttggt gatag

35

<210> 165

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 165

ggatccgcgg ccgcacaatg acgagcttta ctacttcct tcat

44

<210> 166

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 166

ggatcccctg caggtagag atccattgat tctgcaat

38

<210> 167

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 167

ggatccgcgg ccgcataatg gaatcagagc tcaaagat

38

<210> 168

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 168

ggatcccctg caggtcattc ttctttctga tggaaatc

38

<210> 169

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 169

ggatccgcgg ccgcacaatg actcgttcac aagatgtttc a

41

<210> 170
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 170
ggatcccctg caggtcactt ctcttccaat ctagccag

38

<210> 171
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 171
ggatccgcgg cgcacaatg tccggtaata agatctcgac tcttca

46

<210> 172
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 172
ggatcccctg caggttatatt tttcttgaca actccggttat taccgg

46

<210> 173
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 173
atatccgcgg cgcacaatg gttatggagc aagctggaa

39

<210> 174
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 174
ggatcccctg caggtcaatg gagacaaggc tcgaaagt

38

<210> 175
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 175

ggatccgcgg cgcacaatg tccgccaaga tttcaatatt cc

42

<210> 176

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 176

ggatcccctg caggttaatt tttcttaact actccatt

38

<210> 177

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 177

ggatccgcgg cgcacaatg ggagctcagg agaaacggcg cc

42

<210> 178

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 178

ggatcccctg caggtcacgt cttctccttc ttcaccgg

38

<210> 179

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 179

ggatccgcgg cgcacaatg gcggatcctg atctgtcttc tcct

44

<210> 180

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 180

ggatcccctg caggttatgt tggggccaag tcaggtgcaa agat

44

<210> 181

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 181
ggatccgcgg ccgcaaaatg gaaaaaaga gtgtaccaa ttct 44

<210> 182
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 182
ggatcccctg caggttat ttttactaat ttgagggaat tttttg 46

<210> 183
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 183
tcgacctgca ggaagcttaa ggatggtgat tgctgc 36

<210> 184
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 184
ggatccgcgg ccgcttactt ctccttctcc g 31

<210> 185
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 185
ggatccgcgg ccgcacaatg tcttttaggg atgtcctag 39

<210> 186
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 186
ggatcccctg caggtcaatc atccttacc tttggtttac c 41

<210> 187
<211> 60
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 187

atgtcttttta gggatgtcct agaaagagga gatgaatttt ctgtgcggtta tttcacaccg 60

<210> 188

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 188

tcaatcatcc ttaccctttg gtttacccctc tggaggcaga agattgtact gagagtgcac 60

<210> 189

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 189

ggatccgcgg cgcacaatg aagcattccc aaaaataccg tagg

44

<210> 190

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 190

ggatcccctg caggtcaatg attttttttc atcacaaata c

41

<210> 191

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 191

atgaagcatt cccaaaaata ccgtaggtat ggaatttatg ctgtgcggtta tttcacaccg 60

<210> 192

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 192

tcaatgattt tttttcatca caaatacaag aataagaaaa agattgtact gagagtgcac 60

<210> 193

<211> 43

<212> DNA

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 193
ggatccgcgg ccgcacaatg ggttttggtg atttcttcga aac 43

<210> 194
<211> 45
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 194
ggatcccctg cagggttattt ggtctcaatt ttaatatattt ttg 45

<210> 195
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 195
atgggttttg ttgatttctt cgaaacatat atggtcgggt ctgtgcggta ttccacaccg 60

<210> 196
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 196
ttatttggtc tcaattttta tatttttttg caaggactcg agattgtact gagagtgcac 60

<210> 197
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 197
ggatccgcgg ccgcacaatg gaaaagtaca ccaattggag agac 44

<210> 198
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 198
ggatcccctg caggctactt cctcttttta cgttgatcgc tg 42

<210> 199
<211> 60

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 199
atggaaaagt acaccaattg gagagacaat ggtacgggaa ctgtgcggtta tttcacaccg 60

<210> 200
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 200
ctacttcctc tttttacgtt gatcgctgat atattccttc agattgtact gagagtgcac 60

<210> 201
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 201
ggatccgcgg ccgcacaatg cctgcaccaa aactcacgga g 41

<210> 202
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 202
ggatcccttg caggctacgc atctccttct ttccttc 38

<210> 203
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 203
atgcctgcac caaaactcac ggagaaatct gcctcttcca ctgtgcggtta tttcacaccg 60

<210> 204
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 204
ctacgcatct cttcttttcc cttcttcttc ttcttctct agattgtact gagagtgcac 60

<210> 205
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 205
ggatccgcgg cgcacaaatg tctgctcccg ctgccgatca taacgc

46

<210> 206
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 206
ggatcccctg caggtcattc tttcttttctg tgttctcttt tctg

44

<210> 207
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 207
atgtctgctc cgcgtgccga tcataacgct gccaaaccta ctgtgcggta tttcacaccg 60

<210> 208
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 208
tcattctttc ttttcgtggt ctcttttctg tcttaccagc agattgtact gagagtgcac 60

<210> 209
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 209
ggatccgcgg cgcacaaatg ctgcatcaaa aaatagctca taaagttcg

49

<210> 210
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 210

ggatcccctg cagggtcaaaa aatgaaacaa taaagtttat aaactaacc

49

<210> 211

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 211

atgctgcatc aaaaaatagc tcataaagtt cgaaaagtcg ctgtgcggtg tttcacaccg 60

<210> 212

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 212

tcaaaaaata aaacaataaa gtttataaac taaccaaatt agattgtact gagagtgcac 60

<210> 213

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 213

ggatccgcgg cgcacaatg agtgtgatag gtaggttctt g

41

<210> 214

<211> 41

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 214

ggatcccctg cagggttaatg catctttttt acagatgaac c

41

<210> 215

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 215

atgagtgtga taggtaggtt cttgtattac ttgaggtccg ctgtgcggtg tttcacaccg 60

<210> 216

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 216

ttaatgcac ttttttacag atgaaccttc gttatgggta agattgtact gagagtgcac 60

<210> 217

<211> 381

<212> PRT

<213> Saccharomyces sp.

<220>

<400> 217

Met	Ser	Phe	Arg	Asp	Val	Leu	Glu	Arg	Gly	Asp	Glu	Phe	Leu	Glu	Ala
1				5					10					15	
Tyr	Pro	Arg	Arg	Ser	Pro	Leu	Trp	Arg	Phe	Leu	Ser	Tyr	Ser	Thr	Ser
			20					25					30		
Leu	Leu	Thr	Phe	Gly	Val	Ser	Lys	Leu	Leu	Leu	Phe	Thr	Cys	Tyr	Asn
		35					40					45			
Val	Lys	Leu	Asn	Gly	Phe	Glu	Lys	Leu	Glu	Thr	Ala	Leu	Glu	Arg	Ser
	50					55					60				
Lys	Arg	Glu	Asn	Arg	Gly	Leu	Met	Thr	Val	Met	Asn	His	Met	Ser	Met
	65				70					75					80
Val	Asp	Asp	Pro	Leu	Val	Trp	Ala	Thr	Leu	Pro	Tyr	Lys	Leu	Phe	Thr
				85					90					95	
Ser	Leu	Asp	Asn	Ile	Arg	Trp	Ser	Leu	Gly	Ala	His	Asn	Ile	Cys	Phe
			100					105					110		
Gln	Asn	Lys	Phe	Leu	Ala	Asn	Phe	Phe	Ser	Leu	Gly	Gln	Val	Leu	Ser
		115					120					125			
Thr	Glu	Arg	Phe	Gly	Val	Gly	Pro	Phe	Gln	Gly	Ser	Ile	Asp	Ala	Ser
	130					135					140				
Ile	Arg	Leu	Leu	Ser	Pro	Asp	Asp	Thr	Leu	Asp	Leu	Glu	Trp	Thr	Pro
	145				150					155					160
His	Ser	Glu	Val	Ser	Ser	Ser	Leu	Lys	Lys	Ala	Tyr	Ser	Pro	Pro	Ile
				165					170					175	
Ile	Arg	Ser	Lys	Pro	Ser	Trp	Val	His	Val	Tyr	Pro	Glu	Gly	Phe	Val
			180					185					190		
Leu	Gln	Leu	Tyr	Pro	Pro	Phe	Glu	Asn	Ser	Met	Arg	Tyr	Phe	Lys	Trp
		195					200					205			
Gly	Ile	Thr	Arg	Met	Ile	Leu	Glu	Ala	Thr	Lys	Pro	Pro	Ile	Val	Val
	210					215					220				
Pro	Ile	Phe	Ala	Thr	Gly	Phe	Glu	Lys	Ile	Ala	Ser	Glu	Ala	Val	Thr
	225				230					235					240
Asp	Ser	Met	Phe	Arg	Gln	Ile	Leu	Pro	Arg	Asn	Phe	Gly	Ser	Glu	Ile
				245					250					255	
Asn	Val	Thr	Ile	Gly	Asp	Pro	Leu	Asn	Asp	Asp	Leu	Ile	Asp	Arg	Tyr
			260					265					270		
Arg	Lys	Glu	Trp	Thr	His	Leu	Val	Glu	Lys	Tyr	Tyr	Asp	Pro	Lys	Asn
		275					280					285			
Pro	Asn	Asp	Leu	Ser	Asp	Glu	Leu	Lys	Tyr	Gly	Lys	Glu	Ala	Gln	Asp
	290					295					300				
Leu	Arg	Ser	Arg	Leu	Ala	Ala	Glu	Leu	Arg	Ala	His	Val	Ala	Glu	Ile

305		310		315		320
Arg Asn Glu Val	Arg Lys Leu Pro Arg	Glu Asp Pro Arg Phe Lys Ser				
	325		330			335
Pro Ser Trp Trp	Lys Arg Phe Asn Thr Thr	Glu Gly Lys Ser Asp Pro				
	340		345			350
Asp Val Lys Val	Ile Gly Glu Asn Trp Ala Ile Arg Arg	Met Gln Lys				
	355		360			365
Phe Leu Pro Pro	Glu Gly Lys Pro Lys Gly Lys	Asp Asp				
	370		375			380

<210> 218

<211> 396

<212> PRT

<213> Saccharomyces sp.

<220>

<400> 218

Met Lys His Ser Gln Lys Tyr Arg Arg Tyr Gly Ile Tyr Glu Lys Thr	
1 5 10 15	
Gly Asn Pro Phe Ile Lys Gly Leu Gln Arg Leu Leu Ile Ala Cys Leu	
20 25 30	
Phe Ile Ser Gly Ser Leu Ser Ile Val Val Phe Gln Ile Cys Leu Gln	
35 40 45	
Val Leu Leu Pro Trp Ser Lys Ile Arg Phe Gln Asn Gly Ile Asn Gln	
50 55 60	
Ser Lys Lys Ala Phe Ile Val Leu Leu Cys Met Ile Leu Asn Met Val	
65 70 75 80	
Ala Pro Ser Ser Leu Asn Val Thr Phe Glu Thr Ser Arg Pro Leu Lys	
85 90 95	
Asn Ser Ser Asn Ala Lys Pro Cys Phe Arg Phe Lys Asp Arg Ala Ile	
100 105 110	
Ile Ile Ala Asn His Gln Met Tyr Ala Asp Trp Ile Tyr Leu Trp Trp	
115 120 125	
Leu Ser Phe Val Ser Asn Leu Gly Gly Asn Val Tyr Ile Ile Leu Lys	
130 135 140	
Lys Ala Leu Gln Tyr Ile Pro Leu Leu Gly Phe Gly Met Arg Asn Phe	
145 150 155 160	
Lys Phe Ile Phe Leu Ser Arg Asn Trp Gln Lys Asp Glu Lys Ala Leu	
165 170 175	
Thr Asn Ser Leu Val Ser Met Asp Leu Asn Ala Arg Cys Lys Gly Pro	
180 185 190	
Leu Thr Asn Tyr Lys Ser Cys Tyr Ser Lys Thr Asn Glu Ser Ile Ala	
195 200 205	
Ala Tyr Asn Leu Ile Met Phe Pro Glu Gly Thr Asn Leu Ser Leu Lys	
210 215 220	
Thr Arg Glu Lys Ser Glu Ala Phe Cys Gln Arg Ala His Leu Asp His	
225 230 235 240	
Val Gln Leu Arg His Leu Leu Leu Pro His Ser Lys Gly Leu Lys Phe	
245 250 255	

Ala Val Glu Lys Leu Ala Pro Ser Leu Asp Ala Ile Tyr Asp Val Thr
 260 265 270
 Ile Gly Tyr Ser Pro Ala Leu Arg Thr Glu Tyr Val Gly Thr Lys Phe
 275 280 285
 Thr Leu Lys Lys Ile Phe Leu Met Gly Val Tyr Pro Glu Lys Val Asp
 290 295 300
 Phe Tyr Ile Arg Glu Phe Arg Val Asn Glu Ile Pro Leu Gln Asp Asp
 305 310 315 320
 Glu Val Phe Phe Asn Trp Leu Leu Gly Val Trp Lys Glu Lys Asp Gln
 325 330 335
 Leu Leu Glu Asp Tyr Tyr Asn Thr Gly Gln Phe Lys Ser Asn Ala Lys
 340 345 350
 Asn Asp Asn Gln Ser Ile Val Val Thr Thr Gln Thr Thr Gly Phe Gln
 355 360 365
 His Glu Thr Leu Thr Pro Arg Ile Leu Ser Tyr Tyr Gly Phe Phe Ala
 370 375 380
 Phe Leu Ile Leu Val Phe Val Met Lys Lys Asn His
 385 390 395

<210> 219

<211> 479

<212> PRT

<213> Saccharomyces sp.

<220>

<400> 219

Met Gly Phe Val Asp Phe Phe Glu Thr Tyr Met Val Gly Ser Arg Val
 1 5 10 15
 Gln Phe Lys Gln Leu Asp Ile Ser Asp Trp Leu Ser Leu Thr Pro Arg
 20 25 30
 Leu Leu Ile Leu Phe Gly Tyr Phe Tyr Leu His Ser Phe Phe Thr Ala
 35 40 45
 Ile Asn Gln Phe Leu Gln Phe Ile Asn Thr Asn Ser Phe Cys Leu Arg
 50 55 60
 Leu His Leu Leu Tyr Asp Arg Phe Trp Ser His Val Pro Ile Ile Gly
 65 70 75 80
 Glu Tyr Lys Ile Arg Leu Leu Ser Arg Ala Leu Thr Tyr Ser Lys Leu
 85 90 95
 Lys Ile Ile Pro Thr Leu Asp Lys Val Leu Glu Ala Ile Glu Ile Trp
 100 105 110
 Phe Gln Leu His Leu Val Glu Met Thr Phe Glu Lys Lys Lys Asn Val
 115 120 125
 Gln Ile Phe Ile Thr Glu Gly Ser Asp Asp Leu Asn Phe Phe Lys Asp
 130 135 140
 Ser Lys Phe Gln Thr Thr Leu Met Ile Cys Asn His Arg Ser Val Asn
 145 150 155 160
 Asp Tyr Thr Leu Ile Asn Tyr Leu Phe Leu Lys Ser Cys Pro Thr Lys
 165 170 175

Phe Tyr Thr Lys Trp Glu Phe Leu Gln Lys Leu Arg Lys Gly Glu Asp
 180 185 190
 Leu Ala Glu Trp Pro Gln Leu Lys Phe Leu Gly Trp Gly Lys Met Phe
 195 200 205
 Asn Phe Pro Arg Leu Asp Leu Leu Lys Asn Ile Phe Phe Lys Asp Glu
 210 215 220
 Thr Leu Ala Leu Ser Ser Asn Glu Leu Arg Asp Ile Leu Glu Arg Gln
 225 230 235 240
 Asn Asn Gln Ala Ile Thr Ile Phe Pro Glu Val Asn Ile Met Ser Leu
 245 250 255
 Glu Leu Ser Ile Ile Gln Arg Lys Leu His Gln Asp Phe Pro Phe Val
 260 265 270
 Ile Asn Phe Tyr Asn Leu Leu Tyr Pro Arg Phe Lys Asn Phe Thr Thr
 275 280 285
 Leu Met Ala Ala Phe Ser Ser Ile Lys Asn Ile Lys Arg Lys Lys Asn
 290 295 300
 Arg Asn Asn Ile Ile Lys Glu Ala Arg Tyr Leu Phe His Arg Glu Leu
 305 310 315 320
 Asp Lys Leu Val His Lys Ser Met Lys Met Glu Ser Ser Lys Val Ser
 325 330 335
 Asp Lys Thr Thr Pro Pro Met Ile Val Asp Asn Ser Tyr Leu Leu Thr
 340 345 350
 Lys Lys Glu Glu Ile Ser Ser Gly Lys Pro Lys Val Val Arg Ile Asn
 355 360 365
 Pro Tyr Ile Tyr Asp Val Thr Ile Ile Tyr Tyr Arg Val Lys Tyr Thr
 370 375 380
 Asp Ser Gly His Asp His Thr Asn Gly Asp Leu Arg Leu His Lys Gly
 385 390 395 400
 Tyr Gln Leu Glu Gln Ile Ser Pro Thr Ile Phe Glu Met Ile Gln Pro
 405 410 415
 Glu Met Glu Ser Glu Asn Asn Ile Lys Asp Lys Asp Pro Ile Val Val
 420 425 430
 Met Val Asn Val Lys Lys His Gln Ile Gln Pro Leu Leu Ala Tyr Asn
 435 440 445
 Asp Glu Ser Leu Glu Lys Trp Leu Glu Asn Arg Trp Ile Glu Lys Asp
 450 455 460
 Arg Leu Ile Glu Ser Leu Gln Lys Asn Ile Lys Ile Glu Thr Lys
 465 470 475

<210> 220

<211> 300

<212> PRT

<213> Saccharomyces sp.

<400> 220

Met Glu Lys Tyr Thr Asn Trp Arg Asp Asn Gly Thr Gly Ile Ala Pro
 1 5 10 15

Phe Leu Pro Asn Thr Ile Arg Lys Pro Ser Lys Val Met Thr Ala Cys
 20 25 30

Leu Leu Gly Ile Leu Gly Val Lys Thr Ile Ile Met Leu Pro Leu Ile
 35 40 45
 Met Leu Tyr Leu Leu Thr Gly Gln Asn Asn Leu Leu Gly Leu Ile Leu
 50 55 60
 Lys Phe Thr Phe Ser Trp Lys Glu Glu Ile Thr Val Gln Gly Ile Lys
 65 70 75 80
 Lys Arg Asp Val Arg Lys Ser Lys His Tyr Pro Gln Lys Gly Lys Leu
 85 90 95
 Tyr Ile Cys Asn Cys Thr Ser Pro Leu Asp Ala Phe Ser Val Val Leu
 100 105 110
 Leu Ala Gln Gly Pro Val Thr Leu Leu Val Pro Ser Asn Asp Ile Val
 115 120 125
 Tyr Lys Val Ser Ile Arg Glu Phe Ile Asn Phe Ile Leu Ala Gly Gly
 130 135 140
 Leu Asp Ile Lys Leu Tyr Gly His Glu Val Ala Glu Leu Ser Gln Leu
 145 150 155 160
 Gly Asn Thr Val Asn Phe Met Phe Ala Glu Gly Thr Ser Cys Asn Gly
 165 170 175
 Lys Ser Val Leu Pro Phe Ser Ile Thr Gly Lys Lys Leu Lys Glu Phe
 180 185 190
 Ile Asp Pro Ser Ile Thr Thr Met Asn Pro Ala Met Ala Lys Thr Lys
 195 200 205
 Lys Phe Glu Leu Gln Thr Ile Gln Ile Lys Thr Asn Lys Thr Ala Ile
 210 215 220
 Thr Thr Leu Pro Ile Ser Asn Met Glu Tyr Leu Ser Arg Phe Leu Asn
 225 230 235 240
 Lys Gly Ile Asn Val Lys Cys Lys Ile Asn Glu Pro Gln Val Leu Ser
 245 250 255
 Asp Asn Leu Glu Glu Leu Arg Val Ala Leu Asn Gly Gly Asp Lys Tyr
 260 265 270
 Lys Leu Val Ser Arg Lys Leu Asp Val Glu Ser Lys Arg Asn Phe Val
 275 280 285
 Lys Glu Tyr Ile Ser Asp Gln Arg Lys Lys Arg Lys
 290 295 300

<210> 221

<211> 759

<212> PRT

<213> Saccharomyces sp.

<400> 221

Met Pro Ala Pro Lys Leu Thr Glu Lys Phe Ala Ser Ser Lys Ser Thr
 1 5 10 15
 Gln Lys Thr Thr Asn Tyr Ser Ser Ile Glu Ala Lys Ser Val Lys Thr
 20 25 30
 Ser Ala Asp Gln Ala Tyr Ile Tyr Gln Glu Pro Ser Ala Thr Lys Lys
 35 40 45
 Ile Leu Tyr Ser Ile Ala Thr Trp Leu Leu Tyr Asn Ile Phe His Cys
 50 55 60

Phe Phe Arg Glu Ile Arg Gly Arg Gly Ser Phe Lys Val Pro Gln Gln
 65 70 75 80
 Gly Pro Val Ile Phe Val Ala Ala Pro His Ala Asn Gln Phe Val Asp
 85 90 95
 Pro Val Ile Leu Met Gly Glu Val Lys Lys Ser Val Asn Arg Arg Val
 100 105 110
 Ser Phe Leu Ile Ala Glu Ser Ser Leu Lys Gln Pro Pro Ile Gly Phe
 115 120 125
 Leu Ala Ser Phe Phe Met Ala Ile Gly Val Val Arg Pro Gln Asp Asn
 130 135 140
 Leu Lys Pro Ala Glu Gly Thr Ile Arg Val Asp Pro Thr Asp Tyr Lys
 145 150 155 160
 Arg Val Ile Gly His Asp Thr His Phe Leu Thr Asp Cys Met Pro Lys
 165 170 175
 Gly Leu Ile Gly Leu Pro Lys Ser Met Gly Phe Gly Glu Ile Gln Ser
 180 185 190
 Ile Glu Ser Asp Thr Ser Leu Thr Leu Arg Lys Glu Phe Lys Met Ala
 195 200 205
 Lys Pro Glu Ile Lys Thr Ala Leu Leu Thr Gly Thr Thr Tyr Lys Tyr
 210 215 220
 Ala Ala Lys Val Asp Gln Ser Cys Val Tyr His Arg Val Phe Glu His
 225 230 235 240
 Leu Ala His Asn Asn Cys Ile Gly Ile Phe Pro Glu Gly Gly Ser His
 245 250 255
 Asp Arg Thr Asn Leu Leu Pro Leu Lys Ala Gly Val Ala Ile Met Ala
 260 265 270
 Leu Gly Cys Met Asp Lys His Pro Asp Val Asn Val Lys Ile Val Pro
 275 280 285
 Cys Gly Met Asn Tyr Phe His Pro His Lys Phe Arg Ser Arg Ala Val
 290 295 300
 Val Glu Phe Gly Asp Pro Ile Glu Ile Pro Lys Glu Leu Val Ala Lys
 305 310 315 320
 Tyr His Asn Pro Glu Thr Asn Arg Asp Ala Val Lys Glu Leu Leu Asp
 325 330 335
 Thr Ile Ser Lys Gly Leu Gln Ser Val Thr Val Thr Cys Ser Asp Tyr
 340 345 350
 Glu Thr Leu Met Val Val Gln Thr Ile Arg Arg Leu Tyr Met Thr Gln
 355 360 365
 Phe Ser Thr Lys Leu Pro Leu Pro Leu Ile Val Glu Met Asn Arg Arg
 370 375 380
 Met Val Lys Gly Tyr Glu Phe Tyr Arg Asn Asp Pro Lys Ile Ala Asp
 385 390 395 400
 Leu Thr Lys Asp Ile Met Ala Tyr Asn Ala Ala Leu Arg His Tyr Asn
 405 410 415
 Leu Pro Asp His Leu Val Glu Glu Ala Lys Val Asn Phe Ala Lys Asn
 420 425 430

Leu Gly Leu Val Phe Phe Arg Ser Ile Gly Leu Cys Ile Leu Phe Ser
 435 440 445
 Leu Ala Met Pro Gly Ile Ile Met Phe Ser Pro Val Phe Ile Leu Ala
 450 455 460
 Lys Arg Ile Ser Gln Glu Lys Ala Arg Thr Ala Leu Ser Lys Ser Thr
 465 470 475 480
 Val Lys Ile Lys Ala Asn Asp Val Ile Ala Thr Trp Lys Ile Leu Ile
 485 490 495
 Gly Met Gly Phe Ala Pro Leu Leu Tyr Ile Phe Trp Ser Val Leu Ile
 500 505 510
 Thr Tyr Tyr Leu Arg His Lys Pro Trp Asn Lys Ile Tyr Val Phe Ser
 515 520 525
 Gly Ser Tyr Ile Ser Cys Val Ile Val Thr Tyr Ser Ala Leu Ile Val
 530 535 540
 Gly Asp Ile Gly Met Asp Gly Phe Lys Ser Leu Arg Pro Leu Val Leu
 545 550 555 560
 Ser Leu Thr Ser Pro Lys Gly Leu Gln Lys Leu Gln Lys Asp Arg Arg
 565 570 575
 Asn Leu Ala Glu Arg Ile Ile Glu Val Val Asn Asn Phe Gly Ser Glu
 580 585 590
 Leu Phe Pro Asp Phe Asp Ser Ala Ala Leu Arg Glu Glu Phe Asp Val
 595 600 605
 Ile Asp Glu Glu Glu Glu Asp Arg Lys Thr Ser Glu Leu Asn Arg Arg
 610 615 620
 Lys Met Leu Arg Lys Gln Lys Ile Lys Arg Gln Glu Lys Asp Ser Ser
 625 630 635 640
 Ser Pro Ile Ile Ser Gln Arg Asp Asn His Asp Ala Tyr Glu His His
 645 650 655
 Asn Gln Asp Ser Asp Gly Val Ser Leu Val Asn Ser Asp Asn Ser Leu
 660 665 670
 Ser Asn Ile Pro Leu Phe Ser Ser Thr Phe His Arg Lys Ser Glu Ser
 675 680 685
 Ser Leu Ala Ser Thr Ser Val Ala Pro Ser Ser Ser Ser Glu Phe Glu
 690 695 700
 Val Glu Asn Glu Ile Leu Glu Glu Lys Asn Gly Leu Ala Ser Lys Ile
 705 710 715 720
 Ala Gln Ala Val Leu Asn Lys Arg Ile Gly Glu Asn Thr Ala Arg Glu
 725 730 735
 Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu
 740 745 750
 Glu Gly Lys Glu Gly Asp Ala
 755

<210> 222

<211> 743

<212> PRT

<213> *Saccharomyces* sp.

<400> 222

Met Ser Ala Pro Ala Ala Asp His Asn Ala Ala Lys Pro Ile Pro His
 1 5 10 15
 Val Pro Gln Ala Ser Arg Arg Tyr Lys Asn Ser Tyr Asn Gly Phe Val
 20 25 30
 Tyr Asn Ile His Thr Trp Leu Tyr Asp Val Ser Val Phe Leu Phe Asn
 35 40 45
 Ile Leu Phe Thr Ile Phe Phe Arg Glu Ile Lys Val Arg Gly Ala Tyr
 50 55 60
 Asn Val Pro Glu Val Gly Val Pro Thr Ile Leu Val Cys Ala Pro His
 65 70 75 80
 Ala Asn Gln Phe Ile Asp Pro Ala Leu Val Met Ser Gln Thr Arg Leu
 85 90 95
 Leu Lys Thr Ser Ala Gly Lys Ser Arg Ser Arg Met Pro Cys Phe Val
 100 105 110
 Thr Ala Glu Ser Ser Phe Lys Lys Arg Phe Ile Ser Phe Phe Gly His
 115 120 125
 Ala Met Gly Gly Ile Pro Val Pro Arg Ile Gln Asp Asn Leu Lys Pro
 130 135 140
 Val Asp Glu Asn Leu Glu Ile Tyr Ala Pro Asp Leu Lys Asn His Pro
 145 150 155 160
 Glu Ile Ile Lys Gly Arg Ser Lys Asn Pro Gln Thr Thr Pro Val Asn
 165 170 175
 Phe Thr Lys Arg Phe Ser Ala Lys Ser Leu Leu Gly Leu Pro Asp Tyr
 180 185 190
 Leu Ser Asn Ala Gln Ile Lys Glu Ile Pro Asp Asp Glu Thr Ile Ile
 195 200 205
 Leu Ser Ser Pro Phe Arg Thr Ser Lys Ser Lys Val Val Glu Leu Leu
 210 215 220
 Thr Asn Gly Thr Asn Phe Lys Tyr Ala Glu Lys Ile Asp Asn Thr Glu
 225 230 235 240
 Thr Phe Gln Ser Val Phe Asp His Leu His Thr Lys Gly Cys Val Gly
 245 250 255
 Ile Phe Pro Glu Gly Gly Ser His Asp Arg Pro Ser Leu Leu Pro Ile
 260 265 270
 Lys Ala Gly Val Ala Ile Met Ala Leu Gly Ala Val Ala Ala Asp Pro
 275 280 285
 Thr Met Lys Val Ala Val Val Pro Cys Gly Leu His Tyr Phe His Arg
 290 295 300
 Asn Lys Phe Arg Ser Arg Ala Val Leu Glu Tyr Gly Glu Pro Ile Val
 305 310 315 320
 Val Asp Gly Lys Tyr Gly Glu Met Tyr Lys Asp Ser Pro Arg Glu Thr
 325 330 335
 Val Ser Lys Leu Leu Lys Lys Ile Thr Asn Ser Leu Phe Ser Val Thr
 340 345 350
 Glu Asn Ala Pro Asp Tyr Asp Thr Leu Met Val Ile Gln Ala Ala Arg
 355 360 365
 Arg Leu Tyr Gln Pro Val Lys Val Arg Leu Pro Leu Pro Ala Ile Val

<210> 223
 <211> 397
 <212> PRT
 <213> Saccharomyces sp.

<400> 223

Met Leu His Gln Lys Ile Ala His Lys Val Arg Lys Val Val Val Pro
 1 5 10 15
 Gly Ile Ser Leu Leu Ile Phe Phe Gln Gly Cys Leu Ile Leu Leu Phe
 20 25 30
 Leu Gln Leu Thr Tyr Lys Thr Leu Tyr Cys Arg Asn Asp Ile Arg Lys
 35 40 45
 Gln Ile Gly Leu Asn Lys Thr Lys Arg Leu Phe Ile Val Leu Val Ser
 50 55 60
 Ser Ile Leu His Val Val Ala Pro Ser Ala Val Arg Ile Thr Thr Glu
 65 70 75 80
 Asn Ser Ser Val Pro Lys Gly Thr Phe Phe Leu Asp Leu Lys Lys Lys
 85 90 95
 Arg Ile Leu Ser His Leu Lys Ser Asn Ser Val Ala Ile Cys Asn His
 100 105 110
 Gln Ile Tyr Thr Asp Trp Ile Phe Leu Trp Trp Leu Ala Tyr Thr Ser
 115 120 125
 Asn Leu Gly Ala Asn Val Phe Ile Ile Leu Lys Lys Ser Leu Ala Ser
 130 135 140
 Ile Pro Ile Leu Gly Phe Gly Met Arg Asn Tyr Asn Phe Ile Phe Met
 145 150 155 160
 Ser Arg Lys Trp Ala Gln Asp Lys Ile Thr Leu Ser Asn Ser Leu Ala
 165 170 175
 Gly Leu Asp Ser Asn Ala Arg Gly Ala Gly Ser Leu Ala Gly Lys Ser
 180 185 190
 Pro Glu Arg Ile Thr Glu Glu Gly Glu Ser Ile Trp Asn Pro Glu Val
 195 200 205
 Ile Asp Pro Lys Gln Ile His Trp Pro Tyr Asn Leu Ile Leu Phe Pro
 210 215 220
 Glu Gly Thr Asn Leu Ser Ala Asp Thr Arg Gln Lys Ser Ala Lys Tyr
 225 230 235 240
 Ala Ala Lys Ile Gly Lys Lys Pro Phe Lys Asn Val Leu Leu Pro His
 245 250 255
 Ser Thr Gly Leu Arg Tyr Ser Leu Gln Lys Leu Lys Pro Ser Ile Glu
 260 265 270
 Ser Leu Tyr Asp Ile Thr Ile Gly Tyr Ser Gly Val Lys Gln Glu Glu
 275 280 285
 Tyr Gly Glu Leu Ile Tyr Gly Leu Lys Ser Ile Phe Leu Glu Gly Lys
 290 295 300
 Tyr Pro Lys Leu Val Asp Ile His Ile Arg Ala Phe Asp Val Lys Asp
 305 310 315 320
 Ile Pro Leu Glu Asp Glu Asn Glu Phe Ser Glu Trp Leu Tyr Lys Ile
 325 330 335

Trp Ser Glu Lys Asp Ala Leu Met Glu Arg Tyr Tyr Ser Thr Gly Ser
 340 345 350
 Phe Val Ser Asp Pro Glu Thr Asn His Ser Val Thr Asp Ser Phe Lys
 355 360 365
 Ile Asn Arg Ile Glu Leu Thr Glu Val Leu Ile Leu Pro Thr Leu Thr
 370 375 380
 Ile Ile Trp Leu Val Tyr Lys Leu Tyr Cys Phe Ile Phe
 385 390 395

<210> 224

<211> 303

<212> PRT

<213> Saccharomyces sp.

<400> 224

Met Ser Val Ile Gly Arg Phe Leu Tyr Tyr Leu Arg Ser Val Leu Val
 1 5 10 15
 Val Leu Ala Leu Ala Gly Cys Gly Phe Tyr Gly Val Ile Ala Ser Ile
 20 25 30
 Leu Cys Thr Leu Ile Gly Lys Gln His Leu Ala Gln Trp Ile Thr Ala
 35 40 45
 Arg Cys Phe Tyr His Val Met Lys Leu Met Leu Gly Leu Asp Val Lys
 50 55 60
 Val Val Gly Glu Glu Asn Leu Ala Lys Lys Pro Tyr Ile Met Ile Ala
 65 70 75 80
 Asn His Gln Ser Thr Leu Asp Ile Phe Met Leu Gly Arg Ile Phe Pro
 85 90 95
 Pro Gly Cys Thr Val Thr Ala Lys Lys Ser Leu Lys Tyr Val Pro Phe
 100 105 110
 Leu Gly Trp Phe Met Ala Leu Ser Gly Thr Tyr Phe Leu Asp Arg Ser
 115 120 125
 Lys Arg Gln Glu Ala Ile Asp Thr Leu Asn Lys Gly Leu Glu Asn Val
 130 135 140
 Lys Lys Asn Lys Arg Ala Leu Trp Val Phe Pro Glu Gly Thr Arg Ser
 145 150 155 160
 Tyr Thr Ser Glu Leu Thr Met Leu Pro Phe Lys Lys Gly Ala Phe His
 165 170 175
 Leu Ala Gln Gln Gly Lys Ile Pro Ile Val Pro Val Val Val Ser Asn
 180 185 190
 Thr Ser Thr Leu Val Ser Pro Lys Tyr Gly Val Phe Asn Arg Gly Cys
 195 200 205
 Met Ile Val Arg Ile Leu Lys Pro Ile Ser Thr Glu Asn Leu Thr Lys
 210 215 220
 Asp Lys Ile Gly Glu Phe Ala Glu Lys Val Arg Asp Gln Met Val Asp
 225 230 235 240
 Thr Leu Lys Glu Ile Gly Tyr Ser Pro Ala Ile Asn Asp Thr Thr Leu
 245 250 255
 Pro Pro Gln Ala Ile Glu Tyr Ala Ala Leu Gln His Asp Lys Lys Val
 260 265 270

Asn Lys Lys Ile Lys Asn Glu Pro Val Pro Ser Val Ser Ile Ser Asn
275 280 285

Asp Val Asn Thr His Asn Glu Gly Ser Ser Val Lys Lys Met His
290 295 300

<210> 225

<211> 1146

<212> DNA

<213> *Saccharomyces* sp.

<400> 225

```

atgtctttta gggatgtcct agaaagagga gatgaatttt tagaagccta tcccagaaga 60
agcccccttt ggagatttct ttcatacagt acatcattac tgaccttcgg tgtatcaaaa 120
ctgcttcttt tcacatgcta taatgtcaaa ttgaatgggt ttgaaaaatt agaaactgcc 180
ttggaacggt ccaaaaggga aaatagaggc cttatgacgg tcatgaacca tatgagtatg 240
gtcgatgatc cgttagtttg ggcaacacta ccatataagt tatttacgtc tttggacaac 300
ataagatggt ctttgggtgc acataatatt tgctttcaaa ataaatttct ggccaacttt 360
ttctcacttg gccaaagtcct ttcaacagaa agatttgggg tgggcccatt tcaaggttct 420
atagatgctt caataagatt gttaagccct gacgacactt tagacttggg atggaccctt 480
cactctgagg tctcttcttc gctaaaaaaa gcctactccc cgcccataat aaggctcgaag 540
ccatcttggg tccatgttta tccagaagga tttgtactac aattatatcc gccttttgaa 600
aattcgatga ggtattttta atgggggtatt accagaatga tcctagaagc aacaaagccg 660
cccattgtag taccaatatt tgctacaggg tttgaaaaaa tagcatccga agcagtcaca 720
gattcaatgt ttagacaaat tctaccaaga aactttggct ctgaaataaa tgttaccata 780
ggggatcctt taaatgatga tttaatcgac aggtatagaa aagaatggac acatttggtt 840
gaaaaatact atgatcccaa aaatcctaac gacctctctg acgaattgaa atatggtaaa 900
gaggcgcaag attttaagaag cagattagcc gctgaactga gagcccatgt tgctgaaatt 960
agaaatgaag ttcgcaaatt accacgcgaa gaccctaggt tcaaatcccc ctcatggtgg
1020
aagcggttca acaccacgga aggtaaatcg gaccagatg ttaaagtcatt tggcgaaaat
1080
tgggcaataa ggaggatgca aaagtttctg cctccagagg gtaaaccaaa gggttaaggat
1140
gattga
1146

```

<210> 226

<211> 1191

<212> DNA

<213> *Saccharomyces* sp.

<400> 226

```

atgaagcatt cccaaaaata ccgtaggtat ggaatttatg aaaagactgg taatcccttt 60
ataaaagggt tgcaaaggct gcttatcgct tgcttggtca tttcaggctc gctgagtatt 120
gtcgtttttc agatctgtct acagggtgct ctccttggga gcaagattag atttcaaaa 180
ggtataaatc aaagtaagaa ggcttttctc gttttattat gcatgatctt gaacatggtg 240
gtccctctct ctttgaatgt cacttttgaa acatcgcggc cattgaagaa ctcttctaac 300
gccaaagccat gcttttagatt taaagacagg gctataataa ttgcaaatac tcaaattgtat 360
gcagactgga tttatctctg gtggctttcc tttgtttcaa atttgggtgg taacgtttat 420
atcatcctga agaaagctct gcagtacata ccattactgg gatttggcat gcgaaatttt 480
aagttttatat ttttaagtag gaactggcaa aaggatgaga aagctttaac aaatagtttg 540
gtttctatgg acttaaacgc gaggtgcaag gggccctta caaattataa gagttgttat 600
tccaagacaa atgaatccat tgccgcttat aatttaatac tgttccctga gggtagaaa 660
ctaagcctca agacaagaga aaaaagcgag gcattctgtc aaagagcaca tttggaccat 720
gtccaattaa gacatttggt attaccgcac tctaaaggct tgaagtttgc agtagaaaaa 780
ctagctccta gtttagatgc tatctacgat gtcactattg gatattctcc cgcttgaga 840
acggaatacg tcggcaccaa attcaccttg aagaaaatat tcttaatggg tgtctatccg 900
gagaaagtag atttttatat tagggaattt agagttaatg agatcccttt gcaagatgac 960
gaagtttttt tcaattggtt actgggcgtg tggaagaaa aagatcaact gctagaagac
1020
tactacaaca caggccaatt taaaagtaat gctaaaaatg acaaccaatc catcgttggt
1080
acgacacaaa cgactggatt tcagcacgaa acattgacac cccgtatcct ttcattattac
1140
gggttcttcg cttttcttat tcttgtattt gtgatgaaaa aaaatcattg a
1191

```

<210> 227
 <211> 1440
 <212> DNA
 <213> *Saccharomyces* sp.

<400> 227
 atggggttttg ttgatttctt cgaaacatat atgggtcggtt ctagggtcca gttcaaacag 60
 ttatatattt ctgattgggt gactctgacc ccaagggtgc ttattctttt tggctatttt 120
 taccttcatt ctttttttac tgcaatcaat caattcctac agttcattaa cacgaattcc 180
 ttctgtctta gactgcattt actatatgac agattttgggt cgcattgtgcc cataataggt 240
 gagtacaaaa ttcgggtgct ctcgagggca ctgacatata gtaaactgaa aataatacca 300
 acttttagaca aggtgctgga ggcgattgaa atttgggttc agctacattt agttgaaatg 360
 accttcgaaa aaaaaaaaaa cgtccaaatt ttcataaccg aggggaagtga tgacctaaac 420
 ttttttaag atagcaaatt ccaaaccaca ttaatgatat gtaatcatcg atcagtgaat 480
 gactacacat tgattaatta cttttttctc aaaagtgtgc ccaccaagtt ttatactaaa 540
 tgggaatttc tacaaaagct gaggaagggg gaagatctag ctgaatggcc tcagttaaaa 600
 tttcttgggt ggggaaaaat gtttaacttt cctcgattgg atctactaaa gaacatattc 660
 ttcaaagatg aaacactcgc actctcatcg aatgagttaa gagatatttt agaaagacaa 720
 aacaatcaag ctattactat ttttcccgaa gtcaatatca tgagtttggg actatcaatt 780
 attcaaagaa aattacacca agattttccc tttgttataa acttctataa tttattatac 840
 ccaagattta aaaactttac cactttgatg gctgcttttt catcaattaa aaacatcaaa 900
 agaaagaaaa accgtaacaa tataatcaaa gaggccgat acctgtttca cagagaactt 960
 gacaaattag ttcacaagag catgaaaatg gagtcttcca aggtatccga taagacgacg
 1020
 ccgcccataga tcgtagataa ttcatactta cttacaaaaa aggaagaaat cagcagcggc
 1080
 aagcccaagg tggtagaat caatccatac atatatgatg tcaccataat ttattaccga
 1140
 gtcaaataa ctgatagtgg gcatgatcat accaacggag atttgagact tcataaagggt
 1200
 tatcaattag agcaaatatc tccgacaatc tttgagatga ttcaaccaga aatggagtc
 1260
 gaaaacaaca taaaggataa ggacccatt gttgtgatgg taaatgtaaa aaagcatcaa
 1320
 attcaaccat tactcgcata caatgatgag agtttagaaa agtggcttga aaataggtgg
 1380
 atagaaaaag atagattaat cgagtccttg caaaaaata ttaaaattga gaccaaataa
 1440

<210> 228
 <211> 903
 <212> DNA
 <213> *Saccharomyces* sp.

<400> 228
 atggaaaagt acaccaattg gagagacaat ggtacgggaa tagctccatt tctaccaaac 60
 acaatcagga aacctagtaa ggtgatgaca gcgtgtttgt tgggtatcct aggggtgaaa 120
 accattataa tgctaccatt gattatgctg tactttctaa ctggccagaa caacttactg 180
 gggttgatat tgaagtttac attcagttgg aaagaggaaa ttaccgtgca aggaatcaag 240
 aaacgtgacg taaggaaatc caagcattat ccacagaagg gcaagcttta tatttgcaat 300
 tgtacctcac ctttagatgc tttttcagtg gtgttattag ctcaagggcc tggtacgttg 360
 ttggtcccat ccaatgacat tgtatacaaa gtttccataa gagaattcat caacttcac 420
 ctgcgcgggt gggttagatat aaaactctat ggccacgagg tagcagagct atctcaattg 480
 ggcaataaccg tgaattttat gtttgcgtgag ggtacctcat gtaatggtaa aagcgtctta 540
 ccgttttagta taaccgggaa aaaacttaaa gaattcatag acccttcaat aaccacaatg 600
 aaccccgcaa tggccaaaac taaaaaattt gaattgcaga ccatccaaat caaaactaat 660
 aaaactgcca tcaccacatt gccatctcct aatatggagt atttatctag atttctgaac 720
 aagggcatta atgttaaatg caagatcaac gagccacaag tactctcgga taatttagag 780
 gaattacgag ttgcattaaa cgggtggcgac aaatataaac tagtctcacg gaagttagat 840
 gttgaatcta agaggaattt tgtgaaggaa tatatcagcg atcaacgtaa aaagaggaag 900
 tag 903

<210> 229
 <211> 2280
 <212> DNA
 <213> *Saccharomyces* sp.

<400> 229
 atgcctgcac caaaactcac ggagaaattt gcctcttcca agagcacaca gaaaactacg 60
 aattacagtt ccatcgaggc caaaagcgtc aagacgtcgg ctgatcaggc atacatctac 120

```

caagagccta gcgctaccaa gaagatactt tactccatcg ccacatggct gttgtacaac 180
atcttccact gcttctttag agaaatcaga ggccggggca gtttcaaggt accgcaacag 240
ggaccgggtga tctttgttgc ggctccgcat gctaaccagt tcgtcgaccc tgaatcctt 300
atgggcgagg tgaagaaatc tgtcaacaga cgtgtgtcct tcttgattgc ggagagctca 360
ttaagcaac ccccatagg gtttttggct agtttcttca tggccatagg cgtggtaagg 420
ccgcaggata atttgaaacc ggcagaaggt actatccgcg tagatccaac agactacaag 480
agagttatcg gccacgacac gcatttcttg actgattgta tgccaaaggg tctcatcggg 540
ttacccaaat caatgggatt tggagaaatc cagtccatag aaagtgcac gagtttgacc 600
ctaagaaaag agttcaaaat ggccaaacca gagattaaaa ctgctttact caccggcact 660
acttataaat atgccgctaa agtcgaccaa tcttgcgttt accatagagt ttttgagcat 720
ttggcccata acaactgcat tgggatcttt cctgaagggtg ggtcccacga cagaacaaac 780
ttgttgcccc tgaaagcagg tgtggcgatt atgggtcttg gttgcatgga taagcatcct 840
gacgtcaatg ttaagattgt tccctgcggt atgaattatt tccatccaca taagttcagg 900
tcgagagcgg ttgttgaatt cggtgacccc attgaaatac cgaaggaaact agtcgccaag 960
taccacaacc cggaaacgaa cagagatgca gtgaaagaat tattagatac catatcgaag
1020
ggttttacaat ccgtttaccgt tacatgttct gattatgaaa ctttgatggg ggttcaaacg
1080
ataagaagac tatatatgac acaatttagc accaagttac cggtgcccctt gattgtggaa
1140
atgaacagaa gaatgggtcaa aggttacgaa ttctatagaa acgatcctaa aatagcggac
1200
ttgaccaaag atataatggc atataatgcc gccttgagac actataatct tcttgatcac
1260
cttgtggagg aggcaaaggt aaatttcgca aaaaacctcg gacttgtttt ttttagatcc
1320
atcgggtctt gcacctcttt ttcgttagcc atgccaggta tcattatgtt ctcacctgtc
1380
ttcatattag ccaagagaat ttctcaagaa aaggcccgta ccgctttgtc caagtctaca
1440
gttaaaataa aggctaacga tgtcattgcc acgtggaaaa tcttgattgg gatgggattt
1500
gcgccccttgc tttacatctt ttgggtcgtt ttaatcactt attacctcag acataaacca
1560
tggaataaaa tatatgtttt ttccgggtct tacatctcgt gtgttatagt cacgtattcc
1620
gccttaatcg tgggtgatat tgggtatggat gggttcaaat ctttgagacc actgggtttta
1680
tctcttatcat ctccaaaggg cttgcaaaaag ctacaaaagg atcgtagaaa tctggcagaa
1740
agaataatcg aagttgtaaa taacttttga agcgaattat tccccgattt cgatagtggc
1800
gccctacgtg aagaattcga cgtcatcgat gaagaggaag aagatcgaac aacctcagaa
1860
ttgaatcgca ggaaaatgct aagaaaacag aaaataaaaa gacaagaaaa agattcgtca
1920
tcacctatca tcagccaacg tgacaaccac gatgcctatg aacaccataa ccaagattcc
1980
gatggcgtct cattgggtcaa tagtgacaat tccctctcta acattccatt attctcttct
2040
acttttcatc gtaagtcaga gtcttcctta gcttcgacat ccgttgacc ttcttcttcc
2100
tccgaatttg aggtagaaaa cgaaatcttg gaggaaaaaa atggattagc aagtaaaatc
2160
gcacaggccg tcttaaacia gagaattggt gaaaatactg ccagggaaga ggaagaggaa
2220
gaagaagagg aagaagaaga agaggaagaa gaagaagaag ggaaagaagg agatgcgtag
2280

```

<210> 230

<211> 2232

<212> DNA

<213> *Saccharomyces* sp.

<400> 230

```

atgtctgctc ccgctgccga tcataacgct gccaaaccta ttctctatgt acctcaagcg 60
tcccgacggt acaaaaattc atacaatgga ttcgatatca atatacatatc atggctgtat 120
gatgtgtctg tatttctgtt taatatcttg ttactatctt tcttcagaga aattaaggta 180
cgtgggtgcat ataacgttcc cgaagttggg gtgccaacca tcttgggtgtg tgcccctcat 240
gcaaatcagt tcacgcaccc ggctttggta atgtcgcaaa cccgtttgct gaagacatca 300

```

```

gcgggaaagt cccgatccag aatgccttgt tttgttactg ctgagtcgag ttttaagaaa 360
agatttatct ctttcttttg tcacgcaatg ggcggtattc ccgtgcctag aattcaggac 420
aacttgaagc cagtggatga gaatcttgag atttacgctc cggacttgaa gaaccacccg 480
gaaatcatca agggccgctc caagaaccca cagactacac cagtgaactt tacgaaaagg 540
ttttctgcca agtccttgct tggattgccc gactacttaa gtaatgctca aatcaaggaa 600
atcccggatg atgaaacgat aatcttgtcc tctccattca gaacatcgaa atcaaaaagt 660
gtggagctct tgactaatgg tactaatttt aaatatgcag agaaaatcga caatacggaa 720
actttccaga gtgtttttga tcacttgcac acgaagggct gtgtaggat tttccccgag 780
ggtggttctc atgaccgtcc ttcgttacta cccatcaagg cagggtgttc cattatggct 840
ctgggcgcag tagccgctga tcctaccatg aaagtgtctg ttgtaccctg tggtttgcac 900
tatttccaca gaaataaatt cagatctaga gctgttttag aatacggcga acctatagt 960
gtggatggga aatatggcga aatgtataag gactccccac gtgagaccgt ttccaaaacta
1020
ctaaaaaaga tcaccaattc tttgttttct gttaccgaaa atgctccaga ttacgatact
1080
ttgatggtea ttcaggctgc cagaagacta tatcaaccgg taaaagtcag gctacctttg
1140
cctgccattg tagaaatcaa cagaagggtta cttttcgggtt attccaagtt taaagatgat
1200
ccaagaatta ttcacttaaa aaaactggta tatgactaca acaggaaatt agattcagtg
1260
ggtttaaaag accatcaggt gatgcaatta aaaactacca aattagaagc attgaggtgc
1320
tttgtaactt tgatcgttcg attgattaaa ttttctgtct ttgctatact atcgttaccg
1380
ggttctattc tcttactcc aattttcatt atttgtcgcg tatactcaga aaagaaggcc
1440
aaagagggtt taaagaaatc attgggttaa attaagggtta ccgatttggt ggccacatgg
1500
aaacttatcg tggcgtaat attggcacca attttatagc ttacttactc gatcttgttg
1560
attatttttg caagaaaaca acactattgt cgcactctggg ttccttccaa taacgcattc
1620
atacaatttg tctattttta tgcgttattg gttttcacca cgtattcctc tttaaagacc
1680
ggtgaaatcg gtgttgacct tttcaaactc ttaagaccac tttttgtttc tattgtttac
1740
cccggtaaga agatcgaaga aatccaaaca acaagaaaga atttaagtct agagttgact
1800
gctgtttgta acgatttagg acctttgggt ttccttgatt acgataaatt agcgactgag
1860
atattctcta agagagacgg ttatgatgtc tcttctgatg cagagtcttc tataagtcgt
1920
atgagtgtac aatctagaag ccgctcttct tctatacatt ctattggctc gctagcttct
1980
aacgccctat caagagtga aatcaagagc tcgttgaccg atattccaat tttttctgat
2040
gcaaagcaag gtcaatggaa aagtgaagg gaaactagtg aggatgagga tgaatttgat
2100
gagaaaaatc ctgccatagt acaaaccgca cgaagtcttg atctaaataa ggaaaacagt
2160
cgcaacacaa atatatcttc gaagattgct tcgctggtaa gacagaaaag agaacacgaa
2220
aagaaagaat ga
2232

```

<210> 231

<211> 1194

<212> DNA

<213> *Saccharomyces* sp.

<400> 231

```

atgctgcatc aaaaaatagc tcataaagtt cgaagagtcg tcgtcccagg tatttcctta 60
ttgattttct tccagggatg ccttattctt ttgtttctcc aactcaccta taagactctt 120
tactgtagaa atgatataag gaaacaaatt ggtctcaata aaaccaaagc attatttatt 180
gtcttgggtat catccatttt gcattgtgtc gcaccatctg cagtgagaat taccactgaa 240
aattccagtg ttcctaaagg tacttttttt ttagacttga agaagaaaag gattctttct 300
catctaaagt ccaattcggt ggccatttgc aatcaccaaa tatacacgga ttggatattt 360
ttatgggtgt tggcttacac atcgaactta ggggctaatt tcttcattat tttaaaaaaa 420
tcgttggctt ccattcctat cctcggtttc ggtatgagaa actataattt catttttatg 480

```


agtagaaagt gggcacaaga caaaataacc ctaagcaaca gccttgctgg ccttgattcg 540
aatgcaaggg gcgccggctc acttgctgga aagtcacctg agcgcataac tgagggaagga 600
gagagcatat ggaatccgga gggtattgat ccaaaacaaa tccattggcc atacaatctt 660
atcctattcc ctgaaggtag aaatctcagt gctgatacta ggcaaaaaag tgctaaatat 720
gctgccaaaa taggcataaa gccattcaag aatgtgctac tgcctcattc tacaggccta 780
agatactcgt tacaaaagt gaagccaagt attgaaagtc tttatgatat tacgatcggc 840
tactccgggtg taaaacagga ggaatatggt gagcttatat atgggctgaa gagcatattt 900
ttagaaggaa aatacccgaa gttagtcgat attcacatca gagcatttga tgttaaagat 960
attccattag aggacgagaa tgaattttca gaatggctgt ataaaatttg gagtgaagaag
1020
gatgctctaa tggaaaggta ctattccact ggatcattcg taagtgatcc tgaacaaaac
1080
cattcagtta ccgatagttt caagatcaat cgtattgagt taactgaagt gctaataatta
1140
ccaactctaa caataatttg gttagtttat aaactttatt gttttatttt ttga
1194

<210> 232

<211> 912

<212> DNA

<213> *Saccharomyces* sp.

<400> 232

atgagtgtga taggtagggt cttgtattac ttgagggtccg tgttggtcgt actggcgctt 60
gcaggctgtg gcttttacgg tgtaatcgcc tctatccttt gcacgttaat cggtaagcaa 120
catttggtc agtggattac tgcgcgttgt ttttaccatg tcatgaaatt gatgcttggc 180
cttgacgtca agtgcgttgg cgaggagaat ttggccaaga agccatataat tatgattgcc 240
aatcaccaat ccaccttgga tatcttcatt ttaggttagga ttttcccccc tggttgcaca 300
gttactgcc aagaagtctt gaaatacgtc ccctttcttg gttggttcat ggctttgagt 360
ggtacatat tcttagacag atctaaaagg caagaagcca ttgacacctt gaataaagggt 420
ttagaaaaatg ttaagaaaaa caagcgtgct ctatgggttt ttcctgaggg taccagggtc 480
tacacgagtg agctgacaat gttgcctttc aagaagggtg ctttccattt ggcacaacag 540
ggtaagatcc ccattgttcc agtgggttgt tccaatacca gtactttagt aagtcctaaa 600
tatgggggtc tcaacagagg ctgtatgatt gttagaattt taaaacctat ttcaaccgag 660
aacttaacaa aggacaaaat tgggtgaattt gctgaaaaag ttagagatca aatggttgac 720
actttgaagg agattggcta ctctccgcc atcaacgata caaccctccc accacaagct 780
attgagtatg ccgctcttca acatgacaag aaagtgaaca agaaaatcaa gaatgagcct 840
gtgccttctg tcagcattag caacgatgtc aatacccata acgaagggtc atctgtaaaa 900
aagatgcatt aa 912

<210> 233

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 233

cgcgatttaa atggcgcgcc ctgcaggcgg ccgcctgcag ggcgcgccat ttaa 54

<210> 234

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 234

tcgaggatcc gcggccgcaa gcttcttgca gg 32

<210> 235

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 235

tcgacctgca ggaagcttgc ggccgcggat cc

32

<210> 236

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 236

tcgacctgca ggaagcttgc ggccgcggat cc

32

<210> 237

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 237

tcgaggatcc gcggccgcaa gcttcctgca gg

32

<210> 238

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 238

tcgaggatcc gcggccgcaa gcttcctgca ggagct

36

<210> 239

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 239

cctgcaggaa gcttgcggcc gcggatcc

28

<210> 240

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Synthetic
Oligonucleotide

<400> 240

tcgacctgca ggaagcttgc ggccgcggat ccagct

36

<210> 241

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic
Oligonucleotide

<400> 241

ggatccgcgg ccgcaagctt cctgcagg

28

THIS PAGE BLANK (USPTO)

This Page is inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images
problems checked, please do not report the
problems to the IFW Image Problem Mailbox**

THIS PAGE BLANK (USPTO)